

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_U\Data\VU121924\  
 Data File : VU062476.D  
 Acq On : 19 Dec 2024 15:32  
 Operator : MD/SY  
 Sample : VIBLK190  
 Misc : 25mL/MSVOA\_U/WATER  
 ALS Vial : 15 Sample Multiplier: 1

Instrument :  
 MSVOA\_U  
 ClientSampleId :  
 VIBLK190

Quant Time: Dec 20 00:39:21 2024  
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_U\Method\SFAMUTR120924WMA.M  
 Quant Title : TRACE VOA SFAM1.0  
 QLast Update : Fri Dec 20 00:36:00 2024  
 Response via : Initial Calibration

| Compound                   | R.T.   | QIon | Response | Conc  | Units | Dev(Min) |
|----------------------------|--------|------|----------|-------|-------|----------|
| -----                      |        |      |          |       |       |          |
| Internal Standards         |        |      |          |       |       |          |
| 1) 1,4-Difluorobenzene     | 6.242  | 114  | 80296    | 5.000 | ug/L  | 0.00     |
| 28) Chlorobenzene-d5       | 9.409  | 117  | 74792    | 5.000 | ug/L  | 0.00     |
| 58) 1,4-Dichlorobenzene-d4 | 11.804 | 152  | 33984    | 5.000 | ug/L  | 0.00     |

|                               |        |       |          |          |      |          |
|-------------------------------|--------|-------|----------|----------|------|----------|
| System Monitoring Compounds   |        |       |          |          |      |          |
| 4) Vinyl Chloride-d3          | 1.595  | 65    | 22700    | 4.191    | ug/L | 0.00     |
| Spiked Amount                 | 5.000  | Range | 40 - 130 | Recovery | =    | 83.800%  |
| 7) Chloroethane-d5            | 1.911  | 69    | 18632    | 4.836    | ug/L | 0.00     |
| Spiked Amount                 | 5.000  | Range | 65 - 130 | Recovery | =    | 96.800%  |
| 11) 1,1-Dichloroethene-d2     | 2.560  | 65    | 10802    | 4.192    | ug/L | 0.00     |
| Spiked Amount                 | 5.000  | Range | 60 - 125 | Recovery | =    | 83.800%  |
| 20) 2-Butanone-d5             | 4.624  | 46    | 44183    | 42.567   | ug/L | 0.00     |
| Spiked Amount                 | 50.000 | Range | 40 - 130 | Recovery | =    | 85.140%  |
| 24) Chloroform-d              | 5.052  | 84    | 54350    | 4.637    | ug/L | 0.00     |
| Spiked Amount                 | 5.000  | Range | 70 - 125 | Recovery | =    | 92.800%  |
| 26) 1,2-Dichloroethane-d4     | 5.692  | 65    | 30844    | 5.351    | ug/L | 0.00     |
| Spiked Amount                 | 5.000  | Range | 70 - 130 | Recovery | =    | 107.000% |
| 32) Benzene-d6                | 5.717  | 84    | 95619    | 4.439    | ug/L | 0.00     |
| Spiked Amount                 | 5.000  | Range | 70 - 125 | Recovery | =    | 88.800%  |
| 36) 1,2-Dichloropropane-d6    | 6.679  | 67    | 26977    | 4.377    | ug/L | 0.00     |
| Spiked Amount                 | 5.000  | Range | 60 - 140 | Recovery | =    | 87.600%  |
| 41) Toluene-d8                | 7.888  | 98    | 84414    | 4.148    | ug/L | 0.00     |
| Spiked Amount                 | 5.000  | Range | 70 - 130 | Recovery | =    | 83.000%  |
| 43) trans-1,3-Dichloroprop... | 8.174  | 79    | 11876    | 4.378    | ug/L | 0.00     |
| Spiked Amount                 | 5.000  | Range | 55 - 130 | Recovery | =    | 87.600%  |
| 46) 2-Hexanone-d5             | 8.627  | 63    | 31265    | 38.199   | ug/L | 0.00     |
| Spiked Amount                 | 50.000 | Range | 45 - 130 | Recovery | =    | 76.400%  |
| 56) 1,1,2,2-Tetrachloroeth... | 10.746 | 84    | 21436    | 4.470    | ug/L | 0.00     |
| Spiked Amount                 | 5.000  | Range | 65 - 120 | Recovery | =    | 89.400%  |
| 66) 1,2-Dichlorobenzene-d4    | 12.187 | 152   | 30677    | 4.899    | ug/L | 0.00     |
| Spiked Amount                 | 5.000  | Range | 80 - 120 | Recovery | =    | 98.000%  |

| Target Compounds | Qvalue |
|------------------|--------|
| -----            |        |

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_U\Data\VU121924\  
Data File : VU062476.D  
Acq On : 19 Dec 2024 15:32  
Operator : MD/SY  
Sample : VIBLK190  
Misc : 25mL/MSVOA\_U/WATER  
ALS Vial : 15 Sample Multiplier: 1

Instrument :  
MSVOA\_U  
ClientSampleId :  
VIBLK190

Quant Time: Dec 20 00:39:21 2024  
Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_U\Method\SFAMUTR120924WMA.M  
Quant Title : TRACE VOA SFAM1.0  
QLast Update : Fri Dec 20 00:36:00 2024  
Response via : Initial Calibration

