

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV010422\
 Data File : VV024269.D
 Acq On : 04 Jan 2022 16:06
 Operator : SY/MD
 Sample : VV0104WBL01
 Misc : 25.0mL/MSVOA_V/WATER
 ALS Vial : 10 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 VBLK287

Quant Time: Jan 05 00:39:56 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVTR010422WMA.M
 Quant Title : TRACE VOA SFAM1.0
 QLast Update : Tue Jan 04 18:34:35 2022
 Response via : Initial Calibration

Manual Integrations APPROVED

Reviewed By :Mahesh Dadoda 01/07/2022
 Supervised By :Amit Patel 01/07/2022

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	5.612	114	131103	5.000	ug/L	0.00
28) Chlorobenzene-d5	8.850	117	128535	5.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.249	152	68707	5.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.307	65	49755	4.673	ug/L	0.00
Spiked Amount	5.000	Range 40 - 130	Recovery	=	93.400%	
7) Chloroethane-d5	1.568	69	39711	4.745	ug/L	0.00
Spiked Amount	5.000	Range 65 - 130	Recovery	=	94.800%	
11) 1,1-Dichloroethene-d2	2.108	63	73631	3.526	ug/L	0.00
Spiked Amount	5.000	Range 60 - 125	Recovery	=	70.600%	
20) 2-Butanone-d5	3.908	46	62582m	45.214	ug/L	0.00
Spiked Amount	50.000	Range 40 - 130	Recovery	=	90.420%	
24) Chloroform-d	4.346	84	92268	4.625	ug/L	0.00
Spiked Amount	5.000	Range 70 - 125	Recovery	=	92.600%	
26) 1,2-Dichloroethane-d4	5.027	65	46671	4.946	ug/L	0.00
Spiked Amount	5.000	Range 70 - 130	Recovery	=	99.000%	
32) Benzene-d6	5.047	84	178798	4.966	ug/L	0.00
Spiked Amount	5.000	Range 70 - 125	Recovery	=	99.400%	
36) 1,2-Dichloropropane-d6	6.066	67	46279	4.945	ug/L	0.00
Spiked Amount	5.000	Range 60 - 140	Recovery	=	99.000%	
41) Toluene-d8	7.313	98	167833	4.693	ug/L	0.00
Spiked Amount	5.000	Range 70 - 130	Recovery	=	93.800%	
43) trans-1,3-Dichloroprop...	7.619	79	20423	4.764	ug/L	0.00
Spiked Amount	5.000	Range 55 - 130	Recovery	=	95.200%	
46) 2-Hexanone-d5	8.088	63	64117	47.865	ug/L	0.00
Spiked Amount	50.000	Range 45 - 130	Recovery	=	95.720%	
56) 1,1,2,2-Tetrachloroeth...	10.214	84	30186	4.432	ug/L	0.00
Spiked Amount	5.000	Range 65 - 120	Recovery	=	88.600%	
66) 1,2-Dichlorobenzene-d4	11.622	152	65809	5.514	ug/L	0.00
Spiked Amount	5.000	Range 80 - 120	Recovery	=	110.200%	
Target Compounds						Qvalue
16) Methylene chloride	2.510	84	5906	0.372	ug/L	98

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV010422\
Data File : VV024269.D
Acq On : 04 Jan 2022 16:06
Operator : SY/MD
Sample : VV0104WBL01
Misc : 25.0mL/MSVOA_V/WATER
ALS Vial : 10 Sample Multiplier: 1


Instrument :
MSVOA_V
ClientSampleId :
VBLK287

Manual Integrations
APPROVED

Reviewed By :Mahesh Dadoda 01/07/2022
Supervised By :Amit Patel 01/07/2022


Quant Time: Jan 05 00:39:56 2022
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVTR010422WMA.M
Quant Title : TRACE VOA SFAM1.0
QLast Update : Tue Jan 04 18:34:35 2022
Response via : Initial Calibration





#16
Methylene chloride
Concen: 0.372 ug/L
RT: 2.510 min Scan# 41
Delta R.T. -0.000 min
Lab File: VV024269.D
Acq: 04 Jan 2022 16:06

Instrument :
MSVOA_V
ClientSampleId :
VBLK287



Tgt Ion: 84 Resp: 5900

Ion	Ratio	Lower	Upper
84	100		
86	62.3	42.6	79.0
49	115.6	79.7	147.9

Manual Integrations
APPROVED

Reviewed By :Mahesh Dadoda 01/07/2022
Supervised By :Amit Patel 01/07/2022

