

Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV010721\
 Data File : VV019923.D
 Acq On : 07 Jan 2021 15:51
 Operator : SY/MD
 Sample : M1016-07
 Misc : 5.0mL/MSVOA V/WATER
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 BG4Q8

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Sampling : 1

Start Thrs: 0.2

Stop Thrs : 0

Filtering: 5

Min Area: 0 % of largest Peak

Max Peaks: 100

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM122820WMA.M

Title : VOC Analysis

Signal : TIC

peak #	R.T. min	first scan	max scan	last scan	PK TY	peak height	corr. area	corr. % max.	% of total
1	1.309	62	68	79	rVB	212318	212350	12.20%	1.510%
2	1.569	142	149	162	rVB	194598	218375	12.55%	1.552%
3	2.110	308	317	356	rVB	379561	618267	35.53%	4.395%
4	2.804	531	533	537	rBV3	545	299	0.02%	0.002%
5	2.984	585	589	594	rBV4	1098	952	0.05%	0.007%
6	3.010	594	597	600	rVB2	1101	728	0.04%	0.005%
7	3.081	616	619	622	rBV4	1228	784	0.05%	0.006%
8	3.126	632	633	634	rBV4	452	126	0.01%	0.001%
9	3.151	639	641	645	rBV4	717	535	0.03%	0.004%
10	3.203	655	657	661	rBV3	786	485	0.03%	0.003%
11	3.303	686	688	691	rBV3	714	428	0.02%	0.003%
12	3.335	696	698	702	rBV2	896	613	0.04%	0.004%
13	3.357	702	705	706	rBV3	753	420	0.02%	0.003%
14	3.425	725	726	727	rBV3	551	170	0.01%	0.001%
15	3.454	732	735	736	rBV2	884	335	0.02%	0.002%
16	3.470	738	740	741	rBV	458	139	0.01%	0.001%
17	3.528	756	758	760	rBV3	570	164	0.01%	0.001%
18	3.544	761	763	767	rVV4	1119	710	0.04%	0.005%
19	3.666	799	801	803	rBV2	664	343	0.02%	0.002%
20	3.701	809	812	817	rVB6	1316	1145	0.07%	0.008%
21	3.730	820	821	823	rBV2	418	125	0.01%	0.001%
22	3.836	851	854	858	rVB4	600	406	0.02%	0.003%
23	3.894	861	872	918	rBV	153564	494912	28.44%	3.518%
24	4.354	999	1015	1041	rBV2	293625	725303	41.68%	5.156%
25	4.547	1073	1075	1078	rBV3	929	597	0.03%	0.004%
26	4.849	1168	1169	1173	rBV3	796	458	0.03%	0.003%
27	4.888	1179	1181	1184	rVB3	898	401	0.02%	0.003%
28	4.987	1210	1212	1215	rBV3	624	350	0.02%	0.002%
29	5.052	1215	1232	1260	rBV2	672747	1740305	100.00%	12.372%
30	5.370	1328	1331	1335	rBV4	1438	1230	0.07%	0.009%
31	5.470	1356	1362	1364	rBV6	1095	1114	0.06%	0.008%
32	5.621	1396	1409	1439	rBV	589800	1192212	68.51%	8.476%
33	5.910	1488	1499	1517	rBV	51370	106689	6.13%	0.758%
34	6.074	1538	1550	1575	rBV	409210	824111	47.35%	5.859%

Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV010721\
 Data File : VV019923.D
 Acq On : 07 Jan 2021 15:51
 Operator : SY/MD
 Sample : M1016-07
 Misc : 5.0mL/MSVOA V/WATER
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 BG4Q8

Integration Parameters: LSCINT.P

Integrator: RTE
 Smoothing : OFF
 Sampling : 1
 Start Thrs: 0.2
 Stop Thrs : 0

Filtering: 5
 Min Area: 0 % of largest Peak
 Max Peaks: 100
 Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >
 Peak separation: 5

Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM122820WMA.M
 Title : VOC Analysis

35	6.425	1653	1659	1661	rBV6	1211	1190	0.07%	0.008%
36	6.466	1671	1672	1676	rVB3	768	460	0.03%	0.003%
37	6.486	1676	1678	1679	rBV	763	218	0.01%	0.002%
38	6.502	1680	1683	1686	rBV3	725	313	0.02%	0.002%
39	6.534	1690	1693	1695	rBV3	1199	796	0.05%	0.006%
40	6.589	1707	1710	1712	rBV2	917	646	0.04%	0.005%
41	6.630	1716	1723	1724	rBV4	2128	2346	0.13%	0.017%
42	6.801	1774	1776	1779	rBV4	1075	579	0.03%	0.004%
43	6.849	1789	1791	1792	rVB2	1051	254	0.01%	0.002%
44	6.917	1809	1812	1814	rBV2	1042	691	0.04%	0.005%
45	6.990	1824	1835	1857	rBV	203130	372038	21.38%	2.645%
46	7.322	1926	1938	1960	rBV	720412	1257151	72.24%	8.937%
47	7.627	2023	2033	2053	rBV	138918	247371	14.21%	1.759%
48	8.048	2162	2164	2167	rBV3	1071	545	0.03%	0.004%
49	8.093	2168	2178	2216	rVV2	470501	979806	56.30%	6.965%
50	8.855	2404	2415	2443	rBV	903495	1476048	84.82%	10.493%
51	9.238	2531	2534	2537	rBV3	944	505	0.03%	0.004%
52	9.257	2537	2540	2543	rVB3	841	500	0.03%	0.004%
53	9.270	2543	2544	2546	rBV	802	404	0.02%	0.003%
54	9.350	2566	2569	2572	rBV4	958	530	0.03%	0.004%
55	9.437	2594	2596	2599	rVB3	870	381	0.02%	0.003%
56	9.711	2678	2681	2684	rBV3	1008	742	0.04%	0.005%
57	9.788	2703	2705	2706	rBV	364	144	0.01%	0.001%
58	9.820	2712	2715	2718	rBV4	1251	924	0.05%	0.007%
59	9.881	2732	2734	2737	rVB2	852	406	0.02%	0.003%
60	9.936	2748	2751	2752	rBV2	720	314	0.02%	0.002%
61	10.026	2778	2779	2780	rBV	487	119	0.01%	0.001%
62	10.080	2792	2796	2797	rBV	818	498	0.03%	0.004%
63	10.122	2806	2809	2812	rVB4	774	471	0.03%	0.003%
64	10.158	2818	2820	2823	rVB2	702	289	0.02%	0.002%
65	10.222	2828	2840	2855	rBV	526140	823010	47.29%	5.851%
66	10.505	2924	2928	2930	rVB4	976	686	0.04%	0.005%
67	10.550	2937	2942	2945	rBV3	935	806	0.05%	0.006%
68	10.662	2975	2977	2981	rVB5	961	582	0.03%	0.004%
69	10.691	2984	2986	2987	rBV	836	371	0.02%	0.003%
70	10.785	3011	3015	3019	rBV5	959	716	0.04%	0.005%
71	10.807	3019	3022	3023	rBV2	907	530	0.03%	0.004%

Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV010721\
 Data File : VV019923.D
 Acq On : 07 Jan 2021 15:51
 Operator : SY/MD
 Sample : M1016-07
 Misc : 5.0mL/MSVOA V/WATER
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 BG4Q8

Integration Parameters: LSCINT.P

Integrator: RTE
 Smoothing : OFF
 Sampling : 1
 Start Thrs: 0.2
 Stop Thrs : 0

Filtering: 5
 Min Area: 0 % of largest Peak
 Max Peaks: 100
 Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >
 Peak separation: 5

Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM122820WMA.M
 Title : VOC Analysis

72	10.875	3040	3043	3044	rBV2	516	323	0.02%	0.002%
73	11.010	3082	3085	3086	rBV3	810	468	0.03%	0.003%
74	11.074	3103	3105	3108	rBV3	1044	692	0.04%	0.005%
75	11.141	3124	3126	3127	rBV	786	305	0.02%	0.002%
76	11.257	3149	3162	3193	rBV	922695	1429590	82.15%	10.163%
77	11.514	3240	3242	3244	rBV2	867	372	0.02%	0.003%
78	11.630	3267	3278	3295	rBV	828501	1305397	75.01%	9.280%
79	11.865	3350	3351	3354	rBV3	768	343	0.02%	0.002%
80	12.135	3431	3435	3436	rBV3	512	347	0.02%	0.002%
81	12.183	3445	3450	3451	rBV3	1084	828	0.05%	0.006%
82	12.254	3466	3472	3488	rBV3	2147	4567	0.26%	0.032%
83	12.341	3497	3499	3501	rBV3	1147	628	0.04%	0.004%
84	12.585	3573	3575	3577	rBV3	809	445	0.03%	0.003%
85	12.614	3582	3584	3585	rBV2	908	433	0.02%	0.003%
86	12.665	3598	3600	3602	rBV2	1362	510	0.03%	0.004%
87	12.862	3657	3661	3665	rBV7	1320	1283	0.07%	0.009%
88	12.907	3674	3675	3677	rBV2	892	348	0.02%	0.002%
89	14.138	4056	4058	4061	rBV3	1175	727	0.04%	0.005%


Sum of corrected areas: 14066567

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA V\DATA\VV010721\
Data File : VV019923.D
Acq On : 07 Jan 2021 15:51
Operator : SY/MD
Sample : M1016-07
Misc : 5.0mL/MSVOA V/WATER
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
BG4Q8

Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM122820WMA.M
Quant Title : VOC Analysis

TIC Library : C:\DATABASE\NIST11.L
TIC Integration Parameters: LSCINT.P



Data Path : Z:\V0ASRV\HPCHEM1\MSVOA_V\DATA\VV010721\
Data File : VV019923.D
Acq On : 07 Jan 2021 15:51
Operator : SY/MD
Sample : M1016-07
Misc : 5.0mL/MSVOA_V/WATER
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
BG4Q8

Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM122820WMA.M
Quant Title : VOC Analysis

TIC Library : C:\DATABASE\NIST11.L
TIC Integration Parameters: LSCINT.P

No Library Search Compounds Detected

Data Path : Z:\V0ASRV\HPCHEM1\MSV0A_V\DATA\VV010721\
Data File : VV019923.D
Acq On : 07 Jan 2021 15:51
Operator : SY/MD
Sample : M1016-07
Misc : 5.0mL/MSV0A_V/WATER
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSV0A_V
ClientSampleId :
BG4Q8

Quant Method : Z:\V0ASRV\HPCHEM1\MSV0A_V\METHOD\SOMVLM122820WMA.M
Quant Title : VOC Analysis

TIC Library : C:\DATABASE\NIST11.L
TIC Integration Parameters: LSCINT.P

TIC Top Hit name	RT	EstConc	Units	Response	--Internal Standard--
					# RT Resp Conc