

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV010822\
 Data File : VV024311.D
 Acq On : 08 Jan 2022 12:01
 Operator : SY/MD
 Sample : VV0108WBL04
 Misc : 25.0mL/MSVOA_V/WATER
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 VBLK292

Manual Integrations
 APPROVED

Reviewed By : John Carlone 01/10/2022
 Supervised By : Mahesh Dadoda 01/10/2022

Quant Time: Jan 08 12:41:49 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVTR010422WMA.M
 Quant Title : TRACE VOA SFAM1.0
 QLast Update : Sat Jan 08 00:06:47 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	5.616	114	104156	5.000	ug/L	0.00
28) Chlorobenzene-d5	8.850	117	104870	5.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.249	152	56222	5.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.304	65	36791	4.349	ug/L	0.00
Spiked Amount	5.000	Range 40 - 130	Recovery	=	87.000%	
7) Chloroethane-d5	1.568	69	31823	4.786	ug/L	0.00
Spiked Amount	5.000	Range 65 - 130	Recovery	=	95.800%	
11) 1,1-Dichloroethene-d2	2.105	63	55143	3.324	ug/L	0.00
Spiked Amount	5.000	Range 60 - 125	Recovery	=	66.400%	
20) 2-Butanone-d5	3.915	46	48189m	43.822	ug/L	0.00
Spiked Amount	50.000	Range 40 - 130	Recovery	=	87.640%	
24) Chloroform-d	4.346	84	72826	4.595	ug/L	0.00
Spiked Amount	5.000	Range 70 - 125	Recovery	=	91.800%	
26) 1,2-Dichloroethane-d4	5.031	65	37179	4.959	ug/L	0.00
Spiked Amount	5.000	Range 70 - 130	Recovery	=	99.200%	
32) Benzene-d6	5.047	84	139959	4.764	ug/L	0.00
Spiked Amount	5.000	Range 70 - 125	Recovery	=	95.200%	
36) 1,2-Dichloropropane-d6	6.066	67	38942	5.100	ug/L	0.00
Spiked Amount	5.000	Range 60 - 140	Recovery	=	102.000%	
41) Toluene-d8	7.313	98	125889	4.314	ug/L	0.00
Spiked Amount	5.000	Range 70 - 130	Recovery	=	86.200%	
43) trans-1,3-Dichloroprop...	7.622	79	15934	4.556	ug/L	0.00
Spiked Amount	5.000	Range 55 - 130	Recovery	=	91.200%	
46) 2-Hexanone-d5	8.092	63	50621	46.317	ug/L	0.00
Spiked Amount	50.000	Range 45 - 130	Recovery	=	92.640%	
56) 1,1,2,2-Tetrachloroeth...	10.217	84	26469	4.764	ug/L	0.00
Spiked Amount	5.000	Range 65 - 120	Recovery	=	95.200%	
66) 1,2-Dichlorobenzene-d4	11.622	152	51193	5.242	ug/L	0.00
Spiked Amount	5.000	Range 80 - 120	Recovery	=	104.800%	

Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV010822\
Data File : VV024311.D
Acq On : 08 Jan 2022 12:01
Operator : SY/MD
Sample : VV0108WBL04
Misc : 25.0mL/MSVOA_V/WATER
ALS Vial : 4 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
VBLK292

Manual Integrations
APPROVED

Reviewed By : John Carlone 01/10/2022
Supervised By : Mahesh Dadoda 01/10/2022

Quant Time: Jan 08 12:41:49 2022
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVTR010422WMA.M
Quant Title : TRACE VOA SFAM1.0
QLast Update : Sat Jan 08 00:06:47 2022
Response via : Initial Calibration

