

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV011024\
 Data File : VV033569.D
 Acq On : 10 Jan 2024 18:42
 Operator : SY/MD
 Sample : P1061-16
 Misc : 5.0mL/MSVOA_V/WATER
 ALS Vial : 16 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 DCMJ0

Quant Time: Jan 11 00:53:16 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM011024WMA.M
 Quant Title : VOC Analysis
 QLast Update : Thu Jan 11 00:32:34 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	5.532	114	347735	50.000	ug/L	0.00
28) Chlorobenzene-d5	8.783	117	325543	50.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.185	152	156292	50.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.278	65	123336	46.150	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	92.300%
7) Chloroethane-d5	1.529	69	95859	45.293	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	90.580%
11) 1,1-Dichloroethene-d2	2.060	65	52143	45.335	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	90.680%
21) 2-Butanone-d5	3.783	46	158271	86.341	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	86.340%
24) Chloroform-d	4.249	84	210973	44.148	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	88.300%
26) 1,2-Dichloroethane-d4	4.941	65	142891	46.278	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	92.560%
32) Benzene-d6	4.960	84	436449	47.158	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	94.320%
36) 1,2-Dichloropropane-d6	5.989	67	144415	47.405	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	94.800%
41) Toluene-d8	7.243	98	389647	46.727	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	93.460%
43) trans-1,3-Dichloroprop...	7.555	79	68912	45.770	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	91.540%
47) 2-Hexanone-d5	8.024	63	118266	93.590	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	93.590%
56) 1,1,2,2-Tetrachloroeth...	10.153	84	180653	46.450	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	92.900%
66) 1,2-Dichlorobenzene-d4	11.561	152	144602	48.765	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	97.520%
Target Compounds						
					Qvalue	
14) Carbon disulfide	2.240	76	10800	1.523	ug/L	100

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV011024\
Data File : VV033569.D
Acq On : 10 Jan 2024 18:42
Operator : SY/MD
Sample : P1061-16
Misc : 5.0mL/MSVOA_V/WATER
ALS Vial : 16 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
DCMJ0

Quant Time: Jan 11 00:53:16 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM011024WMA.M
Quant Title : VOC Analysis
QLast Update : Thu Jan 11 00:32:34 2024
Response via : Initial Calibration

