

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV011521\
 Data File : VV020018.D
 Acq On : 15 Jan 2021 12:14
 Operator : SY/MD
 Sample : M1147-07
 Misc : 5.0mL/MSVOA_V/WATER
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 BG4T5

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SOMVLM011121WMA.M

Title : VOC Analysis

Signal : TIC: VV020018.D\data.ms

peak #	R.T. min	first scan	max scan	last scan	PK TY	peak height	corr. area	corr. % max.	% of total
1	1.309	61	68	86	rVB	234802	235811	15.93%	1.999%
2	1.569	142	149	161	rBV	196920	220771	14.91%	1.871%
3	2.110	307	317	353	rVB	400269	629267	42.50%	5.334%
4	2.708	501	503	504	rBV2	633	303	0.02%	0.003%
5	2.823	537	539	542	rBV3	557	366	0.02%	0.003%
6	2.894	558	561	562	rBV2	845	385	0.03%	0.003%
7	3.090	617	622	624	rBV3	667	549	0.04%	0.005%
8	3.122	628	632	633	rBV2	558	432	0.03%	0.004%
9	3.155	640	642	647	rBV4	466	289	0.02%	0.002%
10	3.177	647	649	651	rBV	563	361	0.02%	0.003%
11	3.277	678	680	686	rVB4	758	589	0.04%	0.005%
12	3.335	696	698	704	rVB3	810	699	0.05%	0.006%
13	3.370	704	709	711	rBV3	689	564	0.04%	0.005%
14	3.447	729	733	737	rBV3	821	809	0.05%	0.007%
15	3.550	763	765	768	rVB2	447	252	0.02%	0.002%
16	3.576	768	773	774	rBV2	860	538	0.04%	0.005%
17	3.682	803	806	809	rBV4	538	433	0.03%	0.004%
18	3.708	810	814	816	rVV5	470	344	0.02%	0.003%
19	3.765	830	832	836	rBV3	641	394	0.03%	0.003%
20	3.785	836	838	842	rVB3	483	261	0.02%	0.002%
21	3.827	848	851	854	rBV2	637	452	0.03%	0.004%
22	3.846	854	857	858	rBV3	572	294	0.02%	0.002%
23	3.888	860	870	912	rBV	93509	297279	20.08%	2.520%
24	4.347	999	1013	1037	rVB2	245270	601105	40.60%	5.095%
25	4.759	1139	1141	1144	rBV4	796	464	0.03%	0.004%
26	4.778	1144	1147	1150	rVB4	1021	560	0.04%	0.005%
27	4.836	1163	1165	1168	rVV3	1173	566	0.04%	0.005%
28	4.855	1168	1171	1175	rVB4	931	573	0.04%	0.005%
29	4.875	1175	1177	1182	rVB3	937	797	0.05%	0.007%
30	4.897	1182	1184	1185	rBV	595	314	0.02%	0.003%
31	4.923	1188	1192	1194	rBV2	808	541	0.04%	0.005%
32	4.971	1205	1207	1212	rBV5	423	270	0.02%	0.002%
33	5.048	1212	1231	1254	rBV2	574895	1480546	100.00%	12.550%
34	5.338	1319	1321	1326	rBV4	520	358	0.02%	0.003%
35	5.363	1326	1329	1334	rVV5	736	485	0.03%	0.004%
36	5.437	1349	1352	1353	rBV2	1102	498	0.03%	0.004%

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VW011521\
 Data File : VW020018.D
 Acq On : 15 Jan 2021 12:14
 Operator : SY/MD
 Sample : M1147-07
 Misc : 5.0mL/MSVOA_V/WATER
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 BG4T5

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SOMVLM011121WMA.M
 Title : VOC Analysis

37	5.466	1358	1361	1364	rBV3	788	551	0.04%	0.005%
38	5.534	1379	1382	1386	rVB4	483	389	0.03%	0.003%
39	5.556	1386	1389	1390	rBV2	621	340	0.02%	0.003%
40	5.618	1395	1408	1439	rVV	481604	959833	64.83%	8.136%
41	5.907	1486	1498	1512	rBV	41349	85268	5.76%	0.723%
42	6.071	1534	1549	1579	rBV	337357	692059	46.74%	5.866%
43	6.254	1603	1606	1610	rBV5	1406	916	0.06%	0.008%
44	6.290	1615	1617	1619	rBV3	586	353	0.02%	0.003%
45	6.322	1625	1627	1629	rBV2	718	377	0.03%	0.003%
46	6.428	1657	1660	1662	rBV2	606	351	0.02%	0.003%
47	6.492	1677	1680	1683	rBV5	810	514	0.03%	0.004%
48	6.579	1705	1707	1710	rBV3	516	257	0.02%	0.002%
49	6.730	1750	1754	1757	rBV4	840	721	0.05%	0.006%
50	6.759	1761	1763	1770	rVB6	922	604	0.04%	0.005%
51	6.833	1783	1786	1788	rBV4	855	458	0.03%	0.004%
52	6.865	1794	1796	1800	rVB3	835	382	0.03%	0.003%
53	6.916	1809	1812	1816	rVB3	786	529	0.04%	0.004%
54	6.987	1822	1834	1855	rBV	180420	330309	22.31%	2.800%
55	7.318	1924	1937	1959	rBV	663288	1139011	76.93%	9.655%
56	7.624	2022	2032	2055	rBV	125374	224330	15.15%	1.902%
57	8.093	2167	2178	2212	rBV2	306001	657499	44.41%	5.573%
58	8.473	2294	2296	2300	rBV3	953	702	0.05%	0.006%
59	8.688	2362	2363	2366	rVB2	637	267	0.02%	0.002%
60	8.730	2374	2376	2380	rBV6	458	267	0.02%	0.002%
61	8.855	2403	2415	2438	rBV	759902	1210604	81.77%	10.262%
62	9.154	2505	2508	2512	rVB3	1399	961	0.06%	0.008%
63	9.193	2518	2520	2522	rBV2	1079	495	0.03%	0.004%
64	9.238	2532	2534	2537	rVB2	708	390	0.03%	0.003%
65	9.257	2537	2540	2544	rBV4	764	553	0.04%	0.005%
66	9.322	2558	2560	2562	rBV2	566	280	0.02%	0.002%
67	9.367	2571	2574	2576	rBV3	687	468	0.03%	0.004%
68	9.399	2582	2584	2590	rBV2	516	401	0.03%	0.003%
69	9.482	2607	2610	2612	rBV3	866	460	0.03%	0.004%
70	9.521	2620	2622	2625	rVB2	696	273	0.02%	0.002%
71	9.611	2647	2650	2651	rBV	635	298	0.02%	0.003%
72	9.653	2661	2663	2666	rBV2	455	352	0.02%	0.003%
73	9.669	2666	2668	2675	rVB5	631	606	0.04%	0.005%
74	9.968	2758	2761	2764	rVB3	588	410	0.03%	0.003%
75	10.222	2828	2840	2857	rBV	382716	604649	40.84%	5.125%
76	10.389	2885	2892	2902	rVB6	3457	5892	0.40%	0.050%

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV011521\
 Data File : VV020018.D
 Acq On : 15 Jan 2021 12:14
 Operator : SY/MD
 Sample : M1147-07
 Misc : 5.0mL/MSVOA_V/WATER
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 BG4T5

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SOMVLM011121WMA.M
 Title : VOC Analysis

77	10.463	2913	2915	2917	rBV2	400	251	0.02%	0.002%
78	10.739	2998	3001	3003	rBV3	837	388	0.03%	0.003%
79	10.826	3025	3028	3030	rBV2	553	404	0.03%	0.003%
80	10.987	3076	3078	3080	rBV2	732	304	0.02%	0.003%
81	11.103	3110	3114	3121	rVB5	732	797	0.05%	0.007%
82	11.132	3121	3123	3128	rBV4	383	339	0.02%	0.003%
83	11.196	3138	3143	3146	rBV3	1132	1097	0.07%	0.009%
84	11.254	3149	3161	3183	rBV	798161	1241972	83.89%	10.528%
85	11.630	3266	3278	3296	rBV	739234	1142340	77.16%	9.683%
86	11.791	3324	3328	3330	rBV3	653	519	0.04%	0.004%
87	11.823	3337	3338	3341	rVB	478	251	0.02%	0.002%
88	11.968	3381	3383	3384	rBV2	522	248	0.02%	0.002%
89	12.067	3412	3414	3416	rBV2	882	429	0.03%	0.004%
90	12.296	3482	3485	3489	rBV5	576	532	0.04%	0.005%
91	12.563	3566	3568	3574	rVB3	721	626	0.04%	0.005%
92	12.653	3593	3596	3597	rBV2	793	483	0.03%	0.004%
93	12.733	3619	3621	3625	rVB3	660	300	0.02%	0.003%
94	12.807	3639	3644	3646	rBV4	994	710	0.05%	0.006%
95	12.820	3646	3648	3651	rVV3	505	320	0.02%	0.003%
96	13.058	3720	3722	3725	rBV3	459	388	0.03%	0.003%
97	13.125	3738	3743	3749	rBV5	819	896	0.06%	0.008%
98	13.273	3787	3789	3795	rBV4	939	866	0.06%	0.007%
99	13.318	3801	3803	3806	rBV2	884	505	0.03%	0.004%
100	14.678	4223	4226	4228	rBV4	779	513	0.03%	0.004%

Sum of corrected areas: 11797376

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV011521\
Data File : VV020018.D
Acq On : 15 Jan 2021 12:14
Operator : SY/MD
Sample : M1147-07
Misc : 5.0mL/MSVOA_V/WATER
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
BG4T5

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SOMVLM011121WMA.M
Quant Title : VOC Analysis

TIC Library : C:\DATABASE\NIST11.L
TIC Integration Parameters: LSCINT.P

No Library Search Compounds Detected

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV011521\
Data File : VV020018.D
Acq On : 15 Jan 2021 12:14
Operator : SY/MD
Sample : M1147-07
Misc : 5.0mL/MSVOA_V/WATER
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
BG4T5

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SOMVLM011121WMA.M
Quant Title : VOC Analysis

TIC Library : C:\DATABASE\NIST11.L
TIC Integration Parameters: LSCINT.P

TIC Top Hit name	RT	EstConc	Units	Response	--Internal Standard--			
					#	RT	Resp	Conc
