

Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV011720\
 Data File : VV014342.D
 Acq On : 17 Jan 2020 17:36
 Operator : SY/MD
 Sample : L1169-12
 Misc : 25.0mL/MSVOA V/WATER
 ALS Vial : 21 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 BF774

Manual Integrations
 APPROVED

MMDadoda
 1/20/2020 12:20:32 PM

Quant Time: Jan 18 00:29:31 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVTR010220WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Fri Jan 17 22:51:36 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.66	114	786880	5.00	ug/L	0.00
28) Chlorobenzene-d5	8.89	117	723825	5.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.29	152	327235	5.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.32	65	236215	4.29	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	85.80%
7) Chloroethane-d5	1.59	69	204998	4.82	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	96.40%
11) 1,1-Dichloroethene-d2	2.13	63	285579	3.52	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	70.40%
20) 2-Butanone-d5	3.92	46	700870	52.99	ug/L	-0.02
Spiked Amount	50.000	Range	40 - 130	Recovery	=	105.98%
24) Chloroform-d	4.40	84	501298	4.71	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	94.20%
26) 1,2-Dichloroethane-d4	5.08	65	259520	4.87	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	97.40%
32) Benzene-d6	5.10	84	1059772	4.91	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	98.20%
36) 1,2-Dichloropropane-d6	6.12	67	332412	4.97	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	99.40%
41) Toluene-d8	7.36	98	940045	4.76	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	95.20%
43) trans-1,3-Dichloropropene-	7.66	79	137432	4.64	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	92.80%
46) 2-Hexanone-d5	8.13	63	624862	49.82	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	99.64%
57) 1,1,2,2-Tetrachloroethane-	10.25	84	246768	5.27	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	105.40%
64) 1,2-Dichlorobenzene-d4	11.67	152	315924	5.14	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	102.80%

Target Compounds					Ovalue
13) Acetone	2.19	43	62741m	6.889 ug/L	
25) Chloroform	4.42	83	20418	0.206 ug/L	98

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\V0ASRV\HPCHEM1\MSVOA V\DATA\VV011720\
Data File : VV014342.D
Acq On : 17 Jan 2020 17:36
Operator : SY/MD
Sample : L1169-12
Misc : 25.0mL/MSVOA V/WATER
ALS Vial : 21 Sample Multiplier: 1


Instrument :
MSVOA_V
ClientSampleId :
BF774

Manual Integrations
APPROVED

MMDadoda
1/20/2020 12:20:32 PM

Quant Time: Jan 18 00:29:31 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_V\METHOD\SOMVTR010220WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Fri Jan 17 22:51:36 2020
Response via : Initial Calibration









#13
Acetone
Concen: 6.889 ug/L m
RT: 2.19 min Scan# 341
Delta R.T. -0.03 min
Lab File: VV014342.D
Acq: 17 Jan 2020 17:36

Instrument :
MSVOA_V
ClientSampleId :
BF774

Tot Ion	43	Resp	62741
Ion Ratio	100	Lower	Upper
43	100	0.0	66.0
58	60.2		

Manual Integrations
APPROVED

MMDadoda
1/20/2020 12:20:32 PM



#25
Chloroform
Concen: 0.206 ug/L
RT: 4.42 min Scan# 1037
Delta R.T. 0.00 min
Lab File: VV014342.D
Acq: 17 Jan 2020 17:36

Tgt Ion	83	Resp	20418
Ion Ratio	100	Lower	Upper
83	100	46.2	85.8
85	67.9		

