

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VW011724\
 Data File : VW033724.D
 Acq On : 17 Jan 2024 17:19
 Operator : SY/MD
 Sample : P1143-07
 Misc : 25.0mL/MSVOA_V/WATER
 ALS Vial : 22 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 C0B64

Quant Time: Jan 18 00:07:21 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVTR011224WMA.M
 Quant Title : TRACE VOA SFAM1.0
 QLast Update : Thu Jan 18 00:02:20 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	5.535	114	106784	5.000	ug/L	0.00
28) Chlorobenzene-d5	8.786	117	99646	5.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.188	152	51699	5.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.278	65	16138	2.764	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	55.200%
7) Chloroethane-d5	1.536	69	17557	3.390	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	67.800%
11) 1,1-Dichloroethene-d2	2.060	65	8734	3.319	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	66.400%
20) 2-Butanone-d5	3.825	46	65148	45.632	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	91.260%
24) Chloroform-d	4.252	84	51674	4.092	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	81.800%
26) 1,2-Dichloroethane-d4	4.947	65	24198	4.274	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	85.400%
32) Benzene-d6	4.963	84	86355	3.592	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	71.800%
36) 1,2-Dichloropropane-d6	5.992	67	30308	3.781	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	75.600%
41) Toluene-d8	7.246	98	76451	3.562	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	71.200%
43) trans-1,3-Dichloroprop...	7.564	79	10438	3.766	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	75.400%
46) 2-Hexanone-d5	8.030	63	50528	46.440	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	92.880%
56) 1,1,2,2-Tetrachloroeth...	10.156	84	21928	4.682	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	93.600%
66) 1,2-Dichlorobenzene-d4	11.561	152	32228	4.060	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	81.200%
Target Compounds						
					Qvalue	
25) Chloroform	4.285	83	10475	0.675	ug/L	97

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV011724\
Data File : VV033724.D
Acq On : 17 Jan 2024 17:19
Operator : SY/MD
Sample : P1143-07
Misc : 25.0mL/MSVOA_V/WATER
ALS Vial : 22 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
C0B64

Quant Time: Jan 18 00:07:21 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVTR011224WMA.M
Quant Title : TRACE VOA SFAM1.0
QLast Update : Thu Jan 18 00:02:20 2024
Response via : Initial Calibration

