

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV011724\
 Data File : VV033726.D
 Acq On : 17 Jan 2024 18:07
 Operator : SY/MD
 Sample : P1143-09
 Misc : 25.0mL/MSVOA_V/WATER
 ALS Vial : 24 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 C0B66

Quant Time: Jan 18 00:07:49 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVTR011224WMA.M
 Quant Title : TRACE VOA SFAM1.0
 QLast Update : Thu Jan 18 00:02:20 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	5.539	114	109434	5.000	ug/L	0.00
28) Chlorobenzene-d5	8.786	117	103571	5.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.185	152	53211	5.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.282	65	16116	2.693	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	53.800%
7) Chloroethane-d5	1.536	69	17623	3.321	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	66.400%
11) 1,1-Dichloroethene-d2	2.063	65	8426	3.124	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	62.400%
20) 2-Butanone-d5	3.825	46	67708	46.276	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	92.560%
24) Chloroform-d	4.256	84	49938	3.859	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	77.200%
26) 1,2-Dichloroethane-d4	4.950	65	24719	4.260	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	85.200%
32) Benzene-d6	4.963	84	87240	3.491	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	69.800%#
36) 1,2-Dichloropropane-d6	5.992	67	29877	3.586	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	71.800%
41) Toluene-d8	7.246	98	75467	3.383	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	67.600%#
43) trans-1,3-Dichloroprop...	7.564	79	9735	3.380	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	67.600%
46) 2-Hexanone-d5	8.031	63	49461	43.736	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	87.480%
56) 1,1,2,2-Tetrachloroeth...	10.156	84	21540	4.425	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	88.400%
66) 1,2-Dichlorobenzene-d4	11.561	152	32647	3.996	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	80.000%
Target Compounds						
					Qvalue	
25) Chloroform	4.285	83	10040	0.632	ug/L	99

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV011724\
Data File : VV033726.D
Acq On : 17 Jan 2024 18:07
Operator : SY/MD
Sample : P1143-09
Misc : 25.0mL/MSVOA_V/WATER
ALS Vial : 24 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
C0B66

Quant Time: Jan 18 00:07:49 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVTR011224WMA.M
Quant Title : TRACE VOA SFAM1.0
QLast Update : Thu Jan 18 00:02:20 2024
Response via : Initial Calibration

