

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV011724\
 Data File : VV033722.D
 Acq On : 17 Jan 2024 16:08
 Operator : SY/MD
 Sample : P1143-01
 Misc : 25.0mL/MSVOA_V/WATER
 ALS Vial : 19 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 C0B04

Quant Time: Jan 18 00:06:54 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVTR011224WMA.M
 Quant Title : TRACE VOA SFAM1.0
 QLast Update : Thu Jan 18 00:02:20 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Difluorobenzene	5.535	114	116425	5.000	ug/L	0.00
28) Chlorobenzene-d5	8.786	117	108372	5.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.188	152	56027	5.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.281	65	17530	2.753	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	55.000%
7) Chloroethane-d5	1.535	69	17617	3.120	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	62.400%#
11) 1,1-Dichloroethene-d2	2.060	65	8478	2.955	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	59.000%#
20) 2-Butanone-d5	3.815	46	62767	40.323	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	80.640%
24) Chloroform-d	4.252	84	50374	3.659	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	73.200%
26) 1,2-Dichloroethane-d4	4.947	65	24557	3.978	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	79.600%
32) Benzene-d6	4.963	84	87736	3.355	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	67.200%#
36) 1,2-Dichloropropane-d6	5.992	67	30391	3.486	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	69.800%
41) Toluene-d8	7.246	98	78655	3.369	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	67.400%#
43) trans-1,3-Dichloroprop...	7.561	79	10694	3.548	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	71.000%
46) 2-Hexanone-d5	8.030	63	47986	40.552	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	81.100%
56) 1,1,2,2-Tetrachloroeth...	10.156	84	21231	4.168	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	83.400%
66) 1,2-Dichlorobenzene-d4	11.561	152	32214	3.745	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	74.800%#
Target Compounds					Qvalue	
25) Chloroform	4.288	83	9428	0.557	ug/L	100


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV011724\
Data File : VV033722.D
Acq On : 17 Jan 2024 16:08
Operator : SY/MD
Sample : P1143-01
Misc : 25.0mL/MSVOA_V/WATER
ALS Vial : 19 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
C0B04

Quant Time: Jan 18 00:06:54 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVTR011224WMA.M
Quant Title : TRACE VOA SFAM1.0
QLast Update : Thu Jan 18 00:02:20 2024
Response via : Initial Calibration





#25
 Chloroform
 Concen: 0.557 ug/L
 RT: 4.288 min Scan# 10
 Delta R.T. 0.013 min
 Lab File: VV033722.D
 Acq: 17 Jan 2024 16:08

Instrument :
 MSVOA_V
 ClientSampleId :
 C0B04

Tgt Ion: 83 Resp: 9428
 Ion Ratio Lower Upper
 83 100
 85 64.5 45.1 83.9

