

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_V\Data\VW011924\  
 Data File : VW033779.D  
 Acq On : 20 Jan 2024 01:58  
 Operator : SY/MD  
 Sample : P1189-20  
 Misc : 5.0mL/MSVOA\_V/WATER  
 ALS Vial : 41 Sample Multiplier: 1

Instrument :  
 MSVOA\_V  
 ClientSampleId :  
 DCMR7

Quant Time: Jan 20 03:55:03 2024  
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_V\Method\SFAMVLM011024WMA.M  
 Quant Title : VOC Analysis  
 QLast Update : Fri Jan 19 23:43:59 2024  
 Response via : Initial Calibration

| Compound                      | R.T.    | QIon  | Response | Conc     | Units | Dev(Min) |
|-------------------------------|---------|-------|----------|----------|-------|----------|
| -----                         |         |       |          |          |       |          |
| Internal Standards            |         |       |          |          |       |          |
| 1) 1,4-Difluorobenzene        | 5.535   | 114   | 232612   | 50.000   | ug/L  | 0.00     |
| 28) Chlorobenzene-d5          | 8.783   | 117   | 220520   | 50.000   | ug/L  | 0.00     |
| 58) 1,4-Dichlorobenzene-d4    | 11.185  | 152   | 109088   | 50.000   | ug/L  | 0.00     |
| System Monitoring Compounds   |         |       |          |          |       |          |
| 4) Vinyl Chloride-d3          | 1.281   | 65    | 63337    | 35.429   | ug/L  | 0.00     |
| Spiked Amount                 | 50.000  | Range | 60 - 135 | Recovery | =     | 70.860%  |
| 7) Chloroethane-d5            | 1.532   | 69    | 54379    | 38.410   | ug/L  | 0.00     |
| Spiked Amount                 | 50.000  | Range | 70 - 130 | Recovery | =     | 76.820%  |
| 11) 1,1-Dichloroethene-d2     | 2.060   | 65    | 30303    | 39.386   | ug/L  | 0.00     |
| Spiked Amount                 | 50.000  | Range | 60 - 125 | Recovery | =     | 78.780%  |
| 21) 2-Butanone-d5             | 3.783   | 46    | 85011    | 69.328   | ug/L  | 0.00     |
| Spiked Amount                 | 100.000 | Range | 40 - 130 | Recovery | =     | 69.330%  |
| 24) Chloroform-d              | 4.249   | 84    | 127354   | 39.839   | ug/L  | 0.00     |
| Spiked Amount                 | 50.000  | Range | 70 - 125 | Recovery | =     | 79.680%  |
| 26) 1,2-Dichloroethane-d4     | 4.941   | 65    | 89167    | 43.171   | ug/L  | 0.00     |
| Spiked Amount                 | 50.000  | Range | 70 - 125 | Recovery | =     | 86.340%  |
| 32) Benzene-d6                | 4.960   | 84    | 252011   | 40.198   | ug/L  | 0.00     |
| Spiked Amount                 | 50.000  | Range | 70 - 125 | Recovery | =     | 80.400%  |
| 36) 1,2-Dichloropropane-d6    | 5.989   | 67    | 80404    | 38.963   | ug/L  | 0.00     |
| Spiked Amount                 | 50.000  | Range | 70 - 120 | Recovery | =     | 77.920%  |
| 41) Toluene-d8                | 7.243   | 98    | 229461   | 40.622   | ug/L  | 0.00     |
| Spiked Amount                 | 50.000  | Range | 80 - 120 | Recovery | =     | 81.240%  |
| 43) trans-1,3-Dichloroprop... | 7.551   | 79    | 34128    | 33.462   | ug/L  | 0.00     |
| Spiked Amount                 | 50.000  | Range | 60 - 125 | Recovery | =     | 66.920%  |
| 47) 2-Hexanone-d5             | 8.021   | 63    | 61934    | 72.354   | ug/L  | 0.00     |
| Spiked Amount                 | 100.000 | Range | 45 - 130 | Recovery | =     | 72.350%  |
| 56) 1,1,2,2-Tetrachloroeth... | 10.153  | 84    | 104358   | 39.612   | ug/L  | 0.00     |
| Spiked Amount                 | 50.000  | Range | 65 - 120 | Recovery | =     | 79.220%  |
| 66) 1,2-Dichlorobenzene-d4    | 11.561  | 152   | 91303    | 44.114   | ug/L  | 0.00     |
| Spiked Amount                 | 50.000  | Range | 80 - 120 | Recovery | =     | 88.220%  |

Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_V\Data\VV011924\  
Data File : VV033779.D  
Acq On : 20 Jan 2024 01:58  
Operator : SY/MD  
Sample : P1189-20  
Misc : 5.0mL/MSVOA\_V/WATER  
ALS Vial : 41 Sample Multiplier: 1

Instrument :  
MSVOA\_V  
ClientSampleId :  
DCMR7

Quant Time: Jan 20 03:55:03 2024  
Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_V\Method\SFAMVLM011024WMA.M  
Quant Title : VOC Analysis  
QLast Update : Fri Jan 19 23:43:59 2024  
Response via : Initial Calibration

