

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VW012224\
 Data File : VW033804.D
 Acq On : 22 Jan 2024 15:48
 Operator : SY/MD
 Sample : P1190-21
 Misc : 5.0mL/MSVOA_V/WATER
 ALS Vial : 15 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 DCMM6

Quant Time: Jan 22 23:45:21 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM011024WMA.M
 Quant Title : VOC Analysis
 QLast Update : Mon Jan 22 23:41:48 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	5.535	114	216102	50.000	ug/L	0.00
28) Chlorobenzene-d5	8.783	117	204716	50.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.185	152	101468	50.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.281	65	72032	43.371	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	86.740%
7) Chloroethane-d5	1.532	69	61448	46.719	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	93.440%
11) 1,1-Dichloroethene-d2	2.059	65	34312	48.004	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	96.000%
21) 2-Butanone-d5	3.783	46	80599	70.751	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	70.750%
24) Chloroform-d	4.249	84	134076	45.147	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	90.300%
26) 1,2-Dichloroethane-d4	4.940	65	92389	48.148	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	96.300%
32) Benzene-d6	4.960	84	265961	45.698	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	91.400%
36) 1,2-Dichloropropane-d6	5.989	67	83835	43.762	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	87.520%
41) Toluene-d8	7.243	98	243942	46.520	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	93.040%
43) trans-1,3-Dichloroprop...	7.554	79	38337	40.491	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	80.980%
47) 2-Hexanone-d5	8.021	63	59883	75.358	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	75.360%
56) 1,1,2,2-Tetrachloroeth...	10.152	84	103521	42.328	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	84.660%
66) 1,2-Dichlorobenzene-d4	11.561	152	91634	47.599	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	95.200%
Target Compounds						
20) cis-1,2-Dichloroethene	3.821	96	7171	4.447	ug/L	Qvalue 96

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV012224\
Data File : VV033804.D
Acq On : 22 Jan 2024 15:48
Operator : SY/MD
Sample : P1190-21
Misc : 5.0mL/MSVOA_V/WATER
ALS Vial : 15 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
DCMM6

Quant Time: Jan 22 23:45:21 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM011024WMA.M
Quant Title : VOC Analysis
QLast Update : Mon Jan 22 23:41:48 2024
Response via : Initial Calibration

