

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_V\Data\VV012323\  
 Data File : VV029904.D  
 Acq On : 23 Jan 2023 15:41  
 Operator : SY/MD  
 Sample : 01216-02  
 Misc : 25.0mL/MSVOA\_V/WATER  
 ALS Vial : 6 Sample Multiplier: 1

Instrument :  
 MSVOA\_V  
 ClientSampleId :  
 BH207

Integration Parameters: rteint.p

Integrator: RTE

Smoothing : ON

Filtering: 5

Sampling : 1

Min Area: 3 % of largest Peak

Start Thrs: 0.1

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA\_V\Method\SFAMVTR011223WMA.M  
 Title : TRACE VOA SFAM1.0

Signal : TIC: VV029904.D\data.ms

| peak<br># | R.T.<br>min | first<br>scan | max<br>scan | last<br>scan | PK<br>TY | peak<br>height | corr.<br>area | corr.<br>% max. | % of<br>total |
|-----------|-------------|---------------|-------------|--------------|----------|----------------|---------------|-----------------|---------------|
| 1         | 1.304       | 76            | 82          | 98           | rVB      | 92305          | 93173         | 16.67%          | 1.888%        |
| 2         | 1.565       | 156           | 163         | 177          | rVB      | 88572          | 98974         | 17.70%          | 2.006%        |
| 3         | 2.105       | 321           | 331         | 347          | rBV      | 147990         | 211783        | 37.88%          | 4.292%        |
| 4         | 2.175       | 349           | 353         | 366          | rVB9     | 3146           | 6408          | 1.15%           | 0.130%        |
| 5         | 2.503       | 447           | 455         | 469          | rVB2     | 5090           | 8525          | 1.52%           | 0.173%        |
| 6         | 3.892       | 876           | 887         | 939          | rBV      | 54617          | 202909        | 36.30%          | 4.112%        |
| 7         | 4.339       | 1011          | 1026        | 1059         | rBV      | 97542          | 258493        | 46.24%          | 5.238%        |
| 8         | 5.040       | 1227          | 1244        | 1289         | rBV2     | 215519         | 559053        | 100.00%         | 11.329%       |
| 9         | 5.609       | 1407          | 1421        | 1449         | rBV      | 196146         | 406144        | 72.65%          | 8.230%        |
| 10        | 6.063       | 1547          | 1562        | 1596         | rBV      | 127923         | 277673        | 49.67%          | 5.627%        |
| 11        | 6.979       | 1837          | 1847        | 1869         | rBV2     | 51396          | 99774         | 17.85%          | 2.022%        |
| 12        | 7.307       | 1934          | 1949        | 1975         | rBV      | 234204         | 425792        | 76.16%          | 8.629%        |
| 13        | 7.616       | 2033          | 2045        | 2066         | rBV      | 30562          | 58420         | 10.45%          | 1.184%        |
| 14        | 7.931       | 2128          | 2143        | 2156         | rBV2     | 12015          | 21879         | 3.91%           | 0.443%        |
| 15        | 8.085       | 2180          | 2191        | 2227         | rBV      | 241041         | 478914        | 85.67%          | 9.705%        |
| 16        | 8.844       | 2415          | 2427        | 2448         | rBV      | 303862         | 506226        | 90.55%          | 10.259%       |
| 17        | 10.207      | 2840          | 2851        | 2867         | rVB      | 98212          | 156240        | 27.95%          | 3.166%        |
| 18        | 10.374      | 2891          | 2903        | 2917         | rVB      | 33545          | 55587         | 9.94%           | 1.126%        |
| 19        | 11.236      | 3159          | 3171        | 3198         | rBV      | 341932         | 536148        | 95.90%          | 10.865%       |
| 20        | 11.545      | 3258          | 3267        | 3276         | rBV2     | 14662          | 26830         | 4.80%           | 0.544%        |
| 21        | 11.612      | 3277          | 3288        | 3311         | rVB      | 253849         | 405742        | 72.58%          | 8.222%        |
| 22        | 12.239      | 3472          | 3483        | 3495         | rBV2     | 8950           | 14707         | 2.63%           | 0.298%        |
| 23        | 12.336      | 3506          | 3513        | 3525         | rBV3     | 4731           | 6905          | 1.24%           | 0.140%        |
| 24        | 14.027      | 4030          | 4039        | 4052         | rBV      | 10832          | 18393         | 3.29%           | 0.373%        |




Sum of corrected areas: 4934692

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_V\Data\VV012323\  
Data File : VV029904.D  
Acq On : 23 Jan 2023 15:41  
Operator : SY/MD  
Sample : 01216-02  
Misc : 25.0mL/MSVOA\_V/WATER  
ALS Vial : 6 Sample Multiplier: 1

Instrument :  
MSVOA\_V  
ClientSampleId :  
BH207

Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_V\Method\SFAMVTR011223WMA.M  
Quant Title : TRACE VOA SFAM1.0

TIC Library : C:\Database\NIST20.L  
TIC Integration Parameters: LSCINT.P



Data Path : Z:\voasrv\HPCHEM1\MSVOA\_V\Data\VV012323\  
Data File : VV029904.D  
Acq On : 23 Jan 2023 15:41  
Operator : SY/MD  
Sample : 01216-02  
Misc : 25.0mL/MSVOA\_V/WATER  
ALS Vial : 6 Sample Multiplier: 1

Instrument :  
MSVOA\_V  
ClientSampleId :  
BH207

Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_V\Method\SFAMVTR011223WMA.M  
Quant Title : TRACE VOA SFAM1.0

TIC Library : C:\Database\NIST20.L  
TIC Integration Parameters: LSCINT.P

No Library Search Compounds Detected

\*\*\*\*\*

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_V\Data\VV012323\  
Data File : VV029904.D  
Acq On : 23 Jan 2023 15:41  
Operator : SY/MD  
Sample : 01216-02  
Misc : 25.0mL/MSVOA\_V/WATER  
ALS Vial : 6 Sample Multiplier: 1

Instrument :  
MSVOA\_V  
ClientSampleId :  
BH207

Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_V\Method\SFAMVTR011223WMA.M  
Quant Title : TRACE VOA SFAM1.0

TIC Library : C:\Database\NIST20.L  
TIC Integration Parameters: LSCINT.P

| TIC Top Hit name | RT | EstConc | Units | Response | --Internal Standard-- |    |      |      |
|------------------|----|---------|-------|----------|-----------------------|----|------|------|
|                  |    |         |       |          | #                     | RT | Resp | Conc |