

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VW012324\
 Data File : VW033830.D
 Acq On : 23 Jan 2024 15:11
 Operator : SY/MD
 Sample : P1191-12
 Misc : 5.0mL/MSVOA_V/WATER
 ALS Vial : 17 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 DCMQ2

Quant Time: Jan 24 02:04:46 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM011024WMA.M
 Quant Title : VOC Analysis
 QLast Update : Wed Jan 24 02:00:55 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	5.532	114	225036	50.000	ug/L	0.00
28) Chlorobenzene-d5	8.783	117	208548	50.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.185	152	105022	50.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.282	65	62491	36.132	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	72.260%
7) Chloroethane-d5	1.532	69	55691	40.661	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	81.320%
11) 1,1-Dichloroethene-d2	2.060	65	30380	40.815	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	81.640%
21) 2-Butanone-d5	3.783	46	77419	65.262	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	65.260%
24) Chloroform-d	4.249	84	127362	41.183	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	82.360%
26) 1,2-Dichloroethane-d4	4.941	65	87111	43.595	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	87.200%
32) Benzene-d6	4.960	84	249075	42.010	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	84.020%
36) 1,2-Dichloropropane-d6	5.989	67	79197	40.581	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	81.160%
41) Toluene-d8	7.243	98	229868	43.031	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	86.060%
43) trans-1,3-Dichloroprop...	7.551	79	39102	40.540	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	81.080%
47) 2-Hexanone-d5	8.021	63	57076	70.506	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	70.510%
56) 1,1,2,2-Tetrachloroeth...	10.153	84	100299	40.257	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	80.520%
66) 1,2-Dichlorobenzene-d4	11.561	152	91004	45.672	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	91.340%

Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV012324\
Data File : VV033830.D
Acq On : 23 Jan 2024 15:11
Operator : SY/MD
Sample : P1191-12
Misc : 5.0mL/MSVOA_V/WATER
ALS Vial : 17 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
DCMQ2

Quant Time: Jan 24 02:04:46 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM011024WMA.M
Quant Title : VOC Analysis
QLast Update : Wed Jan 24 02:00:55 2024
Response via : Initial Calibration

