




Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\DATA\VV012325\
Data File : VV038514.D
Acq On : 23 Jan 2025 18:24
Operator : SY/MD
Sample : Q1137-05DL 5X
Misc : 25mL/MSVOA_V/WATER
ALS Vial : 7 Sample Multiplier: 1

Quant Time: Jan 24 02:09:41 2025
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVTR011725WMA.M
Quant Title : TRACE VOA SFAM1.0
QLast Update : Fri Jan 24 00:30:49 2025
Response via : Initial Calibration



TIC: VV038514.D\data.ms

(13) Acetone (T)




2.140min (-0.039) 2.93 ug/L

response 7457

Ion	Exp%	Act%
43.05	100.00	100.00
58.05	33.60	17.78
0.00	0.00	0.00
0.00	0.00	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\DATA\VV012325\
Data File : VV038514.D
Acq On : 23 Jan 2025 18:24
Operator : SY/MD
Sample : Q1137-05DL 5X
Misc : 25mL/MSVOA_V/WATER
ALS Vial : 7 Sample Multiplier: 1

Quant Time: Jan 24 00:32:46 2025
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVTR011725WMA.M
Quant Title : TRACE VOA SFAM1.0
QLast Update : Fri Jan 24 00:30:49 2025
Response via : Initial Calibration



TIC: VV038514.D\data.ms

(13) Acetone (T)

2.140min (-0.039) 3.72 ug/L m

response 9478

Ion	Exp%	Act%
43.05	100.00	100.00
58.05	33.60	0.00
0.00	0.00	0.00
0.00	0.00	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\DATA\VV012325\
 Data File : VV038514.D
 Acq On : 23 Jan 2025 18:24
 Operator : SY/MD
 Sample : Q1137-05DL 5X
 Misc : 25mL/MSVOA_V/WATER
 ALS Vial : 7 Sample Multiplier: 1

Quant Time: Jan 24 00:32:46 2025
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVTR011725WMA.M
 Quant Title : TRACE VOA SFAM1.0
 QLast Update : Fri Jan 24 00:30:49 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	5.529	114	188764	5.000	ug/L	0.00
28) Chlorobenzene-d5	8.780	117	202922	5.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.178	152	84190	5.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.278	65	50666	3.255	ug/L	0.00
Spiked Amount	5.000	Range 40 - 130	Recovery	=	65.000%	
7) Chloroethane-d5	1.532	69	49895	3.817	ug/L	0.00
Spiked Amount	5.000	Range 65 - 130	Recovery	=	76.400%	
11) 1,1-Dichloroethene-d2	2.056	65	24778	3.532	ug/L	0.00
Spiked Amount	5.000	Range 60 - 125	Recovery	=	70.600%	
20) 2-Butanone-d5	3.818	46	150710	46.032	ug/L	-0.02
Spiked Amount	50.000	Range 40 - 130	Recovery	=	92.060%	
24) Chloroform-d	4.240	84	124368	4.263	ug/L	0.00
Spiked Amount	5.000	Range 70 - 125	Recovery	=	85.200%	
26) 1,2-Dichloroethane-d4	4.937	65	60229	4.505	ug/L	0.00
Spiked Amount	5.000	Range 70 - 130	Recovery	=	90.000%	
32) Benzene-d6	4.953	84	216949	3.882	ug/L	0.00
Spiked Amount	5.000	Range 70 - 125	Recovery	=	77.600%	
36) 1,2-Dichloropropane-d6	5.982	67	73985	4.355	ug/L	0.00
Spiked Amount	5.000	Range 60 - 140	Recovery	=	87.200%	
41) Toluene-d8	7.236	98	172183	3.430	ug/L	0.00
Spiked Amount	5.000	Range 70 - 130	Recovery	=	68.600%#	
43) trans-1,3-Dichloroprop...	7.558	79	22118	3.559	ug/L	0.00
Spiked Amount	5.000	Range 55 - 130	Recovery	=	71.200%	
46) 2-Hexanone-d5	8.024	63	86048	35.099	ug/L	0.00
Spiked Amount	50.000	Range 45 - 130	Recovery	=	70.200%	
56) 1,1,2,2-Tetrachloroeth...	10.146	84	62014	4.605	ug/L	0.00
Spiked Amount	5.000	Range 65 - 120	Recovery	=	92.000%	
66) 1,2-Dichlorobenzene-d4	11.551	152	65959	4.629	ug/L	0.00
Spiked Amount	5.000	Range 80 - 120	Recovery	=	92.600%	
Target Compounds						
3) Chloromethane	1.214	50	166104	7.678	ug/L	Qvalue 99

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\DATA\VV012325\
Data File : VV038514.D
Acq On : 23 Jan 2025 18:24
Operator : SY/MD
Sample : Q1137-05DL 5X
Misc : 25mL/MSVOA_V/WATER
ALS Vial : 7 Sample Multiplier: 1

Quant Time: Jan 24 00:32:46 2025
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVTR011725WMA.M
Quant Title : TRACE VOA SFAM1.0
QLast Update : Fri Jan 24 00:30:49 2025
Response via : Initial Calibration

