

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\DATA\VV012425\
 Data File : VV038527.D
 Acq On : 24 Jan 2025 11:00
 Operator : SY/MD
 Sample : Q1137-08
 Misc : 25mL/MSVOA_V/WATER
 ALS Vial : 6 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 BHAB4

Quant Time: Jan 24 20:52:45 2025
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVTR011725WMA.M
 Quant Title : TRACE VOA SFAM1.0
 QLast Update : Fri Jan 24 20:51:39 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Difluorobenzene	5.532	114	136398	5.000	ug/L	0.00
28) Chlorobenzene-d5	8.780	117	153059	5.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.178	152	62705	5.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.278	65	48753	4.334	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	86.600%
7) Chloroethane-d5	1.532	69	42690	4.520	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	90.400%
11) 1,1-Dichloroethene-d2	2.056	65	23129	4.563	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	91.200%
20) 2-Butanone-d5	3.796	46	129740	54.841	ug/L	-0.02
Spiked Amount	50.000	Range	40 - 130	Recovery	=	109.680%
24) Chloroform-d	4.243	84	97982	4.648	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	93.000%
26) 1,2-Dichloroethane-d4	4.937	65	51201	5.300	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	106.000%
32) Benzene-d6	4.953	84	176219	4.180	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	83.600%
36) 1,2-Dichloropropane-d6	5.979	67	59937	4.678	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	93.600%
41) Toluene-d8	7.239	98	133632	3.529	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	70.600%
43) trans-1,3-Dichloroprop...	7.558	79	19680	4.199	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	84.000%
46) 2-Hexanone-d5	8.024	63	71470	38.649	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	77.300%
56) 1,1,2,2-Tetrachloroeth...	10.143	84	56916	5.603	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	112.000%
66) 1,2-Dichlorobenzene-d4	11.554	152	54679	5.152	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	103.000%
Target Compounds						
3) Chloromethane	1.214	50	690622	44.177	ug/L	100
6) Bromomethane	1.490	94	4311	0.546	ug/L	99
13) Acetone	2.127	43	42544	23.112	ug/L	98
16) Methylene chloride	2.449	84	4065	0.324	ug/L	96


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\DATA\VV012425\
Data File : VV038527.D
Acq On : 24 Jan 2025 11:00
Operator : SY/MD
Sample : Q1137-08
Misc : 25mL/MSVOA_V/WATER
ALS Vial : 6 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
BHAB4

Quant Time: Jan 24 20:52:45 2025
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVTR011725WMA.M
Quant Title : TRACE VOA SFAM1.0
QLast Update : Fri Jan 24 20:51:39 2025
Response via : Initial Calibration









#3
Chloromethane
Concen: 44.177 ug/L
RT: 1.214 min Scan# 54
Delta R.T. 0.000 min
Lab File: VV038527.D
Acq: 24 Jan 2025 11:00




Instrument :
MSVOA_V
ClientSampleId :
BHAB4


Tgt Ion: 50 Resp: 690622
Ion Ratio Lower Upper
50 100
52 32.5 23.0 42.6



#6
Bromomethane
Concen: 0.546 ug/L
RT: 1.490 min Scan# 140
Delta R.T. 0.003 min
Lab File: VV038527.D
Acq: 24 Jan 2025 11:00

Tgt Ion: 94 Resp: 4311
Ion Ratio Lower Upper
94 100
96 97.1 68.9 127.9





#13

Acetone

Concen: 23.112 ug/L

RT: 2.127 min Scan# 33

Delta R.T. -0.019 min

Lab File: VV038527.D

Acq: 24 Jan 2025 11:00

Instrument :

MSVOA_V

ClientSampleId :





BHAB4

Tgt Ion: 43 Resp: 42544

Ion Ratio Lower Upper

43 100

58 32.4 0.0 67.2



#16

Methylene chloride

Concen: 0.324 ug/L

RT: 2.449 min Scan# 438

Delta R.T. 0.006 min

Lab File: VV038527.D

Acq: 24 Jan 2025 11:00

Tgt Ion: 84 Resp: 4065

Ion Ratio Lower Upper

84 100

86 65.7 44.7 82.9

49 115.5 84.1 156.1

