

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_V\Data\VV012924\  
 Data File : VV033899.D  
 Acq On : 29 Jan 2024 11:44  
 Operator : SY/MD  
 Sample : VV0129WBL02  
 Misc : 25.0mL/MSVOA\_V/WATER  
 ALS Vial : 5 Sample Multiplier: 1

Instrument :  
 MSVOA\_V  
 ClientSampleId :  
 VBLK203

Quant Time: Jan 30 03:44:16 2024  
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_V\Method\SFAMVTR012524WMA.M  
 Quant Title : TRACE VOA SFAM1.0  
 QLast Update : Tue Jan 30 03:43:29 2024  
 Response via : Initial Calibration

| Compound                      | R.T.   | QIon  | Response | Conc     | Units | Dev(Min) |
|-------------------------------|--------|-------|----------|----------|-------|----------|
| -----                         |        |       |          |          |       |          |
| Internal Standards            |        |       |          |          |       |          |
| 1) 1,4-Difluorobenzene        | 5.538  | 114   | 101156   | 5.000    | ug/L  | 0.00     |
| 28) Chlorobenzene-d5          | 8.786  | 117   | 92809    | 5.000    | ug/L  | 0.00     |
| 58) 1,4-Dichlorobenzene-d4    | 11.188 | 152   | 46682    | 5.000    | ug/L  | 0.00     |
| System Monitoring Compounds   |        |       |          |          |       |          |
| 4) Vinyl Chloride-d3          | 1.278  | 65    | 35569    | 4.540    | ug/L  | 0.00     |
| Spiked Amount                 | 5.000  | Range | 40 - 130 | Recovery | =     | 90.800%  |
| 7) Chloroethane-d5            | 1.535  | 69    | 34206    | 4.985    | ug/L  | 0.00     |
| Spiked Amount                 | 5.000  | Range | 65 - 130 | Recovery | =     | 99.600%  |
| 11) 1,1-Dichloroethene-d2     | 2.059  | 65    | 17438    | 4.615    | ug/L  | 0.00     |
| Spiked Amount                 | 5.000  | Range | 60 - 125 | Recovery | =     | 92.400%  |
| 20) 2-Butanone-d5             | 3.831  | 46    | 67445    | 51.260   | ug/L  | 0.01     |
| Spiked Amount                 | 50.000 | Range | 40 - 130 | Recovery | =     | 102.520% |
| 24) Chloroform-d              | 4.252  | 84    | 69783    | 4.902    | ug/L  | 0.00     |
| Spiked Amount                 | 5.000  | Range | 70 - 125 | Recovery | =     | 98.000%  |
| 26) 1,2-Dichloroethane-d4     | 4.947  | 65    | 34272    | 5.152    | ug/L  | 0.00     |
| Spiked Amount                 | 5.000  | Range | 70 - 130 | Recovery | =     | 103.000% |
| 32) Benzene-d6                | 4.963  | 84    | 139072   | 4.995    | ug/L  | 0.00     |
| Spiked Amount                 | 5.000  | Range | 70 - 125 | Recovery | =     | 99.800%  |
| 36) 1,2-Dichloropropane-d6    | 5.992  | 67    | 40867    | 5.250    | ug/L  | 0.00     |
| Spiked Amount                 | 5.000  | Range | 60 - 140 | Recovery | =     | 105.000% |
| 41) Toluene-d8                | 7.246  | 98    | 126951   | 4.961    | ug/L  | 0.00     |
| Spiked Amount                 | 5.000  | Range | 70 - 130 | Recovery | =     | 99.200%  |
| 43) trans-1,3-Dichloroprop... | 7.561  | 79    | 14297    | 4.865    | ug/L  | 0.00     |
| Spiked Amount                 | 5.000  | Range | 55 - 130 | Recovery | =     | 97.200%  |
| 46) 2-Hexanone-d5             | 8.030  | 63    | 54542    | 51.985   | ug/L  | 0.00     |
| Spiked Amount                 | 50.000 | Range | 45 - 130 | Recovery | =     | 103.980% |
| 56) 1,1,2,2-Tetrachloroeth... | 10.156 | 84    | 24569    | 5.207    | ug/L  | 0.00     |
| Spiked Amount                 | 5.000  | Range | 65 - 120 | Recovery | =     | 104.200% |
| 66) 1,2-Dichlorobenzene-d4    | 11.561 | 152   | 44088    | 5.193    | ug/L  | 0.00     |
| Spiked Amount                 | 5.000  | Range | 80 - 120 | Recovery | =     | 103.800% |

Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_V\Data\VV012924\  
Data File : VV033899.D  
Acq On : 29 Jan 2024 11:44  
Operator : SY/MD  
Sample : VV0129WBL02  
Misc : 25.0mL/MSVOA\_V/WATER  
ALS Vial : 5 Sample Multiplier: 1

Instrument :  
MSVOA\_V  
ClientSampleId :  
VBLK203

Quant Time: Jan 30 03:44:16 2024  
Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_V\Method\SFAMVTR012524WMA.M  
Quant Title : TRACE VOA SFAM1.0  
QLast Update : Tue Jan 30 03:43:29 2024  
Response via : Initial Calibration

