

Data File : VV014458.D
Acq On : 31 Jan 2020 18:36
Operator : SY/MD
Sample : VV0131MBL01
Misc : 5.00g/5.0mL/100uL/5.0mL/MSVOA_V/MEOH
ALS Vial : 13 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :

Quant Time: Feb 01 02:44:34 2020
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM020120WMA.M
Quant Title : VOC Analysis
QLast Update : Sat Feb 01 02:36:06 2020
Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.66	114	416110	50.00	ug/L	0.00
28) Chlorobenzene-d5	8.89	117	384515	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.29	152	169158	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.32	65	111187	48.11	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	96.22%
7) Chloroethane-d5	1.57	69	65956	45.90	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	91.80%
11) 1,1-Dichloroethene-d2	2.13	63	107191m	34.75	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	69.50%
21) 2-Butanone-d5	3.92	46	175501	112.87	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	112.87%
24) Chloroform-d	4.40	84	232906	47.62	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	95.24%
26) 1,2-Dichloroethane-d4	5.08	65	147012	49.90	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	99.80%
32) Benzene-d6	5.09	84	514293	50.80	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	101.60%
36) 1,2-Dichloropropane-d6	6.11	67	161271	50.35	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	100.70%
41) Toluene-d8	7.35	98	463259	49.57	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	99.14%
43) trans-1,3-Dichloropropene-	7.66	79	78722	48.35	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	96.70%
47) 2-Hexanone-d5	8.13	63	144996	115.69	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	115.69%
57) 1,1,2,2-Tetrachloroethane-	10.25	84	213670	51.77	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	103.54%
64) 1,2-Dichlorobenzene-d4	11.67	152	163404	52.45	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	104.90%

Target Compounds					Qvalue
3) Chloromethane	1.26	50	4546	1.252 ug/L	95
13) Acetone	2.19	43	2173	1.638 ug/L	85

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data File : VV014458.D
Acq On : 31 Jan 2020 18:36
Operator : SY/MD
Sample : VV0131MBL01
Misc : 5.00g/5.0mL/100uL/5.0mL/MSVOA_V/MEOH
ALS Vial : 13 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :

Quant Time: Feb 01 02:44:34 2020
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM020120WMA.M
Quant Title : VOC Analysis
QLast Update : Sat Feb 01 02:36:06 2020
Response via : Initial Calibration

