

Data File : VV014475.D
Acq On : 01 Feb 2020 01:20
Operator : SY/MD
Sample : L1323-12 10X
Misc : 5.09g/5.0mL/100uL/5.0mL/MSVOA_V/MEOH
ALS Vial : 30 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :

Quant Time: Feb 01 04:11:18 2020
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM020120WMA.M
Quant Title : VOC Analysis
QLast Update : Sat Feb 01 02:36:06 2020
Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.66	114	410950	50.00	ug/L	0.00
28) Chlorobenzene-d5	8.89	117	394709	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.29	152	196094	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.32	65	93589	41.01	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	82.02%
7) Chloroethane-d5	1.58	69	61211	43.14	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	86.28%
11) 1,1-Dichloroethene-d2	2.13	63	106541	34.97	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	69.94%
21) 2-Butanone-d5	3.92	46	166394	108.35	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	108.35%
24) Chloroform-d	4.40	84	213190	44.14	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	88.28%
26) 1,2-Dichloroethane-d4	5.08	65	143176	49.21	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	98.42%
32) Benzene-d6	5.10	84	471085	45.33	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	90.66%
36) 1,2-Dichloropropane-d6	6.11	67	149913	45.59	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	91.18%
41) Toluene-d8	7.36	98	446389	46.53	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	93.06%
43) trans-1,3-Dichloropropene-	7.66	79	78325	46.87	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	93.74%
47) 2-Hexanone-d5	8.13	63	142927	111.10	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	111.10%
57) 1,1,2,2-Tetrachloroethane-	10.25	84	186812	44.10	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	88.20%
64) 1,2-Dichlorobenzene-d4	11.67	152	173431	48.02	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	96.04%

Target Compounds

					Qvalue
13) Acetone	2.19	43	3328	2.540 ug/L	98
25) Chloroform	4.42	83	10638m	2.135 ug/L	
53) m,p-Xylene	9.18	106	4596	0.900 ug/L	98
55) Styrene	9.60	104	6580	0.774 ug/L	97

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data File : VV014475.D
Acq On : 01 Feb 2020 01:20
Operator : SY/MD
Sample : L1323-12 10X
Misc : 5.09g/5.0mL/100uL/5.0mL/MSVOA_V/MEOH
ALS Vial : 30 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :

Quant Time: Feb 01 04:11:18 2020
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM020120WMA.M
Quant Title : VOC Analysis
QLast Update : Sat Feb 01 02:36:06 2020
Response via : Initial Calibration

