

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VW020321\
 Data File : VW020263.D
 Acq On : 03 Feb 2021 19:52
 Operator : SY/MD
 Sample : VIBLK85
 Misc : 5.0mL/MSVOA_V/WATER
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 VIBLK85

Quant Time: Feb 03 23:53:08 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SOMVLM020321WMA.M
 Quant Title : VOC Analysis
 QLast Update : Wed Feb 03 17:26:57 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	5.621	114	583196	50.00	ug/L	# 0.00
28) Chlorobenzene-d5	8.855	117	568012	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.254	152	315341	50.00	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.309	65	104867	44.85	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	89.70%
7) Chloroethane-d5	1.569	69	90732	45.59	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	91.18%
11) 1,1-Dichloroethene-d2	2.110	63	158137	33.16	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	66.32%
21) 2-Butanone-d5	3.891	46	176143	91.64	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	91.64%
24) Chloroform-d	4.354	84	276214	44.78	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	89.56%
26) 1,2-Dichloroethane-d4	5.036	65	175180	46.72	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	93.44%
32) Benzene-d6	5.052	84	559027	46.68	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	93.36%
36) 1,2-Dichloropropane-d6	6.074	67	164138	46.40	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	92.80%
41) Toluene-d8	7.318	98	541129	45.74	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	91.48%
43) trans-1,3-Dichloroprop...	7.624	79	82617	43.77	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	87.54%
47) 2-Hexanone-d5	8.090	63	137783	87.90	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	87.90%
57) 1,1,2,2-Tetrachloroeth...	10.222	84	249622	45.13	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	90.26%
64) 1,2-Dichlorobenzene-d4	11.630	152	279287	47.98	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	95.96%

Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV020321\
Data File : VV020263.D
Acq On : 03 Feb 2021 19:52
Operator : SY/MD
Sample : VIBLK85
Misc : 5.0mL/MSVOA_V/WATER
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
VIBLK85

Quant Time: Feb 03 23:53:08 2021
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SOMVLM020321WMA.M
Quant Title : VOC Analysis
QLast Update : Wed Feb 03 17:26:57 2021
Response via : Initial Calibration

