

Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV020420\
 Data File : VV014495.D
 Acq On : 04 Feb 2020 11:45
 Operator : SY/MD
 Sample : VV0204MBL01
 Misc : 5.00µ/5.0mL/100uL/5.0mL/MSVOA_V/MEOH
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 VBLK67

Quant Time: Feb 15 01:32:10 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM020120WMA.M
 Quant Title : VOC Analysis
 QLast Update : Wed Feb 05 01:06:41 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.66	114	413699	50.00	ug/L	0.00
28) Chlorobenzene-d5	8.89	117	383799	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.29	152	183868	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.32	65	92437	40.23	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	80.46%
7) Chloroethane-d5	1.59	69	68688	48.08	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	96.16%
11) 1,1-Dichloroethene-d2	2.13	63	110488	36.02	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	72.04%
21) 2-Butanone-d5	3.92	46	171969	111.24	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	111.24%
24) Chloroform-d	4.40	84	235183	48.36	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	96.72%
26) 1,2-Dichloroethane-d4	5.08	65	150116	51.25	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	102.50%
32) Benzene-d6	5.10	84	495250	49.01	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	98.02%
36) 1,2-Dichloropropane-d6	6.12	67	158408	49.54	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	99.08%
41) Toluene-d8	7.36	98	455937	48.87	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	97.74%
43) trans-1,3-Dichloropropene-	7.66	79	79527	48.94	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	97.88%
47) 2-Hexanone-d5	8.13	63	137691	110.07	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	110.07%
57) 1,1,2,2-Tetrachloroethane-	10.25	84	210289	51.05	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	102.10%
64) 1,2-Dichlorobenzene-d4	11.67	152	170796	50.44	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	100.88%

Target Compounds	Ovalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA V\DATA\VV020420\
Data File : VV014495.D
Acq On : 04 Feb 2020 11:45
Operator : SY/MD
Sample : VV0204MBL01
Misc : 5.00µ/5.0mL/100µL/5.0mL/MSVOA_V/MEOH
ALS Vial : 4 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
VBLK67

Quant Time: Feb 15 01:32:10 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM020120WMA.M
Quant Title : VOC Analysis
QLast Update : Wed Feb 05 01:06:41 2020
Response via : Initial Calibration

