

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV020624\
 Data File : VV034003.D
 Acq On : 06 Feb 2024 11:05
 Operator : SY/MD
 Sample : VV0206WBL01
 Misc : 25.0mL/MSVOA_V/WATER
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 VBLK207

Quant Time: Feb 07 04:39:35 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVTR012524WMA.M
 Quant Title : TRACE VOA SFAM1.0
 QLast Update : Wed Feb 07 00:49:42 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	5.535	114	83211	5.000	ug/L	0.00
28) Chlorobenzene-d5	8.786	117	76332	5.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.188	152	38138	5.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.278	65	26086	4.048	ug/L	0.00
Spiked Amount	5.000	Range 40 - 130	Recovery	=	81.000%	
7) Chloroethane-d5	1.532	69	24047	4.260	ug/L	0.00
Spiked Amount	5.000	Range 65 - 130	Recovery	=	85.200%	
11) 1,1-Dichloroethene-d2	2.060	65	12751	4.103	ug/L	0.00
Spiked Amount	5.000	Range 60 - 125	Recovery	=	82.000%	
20) 2-Butanone-d5	3.818	46	34194	31.593	ug/L	0.00
Spiked Amount	50.000	Range 40 - 130	Recovery	=	63.180%	
24) Chloroform-d	4.246	84	50808	4.339	ug/L	0.00
Spiked Amount	5.000	Range 70 - 125	Recovery	=	86.800%	
26) 1,2-Dichloroethane-d4	4.944	65	24859	4.542	ug/L	0.00
Spiked Amount	5.000	Range 70 - 130	Recovery	=	90.800%	
32) Benzene-d6	4.957	84	101474	4.431	ug/L	0.00
Spiked Amount	5.000	Range 70 - 125	Recovery	=	88.600%	
36) 1,2-Dichloropropane-d6	5.989	67	28522	4.455	ug/L	0.00
Spiked Amount	5.000	Range 60 - 140	Recovery	=	89.200%	
41) Toluene-d8	7.243	98	90748	4.312	ug/L	0.00
Spiked Amount	5.000	Range 70 - 130	Recovery	=	86.200%	
43) trans-1,3-Dichloroprop...	7.561	79	9977	4.127	ug/L	0.00
Spiked Amount	5.000	Range 55 - 130	Recovery	=	82.600%	
46) 2-Hexanone-d5	8.027	63	36721	42.555	ug/L	0.00
Spiked Amount	50.000	Range 45 - 130	Recovery	=	85.100%	
56) 1,1,2,2-Tetrachloroeth...	10.156	84	17375	4.477	ug/L	0.00
Spiked Amount	5.000	Range 65 - 120	Recovery	=	89.600%	
66) 1,2-Dichlorobenzene-d4	11.561	152	31264	4.507	ug/L	0.00
Spiked Amount	5.000	Range 80 - 120	Recovery	=	90.200%	
Target Compounds						Qvalue
29) 1,1,1-Trichloroethane	4.510	97	8458	0.825	ug/L	96

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV020624\
Data File : VV034003.D
Acq On : 06 Feb 2024 11:05
Operator : SY/MD
Sample : VV0206WBL01
Misc : 25.0mL/MSVOA_V/WATER
ALS Vial : 4 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
VBLK207

Quant Time: Feb 07 04:39:35 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVTR012524WMA.M
Quant Title : TRACE VOA SFAM1.0
QLast Update : Wed Feb 07 00:49:42 2024
Response via : Initial Calibration

