

Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV021120\
 Data File : VV014559.D
 Acq On : 11 Feb 2020 17:18
 Operator : SY/MD
 Sample : L1489-03
 Misc : 5.0mL/MSVOA V/WATER
 ALS Vial : 7 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 BFRE0

Quant Time: Feb 12 03:38:27 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM020120WMA.M
 Quant Title : VOC Analysis
 QLast Update : Wed Feb 12 03:16:31 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.66	114	303442	50.00	ug/L	0.00
28) Chlorobenzene-d5	8.89	117	285996	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.29	152	143484	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.32	65	55025	32.65	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	65.30%
7) Chloroethane-d5	1.58	69	41872	39.96	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	79.92%
11) 1,1-Dichloroethene-d2	2.13	63	73809	32.81	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	65.62%
21) 2-Butanone-d5	3.92	46	113864	100.42	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	100.42%
24) Chloroform-d	4.40	84	176521	49.49	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	98.98%
26) 1,2-Dichloroethane-d4	5.08	65	113639	52.89	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	105.78%
32) Benzene-d6	5.10	84	366280	48.64	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	97.28%
36) 1,2-Dichloropropane-d6	6.11	67	111542	46.82	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	93.64%
41) Toluene-d8	7.36	98	336224	48.37	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	96.74%
43) trans-1,3-Dichloropropene-	7.66	79	59682	49.28	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	98.56%
47) 2-Hexanone-d5	8.13	63	93502	100.31	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	100.31%
57) 1,1,2,2-Tetrachloroethane-	10.25	84	153248	49.92	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	99.84%
64) 1,2-Dichlorobenzene-d4	11.67	152	132980	50.32	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	100.64%


Target Compounds					Ovalue
53) m,p-Xylene	9.18	106	2139	0.578 ug/L	90


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA V\DATA\VV021120\
Data File : VV014559.D
Acq On : 11 Feb 2020 17:18
Operator : SY/MD
Sample : L1489-03
Misc : 5.0mL/MSVOA V/WATER
ALS Vial : 7 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
BFRE0

Quant Time: Feb 12 03:38:27 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM020120WMA.M
Quant Title : VOC Analysis
QLast Update : Wed Feb 12 03:16:31 2020
Response via : Initial Calibration





#53

m,p-Xylene

Concen: 0.578 ug/L

RT: 9.18 min Scan# 2516

Delta R.T. 0.01 min

Lab File: VV014559.D

Acq: 11 Feb 2020 17:18

Instrument :
MSVOA_V
ClientSampleId :
BFRE0

Tot Ion:106 Resp: 2139

Ion Ratio Lower Upper

106 100

91 216.6 140.9 261.7

