

Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV021320\
 Data File : VV014584.D
 Acq On : 13 Feb 2020 13:16
 Operator : SY/MD
 Sample : L1489-15
 Misc : 5.0mL/MSVOA V/WATER
 ALS Vial : 7 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 BFRF1

Quant Time: Feb 13 16:31:51 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM021220WMA.M
 Quant Title : VOC Analysis
 QLast Update : Thu Feb 13 15:27:07 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.66	114	293287	50.00	ug/L	0.00
28) Chlorobenzene-d5	8.89	117	275136	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.29	152	134521	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.32	65	50621	44.94	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	89.88%
7) Chloroethane-d5	1.59	69	36272	45.79	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	91.58%
11) 1,1-Dichloroethene-d2	2.13	63	65667	34.94	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	69.88%
21) 2-Butanone-d5	3.92	46	91206	97.65	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	97.65%
24) Chloroform-d	4.40	84	155642	47.38	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	94.76%
26) 1,2-Dichloroethane-d4	5.08	65	101233	49.68	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	99.36%
32) Benzene-d6	5.10	84	322001	48.94	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	97.88%
36) 1,2-Dichloropropane-d6	6.11	67	96284	48.58	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	97.16%
41) Toluene-d8	7.36	98	302559	47.80	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	95.60%
43) trans-1,3-Dichloropropene-	7.66	79	52089	47.66	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	95.32%
47) 2-Hexanone-d5	8.13	63	71843	90.72	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	90.72%
57) 1,1,2,2-Tetrachloroethane-	10.25	84	132440	49.24	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	98.48%
64) 1,2-Dichlorobenzene-d4	11.67	152	118281	49.77	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	99.54%


Target Compounds					Ovalue
13) Acetone	2.19	43	2411	3.009 ug/L	97


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA V\DATA\VV021320\
Data File : VV014584.D
Acq On : 13 Feb 2020 13:16
Operator : SY/MD
Sample : L1489-15
Misc : 5.0mL/MSVOA V/WATER
ALS Vial : 7 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
BFRF1

Quant Time: Feb 13 16:31:51 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM021220WMA.M
Quant Title : VOC Analysis
QLast Update : Thu Feb 13 15:27:07 2020
Response via : Initial Calibration





#13

Acetone

Concen: 3.009 ug/L

RT: 2.19 min Scan# 341

Delta R.T. 0.00 min

Lab File: VV014584.D

Acq: 13 Feb 2020 13:16

Instrument :
MSVOA_V
ClientSampleId :
BFRF1

Tot Ion: 43 Resp: 2411

Ion Ratio Lower Upper

43 100

58 28.0 0.0 58.8

