

Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV021320\
 Data File : VV014583.D
 Acq On : 13 Feb 2020 12:52
 Operator : SY/MD
 Sample : L1489-14
 Misc : 5.0mL/MSVOA V/WATER
 ALS Vial : 6 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 BFRF0

Integration Parameters: LSCINT.P

Integrator: RTE
 Smoothing : OFF
 Sampling : 1
 Start Thrs: 0.2
 Stop Thrs : 0

Filtering: 5
 Min Area: 0 % of largest Peak
 Max Peaks: 100
 Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >
 Peak separation: 5

Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM021220WMA.M
 Title : VOC Analysis

Signal : TIC

peak #	R.T. min	first scan	max scan	last scan	PK TY	peak height	corr. area	corr. % max.	% of total
1	1.322	65	72	84	rVB	93041	90394	9.58%	1.220%
2	1.582	146	153	166	rVB	61410	72868	7.73%	0.984%
3	2.132	313	324	336	rVV	133508	191188	20.27%	2.581%
4	2.299	369	376	393	rVV3	4645	10239	1.09%	0.138%
5	2.360	393	395	398	rVB2	722	383	0.04%	0.005%
6	2.460	421	426	429	rBV3	525	466	0.05%	0.006%
7	2.569	458	460	466	rVB3	476	318	0.03%	0.004%
8	2.656	476	487	498	rBV3	4105	8535	0.90%	0.115%
9	2.714	503	505	510	rVB2	803	409	0.04%	0.006%
10	3.138	635	637	640	rVV2	544	325	0.03%	0.004%
11	3.193	652	654	658	rVB2	487	288	0.03%	0.004%
12	3.444	726	732	735	rBV2	368	303	0.03%	0.004%
13	3.505	744	751	755	rBV2	416	508	0.05%	0.007%
14	3.589	773	777	779	rBV3	447	270	0.03%	0.004%
15	3.778	834	836	840	rVB2	577	291	0.03%	0.004%
16	3.804	840	844	847	rBV2	635	512	0.05%	0.007%
17	3.923	867	881	915	rBV	63461	178429	18.92%	2.409%
18	4.318	1002	1004	1007	rVB	508	256	0.03%	0.003%
19	4.399	1011	1029	1051	rBV	153891	376827	39.95%	5.088%
20	4.640	1100	1104	1108	rVB5	529	447	0.05%	0.006%
21	4.682	1108	1117	1121	rBV6	499	662	0.07%	0.009%
22	4.788	1147	1150	1153	rVV3	755	444	0.05%	0.006%
23	4.965	1203	1205	1211	rVB3	451	360	0.04%	0.005%
24	4.990	1211	1213	1218	rVB2	590	361	0.04%	0.005%
25	5.023	1220	1223	1224	rBV	579	262	0.03%	0.004%
26	5.093	1226	1245	1272	rBV2	368775	943142	100.00%	12.734%
27	5.370	1328	1331	1333	rBV3	631	342	0.04%	0.005%
28	5.434	1347	1351	1352	rBV	403	258	0.03%	0.003%
29	5.495	1367	1370	1372	rBV	446	255	0.03%	0.003%
30	5.537	1381	1383	1388	rBV3	466	329	0.03%	0.004%
31	5.585	1393	1398	1400	rBV2	492	275	0.03%	0.004%
32	5.659	1406	1421	1441	rBV	329803	652118	69.14%	8.805%
33	5.791	1459	1462	1465	rVB3	692	331	0.04%	0.004%
34	5.949	1509	1511	1517	rVV4	708	529	0.06%	0.007%

Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV021320\
 Data File : VV014583.D
 Acq On : 13 Feb 2020 12:52
 Operator : SY/MD
 Sample : L1489-14
 Misc : 5.0mL/MSVOA V/WATER
 ALS Vial : 6 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 BFRF0

Integration Parameters: LSCINT.P

Integrator: RTE
 Smoothing : OFF
 Sampling : 1
 Start Thrs: 0.2
 Stop Thrs : 0

Filtering: 5
 Min Area: 0 % of largest Peak
 Max Peaks: 100
 Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >
 Peak separation: 5

Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM021220WMA.M
 Title : VOC Analysis

35	6.032	1533	1537	1538	rBV2	711	499	0.05%	0.007%
36	6.113	1549	1562	1586	rBV	207054	421602	44.70%	5.692%
37	6.293	1616	1618	1622	rBV3	453	282	0.03%	0.004%
38	6.389	1646	1648	1653	rVB2	494	321	0.03%	0.004%
39	6.453	1666	1668	1674	rBV4	679	665	0.07%	0.009%
40	6.521	1686	1689	1691	rBV	618	395	0.04%	0.005%
41	6.592	1707	1711	1714	rVB2	594	439	0.05%	0.006%
42	6.611	1714	1717	1719	rBV2	549	271	0.03%	0.004%
43	6.659	1729	1732	1733	rBV2	570	342	0.04%	0.005%
44	6.685	1738	1740	1745	rVB2	836	546	0.06%	0.007%
45	6.830	1783	1785	1788	rVB2	571	254	0.03%	0.003%
46	7.026	1834	1846	1866	rBV	133809	233596	24.77%	3.154%
47	7.357	1935	1949	1968	rBV	462214	813673	86.27%	10.986%
48	7.614	2026	2029	2032	rVB3	664	377	0.04%	0.005%
49	7.659	2032	2043	2063	rBV	94899	164900	17.48%	2.226%
50	7.884	2108	2113	2114	rBV2	420	315	0.03%	0.004%
51	7.913	2120	2122	2128	rBV2	419	309	0.03%	0.004%
52	8.042	2160	2162	2164	rBV2	419	252	0.03%	0.003%
53	8.067	2166	2170	2172	rVB2	473	308	0.03%	0.004%
54	8.129	2178	2189	2223	rBV	167722	379719	40.26%	5.127%
55	8.395	2269	2272	2276	rVB4	649	527	0.06%	0.007%
56	8.469	2293	2295	2298	rBV3	388	261	0.03%	0.004%
57	8.553	2318	2321	2328	rVB3	721	446	0.05%	0.006%
58	8.701	2365	2367	2370	rBV2	459	251	0.03%	0.003%
59	8.794	2393	2396	2400	rVB	477	330	0.03%	0.004%
60	8.830	2403	2407	2409	rBV4	659	422	0.04%	0.006%
61	8.891	2413	2426	2447	rBV	487291	787526	83.50%	10.633%
62	9.061	2468	2479	2485	rBV7	1490	2788	0.30%	0.038%
63	9.180	2506	2516	2531	rVB3	6886	11409	1.21%	0.154%
64	9.276	2541	2546	2548	rBV2	809	680	0.07%	0.009%
65	9.331	2562	2563	2567	rVB	565	256	0.03%	0.003%
66	9.508	2614	2618	2620	rBV2	586	362	0.04%	0.005%
67	9.588	2634	2643	2650	rVV4	2945	4675	0.50%	0.063%
68	9.775	2692	2701	2710	rVB2	5982	9844	1.04%	0.133%
69	9.955	2752	2757	2758	rVV	451	311	0.03%	0.004%
70	9.974	2758	2763	2767	rBV3	925	796	0.08%	0.011%
71	10.254	2836	2850	2868	rBV	284865	451403	47.86%	6.095%

Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV021320\
 Data File : VV014583.D
 Acq On : 13 Feb 2020 12:52
 Operator : SY/MD
 Sample : L1489-14
 Misc : 5.0mL/MSVOA V/WATER
 ALS Vial : 6 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 BFRF0

Integration Parameters: LSCINT.P

Integrator: RTE
 Smoothing : OFF
 Sampling : 1
 Start Thrs: 0.2
 Stop Thrs : 0

Filtering: 5
 Min Area: 0 % of largest Peak
 Max Peaks: 100
 Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >
 Peak separation: 5

Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM021220WMA.M
 Title : VOC Analysis

72	10.418	2894	2901	2902	rBV5	1828	1431	0.15%	0.019%
73	10.498	2917	2926	2928	rBV	761	953	0.10%	0.013%
74	10.572	2947	2949	2954	rVB3	1023	739	0.08%	0.010%
75	10.604	2954	2959	2962	rBV2	430	404	0.04%	0.005%
76	10.682	2980	2983	2987	rBV2	449	286	0.03%	0.004%
77	10.707	2987	2991	2992	rBV	379	276	0.03%	0.004%
78	11.167	3131	3134	3139	rBV2	511	386	0.04%	0.005%
79	11.206	3142	3146	3149	rBV5	1082	1110	0.12%	0.015%
80	11.289	3160	3172	3194	rBV	512531	797227	84.53%	10.764%
81	11.579	3252	3262	3270	rBV5	4628	8166	0.87%	0.110%
82	11.665	3278	3289	3306	rBV	480338	743433	78.83%	10.037%
83	11.961	3378	3381	3387	rVB3	339	287	0.03%	0.004%
84	12.366	3503	3507	3508	rBV	443	257	0.03%	0.003%
85	12.588	3571	3576	3577	rBV2	548	426	0.05%	0.006%
86	12.653	3594	3596	3601	rVB	523	380	0.04%	0.005%
87	12.842	3652	3655	3657	rBV4	499	318	0.03%	0.004%
88	13.096	3731	3734	3735	rBV2	565	272	0.03%	0.004%
89	13.495	3854	3858	3859	rBV4	473	258	0.03%	0.003%
90	13.556	3870	3877	3883	rVV4	3581	5185	0.55%	0.070%
91	13.762	3935	3941	3942	rBV2	681	506	0.05%	0.007%
92	13.945	3992	3998	4003	rBV5	2010	2540	0.27%	0.034%
93	14.000	4013	4015	4018	rBV2	493	284	0.03%	0.004%
94	14.093	4041	4044	4048	rVB3	743	528	0.06%	0.007%
95	14.135	4053	4057	4060	rBV2	608	561	0.06%	0.008%
96	14.244	4087	4091	4092	rBV2	413	313	0.03%	0.004%
97	14.415	4141	4144	4145	rBV2	802	403	0.04%	0.005%
98	14.505	4169	4172	4173	rBV2	596	356	0.04%	0.005%
99	14.685	4222	4228	4242	rVB4	5243	9072	0.96%	0.122%
100	14.865	4277	4284	4289	rBV6	4072	5942	0.63%	0.080%


Sum of corrected areas: 7406575

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA V\DATA\VV021320\
Data File : VV014583.D
Acq On : 13 Feb 2020 12:52
Operator : SY/MD
Sample : L1489-14
Misc : 5.0mL/MSVOA V/WATER
ALS Vial : 6 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
BFRF0

Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM021220WMA.M
Quant Title : VOC Analysis

TIC Library : C:\DATABASE\NIST11.L
TIC Integration Parameters: LSCINT.P



Data Path : Z:\V0ASRV\HPCHEM1\MSV0A_V\DATA\VV021320\
Data File : VV014583.D
Acq On : 13 Feb 2020 12:52
Operator : SY/MD
Sample : L1489-14
Misc : 5.0mL/MSV0A_V/WATER
ALS Vial : 6 Sample Multiplier: 1

Instrument :
MSV0A_V
ClientSampleId :
BFRF0

Quant Method : Z:\V0ASRV\HPCHEM1\MSV0A_V\METHOD\SOMVLM021220WMA.M
Quant Title : VOC Analysis

TIC Library : C:\DATABASE\NIST11.L
TIC Integration Parameters: LSCINT.P

No Library Search Compounds Detected

Data Path : Z:\VOASRV\HPCHEM1\MSVOA_V\DATA\VV021320\
Data File : VV014583.D
Acq On : 13 Feb 2020 12:52
Operator : SY/MD
Sample : L1489-14
Misc : 5.0mL/MSVOA_V/WATER
ALS Vial : 6 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
BFRF0

Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM021220WMA.M
Quant Title : VOC Analysis

TIC Library : C:\DATABASE\NIST11.L
TIC Integration Parameters: LSCINT.P

TIC Top Hit name	RT	EstConc	Units	Response	--Internal Standard--
					# RT Resp Conc