

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV021524\
 Data File : VV034201.D
 Acq On : 15 Feb 2024 20:47
 Operator : SY/MD
 Sample : P1501-10
 Misc : 25.0mL/MSVOA_V/WATER
 ALS Vial : 22 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 E10B1

Quant Time: Feb 16 00:45:37 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVTR012524WMA.M
 Quant Title : TRACE VOA SFAM1.0
 QLast Update : Fri Feb 16 00:40:49 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	5.535	114	66445	5.000	ug/L	0.00
28) Chlorobenzene-d5	8.786	117	61606	5.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.188	152	29042	5.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.278	65	17350	3.372	ug/L	0.00
Spiked Amount	5.000	Range 40 - 130	Recovery	=	67.400%	
7) Chloroethane-d5	1.532	69	17427	3.866	ug/L	0.00
Spiked Amount	5.000	Range 65 - 130	Recovery	=	77.400%	
11) 1,1-Dichloroethene-d2	2.060	65	9018	3.634	ug/L	0.00
Spiked Amount	5.000	Range 60 - 125	Recovery	=	72.600%	
20) 2-Butanone-d5	3.802	46	49499	57.274	ug/L	-0.02
Spiked Amount	50.000	Range 40 - 130	Recovery	=	114.540%	
24) Chloroform-d	4.249	84	42819	4.579	ug/L	0.00
Spiked Amount	5.000	Range 70 - 125	Recovery	=	91.600%	
26) 1,2-Dichloroethane-d4	4.944	65	23690	5.421	ug/L	0.00
Spiked Amount	5.000	Range 70 - 130	Recovery	=	108.400%	
32) Benzene-d6	4.963	84	75530	4.086	ug/L	0.00
Spiked Amount	5.000	Range 70 - 125	Recovery	=	81.800%	
36) 1,2-Dichloropropane-d6	5.989	67	22725	4.398	ug/L	0.00
Spiked Amount	5.000	Range 60 - 140	Recovery	=	88.000%	
41) Toluene-d8	7.246	98	67594	3.979	ug/L	0.00
Spiked Amount	5.000	Range 70 - 130	Recovery	=	79.600%	
43) trans-1,3-Dichloroprop...	7.561	79	8982	4.604	ug/L	0.00
Spiked Amount	5.000	Range 55 - 130	Recovery	=	92.000%	
46) 2-Hexanone-d5	8.027	63	36195	51.971	ug/L	0.00
Spiked Amount	50.000	Range 45 - 130	Recovery	=	103.940%	
56) 1,1,2,2-Tetrachloroeth...	10.153	84	16103	5.141	ug/L	0.00
Spiked Amount	5.000	Range 65 - 120	Recovery	=	102.800%	
66) 1,2-Dichlorobenzene-d4	11.561	152	25493	4.827	ug/L	0.00
Spiked Amount	5.000	Range 80 - 120	Recovery	=	96.600%	
Target Compounds						Qvalue
34) Trichloroethene	5.847	95	1822	0.341	ug/L	88

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV021524\
Data File : VV034201.D
Acq On : 15 Feb 2024 20:47
Operator : SY/MD
Sample : P1501-10
Misc : 25.0mL/MSVOA_V/WATER
ALS Vial : 22 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
E10B1

Quant Time: Feb 16 00:45:37 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVTR012524WMA.M
Quant Title : TRACE VOA SFAM1.0
QLast Update : Fri Feb 16 00:40:49 2024
Response via : Initial Calibration

