

Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV022020\
 Data File : VV014619.D
 Acq On : 20 Feb 2020 13:19
 Operator : SY/MD
 Sample : VV0220WBL01
 Misc : 5.0mL/MSVOA V/WATER
 ALS Vial : 3 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 VBLK73

Quant Time: Feb 21 03:45:45 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM021220WMA.M
 Quant Title : VOC Analysis
 QLast Update : Fri Feb 21 03:31:59 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.66	114	264651	50.00	ug/L	0.00
28) Chlorobenzene-d5	8.89	117	247372	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.29	152	121673	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.32	65	37827	37.22	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	74.44%
7) Chloroethane-d5	1.58	69	32512	45.48	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	90.96%
11) 1,1-Dichloroethene-d2	2.13	63	58812	34.68	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	69.36%
21) 2-Butanone-d5	3.93	46	93548	111.00	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	111.00%
24) Chloroform-d	4.40	84	138925	46.87	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	93.74%
26) 1,2-Dichloroethane-d4	5.08	65	95592	51.99	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	103.98%
32) Benzene-d6	5.10	84	291206	49.22	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	98.44%
36) 1,2-Dichloropropane-d6	6.11	67	89248	50.09	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	100.18%
41) Toluene-d8	7.36	98	271851	47.76	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	95.52%
43) trans-1,3-Dichloropropene-	7.66	79	48050	48.90	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	97.80%
47) 2-Hexanone-d5	8.13	63	75902	106.60	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	106.60%
57) 1,1,2,2-Tetrachloroethane-	10.25	84	127455	52.70	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	105.40%
64) 1,2-Dichlorobenzene-d4	11.67	152	111842	52.03	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	104.06%


Target Compounds				Ovalue
25) Chloroform	4.42	83	11664	3.755 ug/L 91


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA V\DATA\VV022020\
Data File : VV014619.D
Acq On : 20 Feb 2020 13:19
Operator : SY/MD
Sample : VV0220WBL01
Misc : 5.0mL/MSVOA V/WATER
ALS Vial : 3 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
VBLK73

Quant Time: Feb 21 03:45:45 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM021220WMA.M
Quant Title : VOC Analysis
QLast Update : Fri Feb 21 03:31:59 2020
Response via : Initial Calibration





#25
 Chloroform
 Concen: 3.755 ug/L
 RT: 4.42 min Scan# 1037
 Delta R.T. 0.00 min
 Lab File: VV014619.D
 Acq: 20 Feb 2020 13:19

Instrument :
 MSVOA_V
 ClientSampleId :
 VBLK73

Tot Ion: 83 Resp: 11664
 Ion Ratio Lower Upper
 83 100
 85 71.6 45.0 83.6

