

Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV022120\
 Data File : VV014671.D
 Acq On : 21 Feb 2020 22:42
 Operator : SY/MD
 Sample : L1607-02DL 100X
 Misc : 5.0mL/MSVOA V/WATER
 ALS Vial : 31 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 C0AN5DL

Integration Parameters: LSCINT.P

Integrator: RTE
 Smoothing : OFF
 Sampling : 1
 Start Thrs: 0.2
 Stop Thrs : 0

Filtering: 5
 Min Area: 0 % of largest Peak
 Max Peaks: 100
 Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >
 Peak separation: 5

Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM022120WMA.M
 Title : VOC Analysis

Signal : TIC

peak #	R.T. min	first scan	max scan	last scan	PK TY	peak height	corr. area	corr. % max.	% of total
1	1.319	65	71	86	rVB	58920	62112	7.87%	1.030%
2	1.586	145	154	171	rBV	44174	56364	7.14%	0.935%
3	1.984	274	278	280	rBV2	587	481	0.06%	0.008%
4	2.013	285	287	288	rBV2	439	172	0.02%	0.003%
5	2.129	315	323	334	rBV	109277	154893	19.61%	2.569%
6	2.634	478	480	482	rBV2	304	171	0.02%	0.003%
7	2.820	537	538	540	rVB2	435	106	0.01%	0.002%
8	2.839	542	544	546	rBV	452	193	0.02%	0.003%
9	2.978	584	587	590	rBV2	565	347	0.04%	0.006%
10	3.013	595	598	600	rBV2	442	210	0.03%	0.003%
11	3.077	617	618	620	rBV	278	120	0.02%	0.002%
12	3.110	625	628	629	rBV	187	87	0.01%	0.001%
13	3.209	658	659	660	rBV	387	112	0.01%	0.002%
14	3.418	722	724	729	rVB	347	167	0.02%	0.003%
15	3.502	749	750	751	rBV	279	88	0.01%	0.001%
16	3.560	764	768	770	rBV2	359	272	0.03%	0.005%
17	3.666	800	801	803	rBV	308	114	0.01%	0.002%
18	3.769	831	833	835	rVB2	362	142	0.02%	0.002%
19	3.820	846	849	852	rBV	305	224	0.03%	0.004%
20	3.907	874	876	879	rBV2	335	155	0.02%	0.003%
21	3.952	879	890	925	rBV2	38856	145889	18.47%	2.420%
22	4.582	1084	1086	1091	rVB2	444	273	0.03%	0.005%
23	4.778	1145	1147	1149	rBV2	218	79	0.01%	0.001%
24	4.810	1155	1157	1158	rBV2	175	54	0.01%	0.001%
25	5.026	1222	1224	1226	rBV	309	173	0.02%	0.003%
26	5.093	1226	1245	1266	rBV3	309105	770053	97.51%	12.771%
27	5.335	1317	1320	1323	rBV3	669	460	0.06%	0.008%
28	5.489	1365	1368	1370	rBV2	526	313	0.04%	0.005%
29	5.659	1408	1421	1449	rBV	263978	527527	66.80%	8.749%
30	5.888	1487	1492	1495	rBV2	492	451	0.06%	0.007%
31	5.955	1500	1513	1537	rVV	407432	789703	100.00%	13.097%
32	6.286	1613	1616	1619	rBV4	675	593	0.08%	0.010%
33	6.402	1651	1652	1655	rBV	325	228	0.03%	0.004%
34	6.482	1675	1677	1680	rBV2	481	178	0.02%	0.003%

Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV022120\
 Data File : VV014671.D
 Acq On : 21 Feb 2020 22:42
 Operator : SY/MD
 Sample : L1607-02DL 100X
 Misc : 5.0mL/MSVOA V/WATER
 ALS Vial : 31 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 C0AN5DL

Integration Parameters: LSCINT.P

Integrator: RTE
 Smoothing : OFF
 Sampling : 1
 Start Thrs: 0.2
 Stop Thrs : 0

Filtering: 5
 Min Area: 0 % of largest Peak
 Max Peaks: 100
 Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >
 Peak separation: 5

Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM022120WMA.M
 Title : VOC Analysis

35	6.498	1680	1682	1684	rVV3	437	143	0.02%	0.002%
36	6.585	1705	1709	1713	rBV2	482	363	0.05%	0.006%
37	6.605	1713	1715	1718	rBV2	423	281	0.04%	0.005%
38	6.621	1718	1720	1722	rVV	210	77	0.01%	0.001%
39	6.634	1722	1724	1728	rBV3	367	217	0.03%	0.004%
40	6.814	1778	1780	1783	rBV2	391	203	0.03%	0.003%
41	6.865	1794	1796	1797	rBV2	278	100	0.01%	0.002%
42	6.962	1824	1826	1828	rVB2	287	133	0.02%	0.002%
43	7.026	1834	1846	1860	rBV2	103287	182595	23.12%	3.028%
44	7.357	1937	1949	1968	rBV	368651	642035	81.30%	10.648%
45	7.659	2031	2043	2060	rBV2	72532	125386	15.88%	2.080%
46	7.756	2071	2073	2079	rBV	779	468	0.06%	0.008%
47	7.910	2120	2121	2122	rBV	343	70	0.01%	0.001%
48	7.981	2140	2143	2145	rBV2	527	275	0.03%	0.005%
49	8.077	2171	2173	2175	rBV	359	170	0.02%	0.003%
50	8.135	2180	2191	2216	rBV2	159827	334147	42.31%	5.542%
51	8.431	2282	2283	2285	rVB	368	93	0.01%	0.002%
52	8.672	2355	2358	2361	rBV2	453	235	0.03%	0.004%
53	8.752	2381	2383	2388	rBV	274	204	0.03%	0.003%
54	8.810	2399	2401	2406	rBV2	377	230	0.03%	0.004%
55	8.891	2414	2426	2446	rBV	386840	625966	79.27%	10.382%
56	9.293	2550	2551	2554	rBV2	226	81	0.01%	0.001%
57	9.318	2554	2559	2564	rBV3	681	589	0.07%	0.010%
58	9.347	2564	2568	2570	rBV3	351	289	0.04%	0.005%
59	9.373	2574	2576	2581	rBV2	365	241	0.03%	0.004%
60	9.415	2586	2589	2591	rBV2	491	316	0.04%	0.005%
61	9.505	2612	2617	2622	rBV4	299	271	0.03%	0.004%
62	9.572	2634	2638	2640	rBV2	352	234	0.03%	0.004%
63	9.604	2646	2648	2650	rVB	420	148	0.02%	0.002%
64	9.659	2660	2665	2667	rBV3	407	293	0.04%	0.005%
65	9.698	2675	2677	2680	rBV	212	82	0.01%	0.001%
66	9.768	2697	2699	2700	rBV	266	92	0.01%	0.002%
67	9.894	2737	2738	2739	rBV	234	63	0.01%	0.001%
68	9.968	2760	2761	2763	rBV	490	142	0.02%	0.002%
69	10.167	2821	2823	2825	rBV	321	104	0.01%	0.002%
70	10.254	2839	2850	2865	rBV	243116	376799	47.71%	6.249%
71	10.395	2889	2894	2897	rBV	445	389	0.05%	0.006%

Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV022120\
 Data File : VV014671.D
 Acq On : 21 Feb 2020 22:42
 Operator : SY/MD
 Sample : L1607-02DL 100X
 Misc : 5.0mL/MSVOA V/WATER
 ALS Vial : 31 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 C0AN5DL

Integration Parameters: LSCINT.P

Integrator: RTE
 Smoothing : OFF
 Sampling : 1
 Start Thrs: 0.2
 Stop Thrs : 0

Filtering: 5
 Min Area: 0 % of largest Peak
 Max Peaks: 100
 Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >
 Peak separation: 5

Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM022120WMA.M
 Title : VOC Analysis

72	10.415	2897	2900	2903	rBV2	239	141	0.02%	0.002%
73	10.521	2929	2933	2934	rBV2	268	125	0.02%	0.002%
74	10.534	2934	2937	2939	rBV2	405	262	0.03%	0.004%
75	10.559	2943	2945	2949	rBV3	432	210	0.03%	0.003%
76	10.653	2973	2974	2975	rBV	262	65	0.01%	0.001%
77	10.707	2987	2991	2992	rBV	351	182	0.02%	0.003%
78	10.727	2995	2997	3001	rBV2	390	175	0.02%	0.003%
79	10.990	3077	3079	3081	rBV	336	147	0.02%	0.002%
80	11.289	3160	3172	3192	rBV	398005	619907	78.50%	10.281%
81	11.489	3232	3234	3238	rVB3	525	375	0.05%	0.006%
82	11.666	3279	3289	3309	rVB	386197	599993	75.98%	9.951%
83	11.829	3337	3340	3344	rVB2	756	465	0.06%	0.008%
84	11.932	3367	3372	3373	rBV	410	311	0.04%	0.005%
85	12.010	3395	3396	3398	rBV	271	125	0.02%	0.002%
86	12.968	3693	3694	3696	rVB	232	67	0.01%	0.001%
87	12.987	3697	3700	3702	rBV	292	178	0.02%	0.003%
88	13.122	3740	3742	3746	rVB2	414	167	0.02%	0.003%
89	13.141	3746	3748	3750	rBV	350	184	0.02%	0.003%
90	14.247	4090	4092	4095	rVB	429	242	0.03%	0.004%
91	14.717	4235	4238	4239	rBV	267	146	0.02%	0.002%


Sum of corrected areas: 6029495

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA V\DATA\VV022120\
Data File : VV014671.D
Acq On : 21 Feb 2020 22:42
Operator : SY/MD
Sample : L1607-02DL 100X
Misc : 5.0mL/MSVOA V/WATER
ALS Vial : 31 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
C0AN5DL

Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM022120WMA.M
Quant Title : VOC Analysis

TIC Library : C:\DATABASE\NIST11.L
TIC Integration Parameters: LSCINT.P



Data Path : Z:\V0ASRV\HPCHEM1\MSVOA_V\DATA\VV022120\
Data File : VV014671.D
Acq On : 21 Feb 2020 22:42
Operator : SY/MD
Sample : L1607-02DL 100X
Misc : 5.0mL/MSVOA_V/WATER
ALS Vial : 31 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
C0AN5DL

Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM022120WMA.M
Quant Title : VOC Analysis

TIC Library : C:\DATABASE\NIST11.L
TIC Integration Parameters: LSCINT.P

No Library Search Compounds Detected

Data Path : Z:\V0ASRV\HPCHEM1\MSV0A_V\DATA\VV022120\
Data File : VV014671.D
Acq On : 21 Feb 2020 22:42
Operator : SY/MD
Sample : L1607-02DL 100X
Misc : 5.0mL/MSV0A_V/WATER
ALS Vial : 31 Sample Multiplier: 1

Instrument :
MSV0A_V
ClientSampleId :
C0AN5DL

Quant Method : Z:\V0ASRV\HPCHEM1\MSV0A_V\METHOD\SOMVLM022120WMA.M
Quant Title : VOC Analysis

TIC Library : C:\DATABASE\NIST11.L
TIC Integration Parameters: LSCINT.P

TIC Top Hit name	RT	EstConc	Units	Response	--Internal Standard--
					# RT Resp Conc