

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV022124\
 Data File : VV034307.D
 Acq On : 21 Feb 2024 10:02
 Operator : SY/MD
 Sample : VV0221WBL01
 Misc : 25.0mL/MSVOA_V/WATER
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 VBLK221

Manual Integrations
 APPROVED

Reviewed By :Semsettin Yesilyurt 02/22/2024
 Supervised By :Mahesh Dadoda 02/22/2024

Quant Time: Feb 22 00:19:41 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVTR012524WMA.M
 Quant Title : TRACE VOA SFAM1.0
 QLast Update : Thu Feb 22 00:18:57 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	5.535	114	77162	5.000	ug/L	0.00
28) Chlorobenzene-d5	8.786	117	71523	5.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.185	152	33826	5.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.278	65	22818	3.818	ug/L	0.00
Spiked Amount 5.000	Range 40 - 130		Recovery =	76.400%		
7) Chloroethane-d5	1.532	69	21648	4.136	ug/L	0.00
Spiked Amount 5.000	Range 65 - 130		Recovery =	82.800%		
11) 1,1-Dichloroethene-d2	2.060	65	11808	4.097	ug/L	0.00
Spiked Amount 5.000	Range 60 - 125		Recovery =	82.000%		
20) 2-Butanone-d5	3.835	46	49691m	49.510	ug/L	0.00
Spiked Amount 50.000	Range 40 - 130		Recovery =	99.020%		
24) Chloroform-d	4.249	84	50746	4.673	ug/L	0.00
Spiked Amount 5.000	Range 70 - 125		Recovery =	93.400%		
26) 1,2-Dichloroethane-d4	4.944	65	24933	4.913	ug/L	0.00
Spiked Amount 5.000	Range 70 - 130		Recovery =	98.200%		
32) Benzene-d6	4.960	84	92905	4.329	ug/L	0.00
Spiked Amount 5.000	Range 70 - 125		Recovery =	86.600%		
36) 1,2-Dichloropropane-d6	5.989	67	26263	4.378	ug/L	0.00
Spiked Amount 5.000	Range 60 - 140		Recovery =	87.600%		
41) Toluene-d8	7.243	98	83687	4.243	ug/L	0.00
Spiked Amount 5.000	Range 70 - 130		Recovery =	84.800%		
43) trans-1,3-Dichloroprop...	7.561	79	7727	3.412	ug/L	0.00
Spiked Amount 5.000	Range 55 - 130		Recovery =	68.200%		
46) 2-Hexanone-d5	8.030	63	32414	40.089	ug/L	0.00
Spiked Amount 50.000	Range 45 - 130		Recovery =	80.180%		
56) 1,1,2,2-Tetrachloroeth...	10.153	84	15756	4.333	ug/L	0.00
Spiked Amount 5.000	Range 65 - 120		Recovery =	86.600%		
66) 1,2-Dichlorobenzene-d4	11.561	152	29074	4.726	ug/L	0.00
Spiked Amount 5.000	Range 80 - 120		Recovery =	94.600%		

Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV022124\
Data File : VV034307.D
Acq On : 21 Feb 2024 10:02
Operator : SY/MD
Sample : VV0221WBL01
Misc : 25.0mL/MSVOA_V/WATER
ALS Vial : 4 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
VBLK221

Manual Integrations
APPROVED

Reviewed By : Semsettin Yesilyurt 02/22/2024
Supervised By : Mahesh Dadoda 02/22/2024

Quant Time: Feb 22 00:19:41 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVTR012524WMA.M
Quant Title : TRACE VOA SFAM1.0
QLast Update : Thu Feb 22 00:18:57 2024
Response via : Initial Calibration

