

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VW022324\
 Data File : VW034373.D
 Acq On : 23 Feb 2024 14:08
 Operator : SY/MD
 Sample : P1566-14
 Misc : 25.0mL/MSVOA_V/WATER
 ALS Vial : 15 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 JWAC8

Quant Time: Feb 24 00:48:01 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVTR012524WMA.M
 Quant Title : TRACE VOA SFAM1.0
 QLast Update : Sat Feb 24 00:41:32 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	5.535	114	90166	5.000	ug/L	0.00
28) Chlorobenzene-d5	8.786	117	81569	5.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.185	152	40219	5.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.278	65	31677	4.536	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	90.800%
7) Chloroethane-d5	1.535	69	24192	3.955	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	79.200%
11) 1,1-Dichloroethene-d2	2.060	65	13687	4.064	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	81.200%
20) 2-Butanone-d5	3.812	46	45389	38.701	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	77.400%
24) Chloroform-d	4.249	84	51262	4.040	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	80.800%
26) 1,2-Dichloroethane-d4	4.947	65	26116	4.404	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	88.000%
32) Benzene-d6	4.963	84	98676	4.032	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	80.600%
36) 1,2-Dichloropropane-d6	5.992	67	28169	4.118	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	82.400%
41) Toluene-d8	7.243	98	88956	3.955	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	79.200%
43) trans-1,3-Dichloroprop...	7.564	79	6057	2.345	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	46.800%#
46) 2-Hexanone-d5	8.030	63	38787	42.063	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	84.120%
56) 1,1,2,2-Tetrachloroeth...	10.156	84	17135	4.132	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	82.600%
66) 1,2-Dichlorobenzene-d4	11.561	152	30764	4.206	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	84.200%
Target Compounds						Qvalue
47) Tetrachloroethene	7.905	164	27862	4.843	ug/L	95

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV022324\
Data File : VV034373.D
Acq On : 23 Feb 2024 14:08
Operator : SY/MD
Sample : P1566-14
Misc : 25.0mL/MSVOA_V/WATER
ALS Vial : 15 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
JWAC8

Quant Time: Feb 24 00:48:01 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVTR012524WMA.M
Quant Title : TRACE VOA SFAM1.0
QLast Update : Sat Feb 24 00:41:32 2024
Response via : Initial Calibration

