

Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV022719\
 Data File : VV009391.D
 Acq On : 27 Feb 2019 11:54
 Operator : SY/MD
 Sample : VV0227SBL01
 Misc : 5.00G/10ML/MSVOA V/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 VBLK64

Quant Time: Feb 28 04:49:04 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOM2VLM022619S.M
 Quant Title : VOC Analysis
 QLast Update : Thu Feb 28 04:32:57 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.67	114	191275	25.00	ug/L	0.00
28) Chlorobenzene-d5	8.90	117	175414	25.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.30	152	80078	25.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.32	65	54267	22.55	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	90.20%
7) Chloroethane-d5	1.58	69	77187	24.67	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	98.68%
10) 1,1-Dichloroethene-d2	2.13	63	110489	17.36	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	69.44%
20) 2-Butanone-d5	3.95	46	30759	42.43	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	84.86%
24) Chloroform-d	4.41	84	106319	22.92	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	91.68%
26) 1,2-Dichloroethane-d4	5.08	65	60873	23.72	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	94.88%
29) Benzene-d6	5.10	84	221425	23.75	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	95.00%
33) 1,2-Dichloropropane-d6	6.12	67	66885	24.48	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	97.92%
37) Toluene-d8	7.36	98	216449	24.20	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	96.80%
38) trans-1,3-Dichloropropene-	7.67	79	31199	22.84	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	91.36%
39) 2-Hexanone-d5	8.14	63	26421	45.68	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	91.36%
48) 1,1,2,2-Tetrachloroethane-	10.26	84	62240	23.32	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	93.28%
61) 1,2-Dichlorobenzene-d4	11.67	152	72557	24.46	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	97.84%


Target Compounds					Ovalue
16) Methylene chloride	2.54	84	2905	1.121 ug/L	96




(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA V\DATA\VV022719\
Data File : VV009391.D
Acq On : 27 Feb 2019 11:54
Operator : SY/MD
Sample : VV0227SBL01
Misc : 5.00G/10ML/MSVOA V/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
VBLK64

Quant Time: Feb 28 04:49:04 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_V\METHOD\SOM2VLM022619S.M
Quant Title : VOC Analysis
QLast Update : Thu Feb 28 04:32:57 2019
Response via : Initial Calibration





#16

Methylene chloride

Concen: 1.121 ug/L

RT: 2.54 min Scan# 451

Delta R.T. 0.01 min

Lab File: VV009391.D

Acq: 27 Feb 2019 11:54

Instrument :

MSVOA_V

ClientSampleId :

VBLK64

Tot Ion: 84 Resp: 2905

Ion Ratio Lower Upper

84 100

49 124.9 84.6 157.0

86 61.9 46.1 85.7

