

Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV022719\
 Data File : VV009394.D
 Acq On : 27 Feb 2019 13:13
 Operator : SY/MD
 Sample : K1601-09RE
 Misc : 5.42G/10ML/MSVOA V/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 BF7Y3RE

Quant Time: Feb 28 05:40:32 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOM2VLM022619S.M
 Quant Title : VOC Analysis
 QLast Update : Thu Feb 28 04:32:57 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.66	114	127984	25.00	ug/L	0.00
28) Chlorobenzene-d5	8.90	117	110368	25.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.30	152	44422	25.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.32	65	32948	20.46	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	81.84%
7) Chloroethane-d5	1.58	69	53352	25.48	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	101.92%
10) 1,1-Dichloroethene-d2	2.13	63	69750	16.38	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	65.52%
20) 2-Butanone-d5	3.95	46	27195	56.06	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	112.12%
24) Chloroform-d	4.40	84	75382	24.29	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	97.16%
26) 1,2-Dichloroethane-d4	5.08	65	45487	26.49	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	105.96%
29) Benzene-d6	5.10	84	154254	26.29	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	105.16%
33) 1,2-Dichloropropane-d6	6.12	67	47348	27.54	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	110.16%
37) Toluene-d8	7.36	98	137899	24.50	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	98.00%
38) trans-1,3-Dichloropropene-	7.67	79	22216	25.85	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	103.40%
39) 2-Hexanone-d5	8.14	63	22313	61.32	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	122.64%
48) 1,1,2,2-Tetrachloroethane-	10.26	84	46407	27.63	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	110.52%
61) 1,2-Dichlorobenzene-d4	11.68	152	39829	24.21	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	96.84%


Target Compounds					Ovalue
16) Methylene chloride	2.54	84	3445	1.987 ug/L	87


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA V\DATA\VV022719\
Data File : VV009394.D
Acq On : 27 Feb 2019 13:13
Operator : SY/MD
Sample : K1601-09RE
Misc : 5.42G/10ML/MSVOA V/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
BF7Y3RE

Quant Time: Feb 28 05:40:32 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_V\METHOD\SOM2VLM022619S.M
Quant Title : VOC Analysis
QLast Update : Thu Feb 28 04:32:57 2019
Response via : Initial Calibration





#16

Methylene chloride

Concen: 1.987 ug/L

RT: 2.54 min Scan# 450

Delta R.T. 0.00 min

Lab File: VV009394.D

Acq: 27 Feb 2019 13:13

Instrument :
MSVOA_V
ClientSampleId :
BF7Y3RE

Tot Ion: 84 Resp: 3445

Ion Ratio Lower Upper

84 100

49 99.5 84.6 157.0

86 64.3 46.1 85.7

