

Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV022719\
 Data File : VV009407.D
 Acq On : 27 Feb 2019 19:10
 Operator : SY/MD
 Sample : K1626-12RE
 Misc : 2.51G/10ML/MSVOA V/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 BF672RE

Quant Time: Feb 28 06:19:52 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOM2VLM022619S.M
 Quant Title : VOC Analysis
 QLast Update : Thu Feb 28 04:32:57 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.66	114	148492	25.00	ug/L	0.00
28) Chlorobenzene-d5	8.90	117	129862	25.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.30	152	48134	25.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.32	65	34561	18.50	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	74.00%
7) Chloroethane-d5	1.58	69	56081	23.09	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	92.36%
10) 1,1-Dichloroethene-d2	2.12	63	75604	15.30	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	61.20%
20) 2-Butanone-d5	3.95	46	18159	32.26	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	64.52%
24) Chloroform-d	4.40	84	82070	22.79	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	91.16%
26) 1,2-Dichloroethane-d4	5.08	65	45618	22.90	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	91.60%
29) Benzene-d6	5.10	84	165263	23.94	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	95.76%
33) 1,2-Dichloropropane-d6	6.12	67	51116	25.27	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	101.08%
37) Toluene-d8	7.36	98	153605	23.20	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	92.80%
38) trans-1,3-Dichloropropene-	7.66	79	21712	21.47	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	85.88%
39) 2-Hexanone-d5	8.14	63	15841	37.00	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	74.00%
48) 1,1,2,2-Tetrachloroethane-	10.26	84	40478	20.49	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	81.96%
61) 1,2-Dichlorobenzene-d4	11.68	152	41089	23.05	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	92.20%


Target Compounds					Ovalue
16) Methylene chloride	2.53	84	15357	7.635 ug/L	96




(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA V\DATA\VV022719\
Data File : VV009407.D
Acq On : 27 Feb 2019 19:10
Operator : SY/MD
Sample : K1626-12RE
Misc : 2.51G/10ML/MSVOA V/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
BF672RE

Quant Time: Feb 28 06:19:52 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_V\METHOD\SOM2VLM022619S.M
Quant Title : VOC Analysis
QLast Update : Thu Feb 28 04:32:57 2019
Response via : Initial Calibration





#16

Methylene chloride

Concen: 7.635 ug/L

RT: 2.53 min Scan# 449

Delta R.T. 0.00 min

Lab File: VV009407.D

Acq: 27 Feb 2019 19:10

Instrument :

MSVOA_V

ClientSampleId :

BF672RE

Tot Ion: 84 Resp: 15357

Ion Ratio Lower Upper

84 100

49 126.4 84.6 157.0

86 66.8 46.1 85.7

