

Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV022719\
 Data File : VV009411.D
 Acq On : 27 Feb 2019 20:55
 Operator : SY/MD
 Sample : K1626-04
 Misc : 5.07G/10ML/MSVOA V/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 VHBLK01

Quant Time: Feb 28 06:39:02 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOM2VLM022619S.M
 Quant Title : VOC Analysis
 QLast Update : Thu Feb 28 04:32:57 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.66	114	173750	25.00	ug/L	0.00
28) Chlorobenzene-d5	8.90	117	168373	25.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.30	152	71807	25.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.32	65	41414	18.95	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	75.80%
7) Chloroethane-d5	1.58	69	63381	22.30	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	89.20%
10) 1,1-Dichloroethene-d2	2.13	63	88624	15.33	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	61.32%
20) 2-Butanone-d5	3.95	46	32423	49.23	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	98.46%
24) Chloroform-d	4.40	84	94318	22.38	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	89.52%
26) 1,2-Dichloroethane-d4	5.08	65	57565	24.69	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	98.76%
29) Benzene-d6	5.10	84	194141	21.69	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	86.76%
33) 1,2-Dichloropropane-d6	6.12	67	60491	23.06	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	92.24%
37) Toluene-d8	7.36	98	184081	21.44	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	85.76%
38) trans-1,3-Dichloropropene-	7.67	79	27637	21.08	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	84.32%
39) 2-Hexanone-d5	8.14	63	28221	50.84	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	101.68%
48) 1,1,2,2-Tetrachloroethane-	10.26	84	57214	22.33	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	89.32%
61) 1,2-Dichlorobenzene-d4	11.67	152	65218	24.52	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	98.08%


Target Compounds					Ovalue
16) Methylene chloride	2.54	84	8534	3.626 ug/L	97


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA V\DATA\VV022719\
Data File : VV009411.D
Acq On : 27 Feb 2019 20:55
Operator : SY/MD
Sample : K1626-04
Misc : 5.07G/10ML/MSVOA V/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
VHBLK01

Quant Time: Feb 28 06:39:02 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_V\METHOD\SOM2VLM022619S.M
Quant Title : VOC Analysis
QLast Update : Thu Feb 28 04:32:57 2019
Response via : Initial Calibration





#16
 Methvlene chloride
 Concen: 3.626 ug/L
 RT: 2.54 min Scan# 450
 Delta R.T. 0.00 min
 Lab File: VV009411.D
 Acq: 27 Feb 2019 20:55

Instrument :
 MSVOA_V
 ClientSampleId :
 VHBLK01

Tot Ion: 84 Resp: 8534
 Ion Ratio Lower Upper
 84 100
 49 116.4 84.6 157.0
 86 64.1 46.1 85.7

