

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV022924\
 Data File : VV034475.D
 Acq On : 29 Feb 2024 12:34
 Operator : SY/MD
 Sample : VV0229MBL01
 Misc : 5.00g/5.0mL/100uL/5.0mL/MSVOA_V/MEOH
 ALS Vial : 9 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 VBLK232

Quant Time: Mar 01 01:35:03 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM022924WMA.M
 Quant Title : VOC Analysis
 QLast Update : Fri Mar 01 01:27:30 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	5.532	114	302761	50.000	ug/L	0.00
28) Chlorobenzene-d5	8.783	117	281822	50.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.185	152	135029	50.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.278	65	126445	48.176	ug/L	0.00
Spiked Amount 50.000	Range 60 - 135		Recovery = 96.360%			
7) Chloroethane-d5	1.529	69	102899	50.323	ug/L	0.00
Spiked Amount 50.000	Range 70 - 130		Recovery = 100.640%			
11) 1,1-Dichloroethene-d2	2.056	65	56957	47.985	ug/L	0.00
Spiked Amount 50.000	Range 60 - 125		Recovery = 95.960%			
21) 2-Butanone-d5	3.783	46	175179	99.807	ug/L	0.00
Spiked Amount 100.000	Range 40 - 130		Recovery = 99.810%			
24) Chloroform-d	4.249	84	223193	48.096	ug/L	0.00
Spiked Amount 50.000	Range 70 - 125		Recovery = 96.200%			
26) 1,2-Dichloroethane-d4	4.940	65	153579	50.644	ug/L	0.00
Spiked Amount 50.000	Range 70 - 125		Recovery = 101.280%			
32) Benzene-d6	4.957	84	425463	50.022	ug/L	0.00
Spiked Amount 50.000	Range 70 - 125		Recovery = 100.040%			
36) 1,2-Dichloropropane-d6	5.989	67	132575	51.075	ug/L	0.00
Spiked Amount 50.000	Range 70 - 120		Recovery = 102.140%			
41) Toluene-d8	7.243	98	381604	49.578	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 99.160%			
43) trans-1,3-Dichloroprop...	7.555	79	60296	46.258	ug/L	0.00
Spiked Amount 50.000	Range 60 - 125		Recovery = 92.520%			
47) 2-Hexanone-d5	8.021	63	136570	105.363	ug/L	0.00
Spiked Amount 100.000	Range 45 - 130		Recovery = 105.360%			
56) 1,1,2,2-Tetrachloroeth...	10.152	84	173233	50.714	ug/L	0.00
Spiked Amount 50.000	Range 65 - 120		Recovery = 101.420%			
66) 1,2-Dichlorobenzene-d4	11.561	152	140317	50.839	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 101.680%			

Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV022924\
Data File : VV034475.D
Acq On : 29 Feb 2024 12:34
Operator : SY/MD
Sample : VV0229MBL01
Misc : 5.00g/5.0mL/100uL/5.0mL/MSVOA_V/MEOH
ALS Vial : 9 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
VBLK232

Quant Time: Mar 01 01:35:03 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM022924WMA.M
Quant Title : VOC Analysis
QLast Update : Fri Mar 01 01:27:30 2024
Response via : Initial Calibration

