

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV030124\
 Data File : VV034490.D
 Acq On : 01 Mar 2024 10:37
 Operator : SY/MD
 Sample : P1642-09
 Misc : 5.0mL/MSVOA_V/WATER
 ALS Vial : 6 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 VHBLK001

Quant Time: Mar 01 22:19:39 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM022924WMA.M
 Quant Title : VOC Analysis
 QLast Update : Fri Mar 01 22:18:41 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	5.532	114	289064	50.000	ug/L	0.00
28) Chlorobenzene-d5	8.783	117	271688	50.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.185	152	131384	50.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.278	65	115817	46.218	ug/L	0.00
Spiked Amount	50.000	Range 60 - 135	Recovery	=	92.440%	
7) Chloroethane-d5	1.532	69	94324	48.315	ug/L	0.00
Spiked Amount	50.000	Range 70 - 130	Recovery	=	96.640%	
11) 1,1-Dichloroethene-d2	2.060	65	51763	45.675	ug/L	0.00
Spiked Amount	50.000	Range 60 - 125	Recovery	=	91.360%	
21) 2-Butanone-d5	3.786	46	191123	114.050	ug/L	0.00
Spiked Amount	100.000	Range 40 - 130	Recovery	=	114.050%	
24) Chloroform-d	4.246	84	218539	49.324	ug/L	0.00
Spiked Amount	50.000	Range 70 - 125	Recovery	=	98.640%	
26) 1,2-Dichloroethane-d4	4.937	65	157605	54.434	ug/L	0.00
Spiked Amount	50.000	Range 70 - 125	Recovery	=	108.860%	
32) Benzene-d6	4.957	84	413680	50.451	ug/L	0.00
Spiked Amount	50.000	Range 70 - 125	Recovery	=	100.900%	
36) 1,2-Dichloropropane-d6	5.985	67	130671	52.219	ug/L	0.00
Spiked Amount	50.000	Range 70 - 120	Recovery	=	104.440%	
41) Toluene-d8	7.243	98	366392	49.377	ug/L	0.00
Spiked Amount	50.000	Range 80 - 120	Recovery	=	98.760%	
43) trans-1,3-Dichloroprop...	7.551	79	62536	49.766	ug/L	0.00
Spiked Amount	50.000	Range 60 - 125	Recovery	=	99.540%	
47) 2-Hexanone-d5	8.024	63	141497	113.236	ug/L	0.00
Spiked Amount	100.000	Range 45 - 130	Recovery	=	113.240%	
56) 1,1,2,2-Tetrachloroeth...	10.149	84	178178	54.107	ug/L	0.00
Spiked Amount	50.000	Range 65 - 120	Recovery	=	108.220%	
66) 1,2-Dichlorobenzene-d4	11.561	152	139982	52.125	ug/L	0.00
Spiked Amount	50.000	Range 80 - 120	Recovery	=	104.240%	

Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV030124\
Data File : VV034490.D
Acq On : 01 Mar 2024 10:37
Operator : SY/MD
Sample : P1642-09
Misc : 5.0mL/MSVOA_V/WATER
ALS Vial : 6 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
VHBLK001

Quant Time: Mar 01 22:19:39 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM022924WMA.M
Quant Title : VOC Analysis
QLast Update : Fri Mar 01 22:18:41 2024
Response via : Initial Calibration

