

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_V\Data\VV030221\  
 Data File : VV020433.D  
 Acq On : 02 Mar 2021 12:49  
 Operator : SY/MD  
 Sample : VSTDICV0.5  
 Misc : 25.0mL/MSVOA\_V/WATER  
 ALS Vial : 8 Sample Multiplier: 1

Instrument :  
 MSVOA\_V  
 ClientSampleId :  
 VICV301

Quant Time: Mar 03 00:35:08 2021  
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_V\Method\SFAMVSIM030221.M  
 Quant Title : TRACE VOA SOM01.0  
 QLast Update : Wed Mar 03 00:31:48 2021  
 Response via : Initial Calibration

| Compound                      | R.T.   | QIon  | Response | Conc     | Units | Dev(Min) |
|-------------------------------|--------|-------|----------|----------|-------|----------|
| -----                         |        |       |          |          |       |          |
| Internal Standards            |        |       |          |          |       |          |
| 1) 1,4-Difluorobenzene        | 5.639  | 114   | 12136    | 0.50     | ug/L  | 0.00     |
| 5) Chlorobenzene-d5           | 8.863  | 117   | 11471    | 0.50     | ug/L  | 0.00     |
| 11) 1,4-Dichlorobenzene-d4    | 11.261 | 152   | 5675     | 0.50     | ug/L  | 0.00     |
| System Monitoring Compounds   |        |       |          |          |       |          |
| 2) Vinyl Chloride-d3          | 1.303  | 65    | 7457     | 0.53     | ug/L  | 0.00     |
| Spiked Amount                 | 0.500  | Range | 40 - 130 | Recovery | =     | 106.00%  |
| 4) 1,2-Dichloroethane-d4      | 5.042  | 65    | 4329     | 0.54     | ug/L  | 0.00     |
| Spiked Amount                 | 0.500  | Range | 70 - 130 | Recovery | =     | 108.00%  |
| 7) 1,2-Dichloropropane-d6     | 6.068  | 67    | 5294     | 0.56     | ug/L  | 0.00     |
| Spiked Amount                 | 0.500  | Range | 60 - 140 | Recovery | =     | 112.00%  |
| 8) Toluene-d8                 | 7.317  | 98    | 15101    | 0.53     | ug/L  | 0.00     |
| Spiked Amount                 | 0.500  | Range | 70 - 130 | Recovery | =     | 106.00%  |
| 10) 1,1,2,2-Tetrachloroeth... | 10.216 | 84    | 2660     | 0.53     | ug/L  | 0.00     |
| Spiked Amount                 | 0.500  | Range | 65 - 120 | Recovery | =     | 106.00%  |
| Target Compounds              |        |       |          |          |       |          |
|                               |        |       |          |          |       | Qvalue   |
| 3) Vinyl chloride             | 1.303  | 62    | 6396     | 0.46     | ug/L  | 95       |
| 6) Trichloroethene            | 5.925  | 95    | 4730     | 0.50     | ug/L  | 99       |
| 9) 1,2-Dibromoethane          | 8.368  | 107   | 2719     | 0.51     | ug/L  | 99       |
| 12) 1,2,3-Trichloropropane    | 10.267 | 75    | 2427     | 0.51     | ug/L  | 99       |
| 13) 1,2-Dibromo-3-chloropr... | 12.426 | 75    | 322      | 0.49     | ug/L  | 98       |
| -----                         |        |       |          |          |       |          |

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_V\Data\VV030221\  
Data File : VV020433.D  
Acq On : 02 Mar 2021 12:49  
Operator : SY/MD  
Sample : VSTDICV0.5  
Misc : 25.0mL/MSVOA\_V/WATER  
ALS Vial : 8 Sample Multiplier: 1

Instrument :  
MSVOA\_V  
ClientSampleId :  
VICV301

Quant Time: Mar 03 00:35:08 2021  
Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_V\Method\SFAMVSIM030221.M  
Quant Title : TRACE VOA SOM01.0  
QLast Update : Wed Mar 03 00:31:48 2021  
Response via : Initial Calibration

