

Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV030419\
 Data File : VV009476.D
 Acq On : 04 Mar 2019 17:17
 Operator : SY/MD
 Sample : K1660-08DL 10X
 Misc : 25ML/MSVOA V/WATER
 ALS Vial : 14 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 CWK00DL

Quant Time: Mar 05 04:38:30 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVTR030419WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Tue Mar 05 04:03:59 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.67	114	86597	5.00	ug/L	0.00
28) Chlorobenzene-d5	8.90	117	83977	5.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.30	152	39227	5.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.32	65	29050	4.93	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	98.60%
7) Chloroethane-d5	1.58	69	31225	6.01	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	120.20%
11) 1,1-Dichloroethene-d2	2.13	63	53603	3.70	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	74.00%
20) 2-Butanone-d5	3.96	46	51524	49.93	ug/L	-0.02
Spiked Amount	50.000	Range	40 - 130	Recovery	=	99.86%
24) Chloroform-d	4.41	84	50634	4.92	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	98.40%
26) 1,2-Dichloroethane-d4	5.09	65	26029	5.13	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	102.60%
32) Benzene-d6	5.10	84	105697	5.17	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	103.40%
36) 1,2-Dichloropropane-d6	6.12	67	31948	5.26	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	105.20%
41) Toluene-d8	7.36	98	101146	4.93	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	98.60%
43) trans-1,3-Dichloropropene-	7.67	79	12300	4.71	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	94.20%
46) 2-Hexanone-d5	8.14	63	43903	50.42	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	100.84%
57) 1,1,2,2-Tetrachloroethane-	10.26	84	21833	4.69	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	93.80%
64) 1,2-Dichlorobenzene-d4	11.68	152	34370	4.88	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	97.60%

Target Compounds					Ovalue
22) cis-1,2-Dichloroethene	3.96	96	5779	0.940 ug/L	93
34) Trichloroethene	5.96	95	64592	10.027 ug/L	98

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA V\DATA\VV030419\
Data File : VV009476.D
Acq On : 04 Mar 2019 17:17
Operator : SY/MD
Sample : K1660-08DL 10X
Misc : 25ML/MSVOA V/WATER
ALS Vial : 14 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
CWK00DL

Quant Time: Mar 05 04:38:30 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_V\METHOD\SOMVTR030419WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Tue Mar 05 04:03:59 2019
Response via : Initial Calibration

