

Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV030420\  
 Data File : VV014740.D  
 Acq On : 04 Mar 2020 17:24  
 Operator : SY/MD  
 Sample : L1708-08  
 Misc : 25.0mL/MSVOA V/WATER  
 ALS Vial : 14 Sample Multiplier: 1

Instrument :  
 MSVOA\_V  
 ClientSampleId :  
 VHBLK02

Quant Time: Mar 05 11:34:22 2020  
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA\_V\METHOD\SOMVTR022820WMA.M  
 Quant Title : TRACE VOA SOM01.0  
 QLast Update : Thu Mar 05 06:28:00 2020  
 Response via : Initial Calibration

| Internal Standards         | R.T.  | QIon | Response | Conc | Units | Dev(Min) |
|----------------------------|-------|------|----------|------|-------|----------|
| 1) 1,4-Difluorobenzene     | 5.66  | 114  | 245849   | 5.00 | ug/L  | 0.00     |
| 28) Chlorobenzene-d5       | 8.89  | 117  | 233796   | 5.00 | ug/L  | 0.00     |
| 60) 1,4-Dichlorobenzene-d4 | 11.29 | 152  | 113194   | 5.00 | ug/L  | 0.00     |

## System Monitoring Compounds

|                                |        |       |          |          |      |         |
|--------------------------------|--------|-------|----------|----------|------|---------|
| 4) Vinyl Chloride-d3           | 1.32   | 65    | 74871    | 3.89     | ug/L | 0.00    |
| Spiked Amount                  | 5.000  | Range | 40 - 130 | Recovery | =    | 77.80%  |
| 7) Chloroethane-d5             | 1.58   | 69    | 65787    | 4.37     | ug/L | 0.00    |
| Spiked Amount                  | 5.000  | Range | 65 - 130 | Recovery | =    | 87.40%  |
| 11) 1,1-Dichloroethene-d2      | 2.13   | 63    | 99794    | 3.05     | ug/L | 0.00    |
| Spiked Amount                  | 5.000  | Range | 60 - 125 | Recovery | =    | 61.00%  |
| 20) 2-Butanone-d5              | 3.97   | 46    | 204341   | 51.36    | ug/L | 0.00    |
| Spiked Amount                  | 50.000 | Range | 40 - 130 | Recovery | =    | 102.72% |
| 24) Chloroform-d               | 4.40   | 84    | 156295   | 4.52     | ug/L | 0.00    |
| Spiked Amount                  | 5.000  | Range | 70 - 125 | Recovery | =    | 90.40%  |
| 26) 1,2-Dichloroethane-d4      | 5.08   | 65    | 84385    | 4.98     | ug/L | 0.00    |
| Spiked Amount                  | 5.000  | Range | 70 - 130 | Recovery | =    | 99.60%  |
| 32) Benzene-d6                 | 5.10   | 84    | 328339   | 4.84     | ug/L | 0.00    |
| Spiked Amount                  | 5.000  | Range | 70 - 125 | Recovery | =    | 96.80%  |
| 36) 1,2-Dichloropropane-d6     | 6.11   | 67    | 103346   | 4.87     | ug/L | 0.00    |
| Spiked Amount                  | 5.000  | Range | 60 - 140 | Recovery | =    | 97.40%  |
| 41) Toluene-d8                 | 7.36   | 98    | 286616   | 4.57     | ug/L | 0.00    |
| Spiked Amount                  | 5.000  | Range | 70 - 130 | Recovery | =    | 91.40%  |
| 43) trans-1,3-Dichloropropene- | 7.66   | 79    | 36487    | 4.45     | ug/L | 0.00    |
| Spiked Amount                  | 5.000  | Range | 55 - 130 | Recovery | =    | 89.00%  |
| 46) 2-Hexanone-d5              | 8.14   | 63    | 133082   | 40.11    | ug/L | 0.00    |
| Spiked Amount                  | 50.000 | Range | 45 - 130 | Recovery | =    | 80.22%  |
| 57) 1,1,2,2-Tetrachloroethane- | 10.26  | 84    | 74517    | 4.91     | ug/L | 0.00    |
| Spiked Amount                  | 5.000  | Range | 65 - 120 | Recovery | =    | 98.20%  |
| 64) 1,2-Dichlorobenzene-d4     | 11.67  | 152   | 106827   | 5.08     | ug/L | 0.00    |
| Spiked Amount                  | 5.000  | Range | 80 - 120 | Recovery | =    | 101.60% |

| Target Compounds | Ovalue |
|------------------|--------|
| -----            |        |

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA V\DATA\VV030420\  
Data File : VV014740.D  
Acq On : 04 Mar 2020 17:24  
Operator : SY/MD  
Sample : L1708-08  
Misc : 25.0mL/MSVOA V/WATER  
ALS Vial : 14 Sample Multiplier: 1

Instrument :  
MSVOA\_V  
ClientSampleId :  
VHBLK02

Quant Time: Mar 05 11:34:22 2020  
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA\_V\METHOD\SOMVTR022820WMA.M  
Quant Title : TRACE VOA SOM01.0  
QLast Update : Thu Mar 05 06:28:00 2020  
Response via : Initial Calibration

