

Data Path : Z:\voasrv\HPCHEM1\MSVOA V\Data\VV030519\
 Data File : VV009493.D
 Acq On : 05 Mar 2019 18:48
 Operator : SY/MD
 Sample : K1662-03
 Misc : 1.80G/10ML/MSVOA V/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 BFC59

Quant Time: Mar 16 07:25:55 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOM2VLM030519S.M
 Quant Title : VOC Analysis
 QLast Update : Wed Mar 06 04:12:03 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.66	114	172863	25.00	ug/L	0.00
28) Chlorobenzene-d5	8.90	117	156891	25.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.30	152	66384	25.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.32	65	49837	23.95	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	95.80%
7) Chloroethane-d5	1.57	69	79150	26.30	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	105.20%
10) 1,1-Dichloroethene-d2	2.13	63	97590	18.02	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	72.08%
20) 2-Butanone-d5	3.95	46	22851	32.23	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	64.46%
24) Chloroform-d	4.40	84	95717	23.24	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	92.96%
26) 1,2-Dichloroethane-d4	5.08	65	55625	23.74	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	94.96%
29) Benzene-d6	5.10	84	198914	25.60	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	102.40%
33) 1,2-Dichloropropane-d6	6.12	67	58157	25.36	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	101.44%
37) Toluene-d8	7.36	98	189138	24.97	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	99.88%
38) trans-1,3-Dichloropropene-	7.66	79	23945	21.55	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	86.20%
39) 2-Hexanone-d5	8.14	63	20264	37.87	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	75.74%
48) 1,1,2,2-Tetrachloroethane-	10.26	84	46994	19.23	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	76.92%
61) 1,2-Dichlorobenzene-d4	11.67	152	58074	23.96	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	95.84%


Target Compounds					Ovalue
16) Methylene chloride	2.54	84	7158	3.155 ug/L	94




(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA V\Data\VV030519\
Data File : VV009493.D
Acq On : 05 Mar 2019 18:48
Operator : SY/MD
Sample : K1662-03
Misc : 1.80G/10ML/MSVOA V/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
BFC59

Quant Time: Mar 16 07:25:55 2019
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOM2VLM030519S.M
Quant Title : VOC Analysis
QLast Update : Wed Mar 06 04:12:03 2019
Response via : Initial Calibration





#16
Methvlene chloride
Concen: 3.155 ug/L
RT: 2.54 min Scan# 450
Delta R.T. 0.00 min
Lab File: VV009493.D
Acq: 05 Mar 2019 18:48

Instrument :
MSVOA_V
ClientSampleId :
BFC59

Tot Ion: 84 Resp: 7158
Ion Ratio Lower Upper
84 100
49 127.4 84.6 157.0
86 71.6 46.1 85.7

