

Data Path : Z:\VOASRV\HPCHEM1\MSVOA_V\DATA\VV030520\
Quantitation Report (QT Reviewed)


Data File : VV014754.D
Acq On : 05 Mar 2020 12:51
Operator : SY/MD
Sample : L1782-09
Misc : 25.0mL/MSVOA_V/WATER
ALS Vial : 7 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
C0AB3

Manual Integrations
APPROVED

apatel
3/9/2020 2:42:25 PM

Quant Time: Mar 06 02:55:51 2020
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVTR022820WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Fri Mar 06 02:39:22 2020
Response via : Initial Calibration



Data Path : Z:\VOASRV\HPCHEM1\MSVOA_V\DATA\VV030520\
Quantitation Report (Qedit)




Data File : VV014754.D
Acq On : 05 Mar 2020 12:51
Operator : SY/MD
Sample : L1782-09
Misc : 25.0mL/MSVOA_V/WATER
ALS Vial : 7 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
C0AB3

Manual Integrations
APPROVED

apatel
3/9/2020 2:42:25 PM

Quant Time: Mar 06 02:41:58 2020
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVTR022820WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Fri Mar 06 02:39:22 2020
Response via : Initial Calibration



TIC: VV014754.D

(13) Acetone (T)

2.219min (-0.039) 2.28ug/L

response 5667

Ion	Exp%	Act%
43.05	100	100
58.05	10.00	19.80
0.00	0.00	0.00
0.00	0.00	0.00

Data Path : Z:\VOASRV\HPCHEM1\MSVOA_V\DATA\VV030520\
Quantitation Report (Qedit)




Data File : VV014754.D
Acq On : 05 Mar 2020 12:51
Operator : SY/MD
Sample : L1782-09
Misc : 25.0mL/MSVOA_V/WATER
ALS Vial : 7 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
C0AB3

Manual Integrations
APPROVED

apatel
3/9/2020 2:42:25 PM

Quant Time: Mar 06 02:41:58 2020
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVTR022820WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Fri Mar 06 02:39:22 2020
Response via : Initial Calibration



TIC: VV014754.D

(13) Acetone (T)

2.219min (-0.039) 3.10ug/L m

response 7717

Ion	Exp%	Act%
43.05	100	100
58.05	10.00	14.54
0.00	0.00	0.00
0.00	0.00	0.00

7 mg
3/14/20

Data Path : Z:\VOASRV\HPCHEM1\MSVOA_V\DATA\VV030520\
Quantitation Report (QT Reviewed)

Data File : VV014754.D
Acq On : 05 Mar 2020 12:51
Operator : SY/MD
Sample : L1782-09
Misc : 25.0mL/MSVOA_V/WATER
ALS Vial : 7 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
C0AB3

Manual Integrations
APPROVED

apatel
3/9/2020 2:42:25 PM

Quant Time: Mar 06 02:55:51 2020
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVTR022820WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Fri Mar 06 02:39:22 2020
Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev (Min)
1) 1,4-Difluorobenzene	5.66	114	228223	5.00	ug/L	0.00
28) Chlorobenzene-d5	8.89	117	216905	5.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.29	152	103487	5.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.32	65	67527	3.78	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	75.60%
7) Chloroethane-d5	1.58	69	60241	4.31	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	86.20%
11) 1,1-Dichloroethene-d2	2.13	63	91957	3.03	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	60.60%
20) 2-Butanone-d5	3.96	46	186698	50.55	ug/L	-0.02
Spiked Amount	50.000	Range	40 - 130	Recovery	=	101.10%
24) Chloroform-d	4.40	84	141263	4.40	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	88.00%
26) 1,2-Dichloroethane-d4	5.08	65	79991	5.09	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	101.80%
32) Benzene-d6	5.10	84	304725	4.85	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	97.00%
36) 1,2-Dichloropropane-d6	6.11	67	97234	4.94	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	98.80%
41) Toluene-d8	7.36	98	267231	4.60	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	92.00%
43) trans-1,3-Dichloropropene-	7.66	79	33359	4.39	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	87.80%
46) 2-Hexanone-d5	8.14	63	130226	42.30	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	84.60%
57) 1,1,2,2-Tetrachloroethane-	10.26	84	67979	4.83	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	96.60%
64) 1,2-Dichlorobenzene-d4	11.67	152	101279	5.27	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	105.40%

Target Compounds					Qvalue
3) Chloromethane	1.25	50	5858	0.254 ug/L	95
13) Acetone	2.22	43	7717m	3.105 ug/L	
25) Chloroform	4.42	83	13470	0.404 ug/L	92

7MO
3/14/20

(#) = qualifier out of range (m) = manual integration (+) = signals summed