

Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV030719\
 Data File : VV009524.D
 Acq On : 07 Mar 2019 12:17
 Operator : SY/MD
 Sample : K1720-05
 Misc : 5.10G/10ML/MSVOA V/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 VHBLK01

Quant Time: Mar 08 04:15:35 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOM2VLM030519S.M
 Quant Title : VOC Analysis
 QLast Update : Fri Mar 08 03:01:51 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.66	114	160345	25.00	ug/L	0.00
28) Chlorobenzene-d5	8.89	117	146022	25.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.30	152	64662	25.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.32	65	47631	24.68	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	98.72%
7) Chloroethane-d5	1.57	69	51529	18.46	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	73.84%
10) 1,1-Dichloroethene-d2	2.12	63	98655	19.64	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	78.56%
20) 2-Butanone-d5	3.94	46	30838	46.88	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	93.76%
24) Chloroform-d	4.40	84	91628	23.99	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	95.96%
26) 1,2-Dichloroethane-d4	5.08	65	53347	24.55	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	98.20%
29) Benzene-d6	5.10	84	191923	26.54	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	106.16%
33) 1,2-Dichloropropane-d6	6.12	67	55388	25.95	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	103.80%
37) Toluene-d8	7.36	98	185749	26.34	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	105.36%
38) trans-1,3-Dichloropropene-	7.66	79	23806	23.02	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	92.08%
39) 2-Hexanone-d5	8.13	63	23933	48.05	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	96.10%
48) 1,1,2,2-Tetrachloroethane-	10.26	84	52570	23.11	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	92.44%
61) 1,2-Dichlorobenzene-d4	11.68	152	58681	24.86	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	99.44%


Target Compounds					Ovalue
16) Methylene chloride	2.53	84	3969	1.886 ug/L	92




(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA V\DATA\VV030719\
Data File : VV009524.D
Acq On : 07 Mar 2019 12:17
Operator : SY/MD
Sample : K1720-05
Misc : 5.10G/10ML/MSVOA V/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
VHBLK01

Quant Time: Mar 08 04:15:35 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_V\METHOD\SOM2VLM030519S.M
Quant Title : VOC Analysis
QLast Update : Fri Mar 08 03:01:51 2019
Response via : Initial Calibration





#16
Methylene chloride
Concen: 1.886 ug/L
RT: 2.53 min Scan# 448
Delta R.T. 0.00 min
Lab File: VV009524.D
Acq: 07 Mar 2019 12:17

Instrument :
MSVOA_V
ClientSampleId :
VHBLK01

Tot Ion: 84 Resp: 3969
Ion Ratio Lower Upper
84 100
49 109.9 84.6 157.0
86 61.0 46.1 85.7

