

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV030724\
 Data File : VV034511.D
 Acq On : 06 Mar 2024 15:45
 Operator : SY/MD
 Sample : VV0307WBL01
 Misc : 5.0mL/MSVOA_V/WATER
 ALS Vial : 3 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 VBLK236

Quant Time: Mar 07 04:31:14 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM022924WMA.M
 Quant Title : VOC Analysis
 QLast Update : Thu Mar 07 04:30:42 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	5.532	114	313041	50.000	ug/L	0.00
28) Chlorobenzene-d5	8.783	117	292776	50.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.185	152	139140	50.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.278	65	110466	40.706	ug/L	0.00
Spiked Amount	50.000	Range 60 - 135	Recovery	=	81.420%	
7) Chloroethane-d5	1.529	69	92439	43.723	ug/L	0.00
Spiked Amount	50.000	Range 70 - 130	Recovery	=	87.440%	
11) 1,1-Dichloroethene-d2	2.056	65	50276	40.965	ug/L	0.00
Spiked Amount	50.000	Range 60 - 125	Recovery	=	81.940%	
21) 2-Butanone-d5	3.783	46	192181	105.898	ug/L	0.00
Spiked Amount	100.000	Range 40 - 130	Recovery	=	105.900%	
24) Chloroform-d	4.246	84	218819	45.605	ug/L	0.00
Spiked Amount	50.000	Range 70 - 125	Recovery	=	91.200%	
26) 1,2-Dichloroethane-d4	4.941	65	149559	47.699	ug/L	0.00
Spiked Amount	50.000	Range 70 - 125	Recovery	=	95.400%	
32) Benzene-d6	4.957	84	408760	46.260	ug/L	0.00
Spiked Amount	50.000	Range 70 - 125	Recovery	=	92.520%	
36) 1,2-Dichloropropane-d6	5.989	67	131272	48.681	ug/L	0.00
Spiked Amount	50.000	Range 70 - 120	Recovery	=	97.360%	
41) Toluene-d8	7.243	98	360165	45.042	ug/L	0.00
Spiked Amount	50.000	Range 80 - 120	Recovery	=	90.080%	
43) trans-1,3-Dichloroprop...	7.555	79	55367	40.887	ug/L	0.00
Spiked Amount	50.000	Range 60 - 125	Recovery	=	81.780%	
47) 2-Hexanone-d5	8.024	63	142136	105.555	ug/L	0.00
Spiked Amount	100.000	Range 45 - 130	Recovery	=	105.550%	
56) 1,1,2,2-Tetrachloroeth...	10.153	84	174001	49.033	ug/L	0.00
Spiked Amount	50.000	Range 65 - 120	Recovery	=	98.060%	
66) 1,2-Dichlorobenzene-d4	11.561	152	142537	50.117	ug/L	0.00
Spiked Amount	50.000	Range 80 - 120	Recovery	=	100.240%	

Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV030724\
Data File : VV034511.D
Acq On : 06 Mar 2024 15:45
Operator : SY/MD
Sample : VV0307WBL01
Misc : 5.0mL/MSVOA_V/WATER
ALS Vial : 3 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
VBLK236

Quant Time: Mar 07 04:31:14 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM022924WMA.M
Quant Title : VOC Analysis
QLast Update : Thu Mar 07 04:30:42 2024
Response via : Initial Calibration

