


Data Path : Z:\VOASRV\HPCHEM1\MSVOA_V\DATA\VV030920\
Data File : VV014776.D
Acq On : 09 Mar 2020 15:00
Operator : SY/MD
Sample : L1834-18
Misc : 5.0mL/MSVOA_V/WATER
ALS Vial : 12 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
C0DL1

Manual Integrations
APPROVED

MMDadoda
3/11/2020 9:41:15 AM

Quant Time: Mar 10 16:18:53 2020
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM030620WMA.M
Quant Title : VOC Analysis
QLast Update : Tue Mar 10 14:44:37 2020
Response via : Initial Calibration



Quantitation Report (Qedit)




Data Path : Z:\VOASRV\HPCHEM1\MSVOA_V\DATA\VV030920\
Data File : VV014776.D
Acq On : 09 Mar 2020 15:00
Operator : SY/MD
Sample : L1834-18
Misc : 5.0mL/MSVOA_V/WATER
ALS Vial : 12 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
C0DL1

Manual Integrations
APPROVED

MMDadoda
3/11/2020 9:41:15 AM

Quant Time: Mar 10 14:48:30 2020
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM030620WMA.M
Quant Title : VOC Analysis
QLast Update : Tue Mar 10 14:44:37 2020
Response via : Initial Calibration



TIC: VV014776.D

(13) Acetone (T)

2.203min (-0.013) 0.66ug/L

response 1204

Ion	Exp%	Act%
43.00	100	100
58.00	31.10	36.46
0.00	0.00	0.00
0.00	0.00	0.00

Quantitation Report (Qedit)




Data Path : Z:\VOASRV\HPCHEM1\MSVOA_V\DATA\VV030920\
 Data File : VV014776.D
 Acq On : 09 Mar 2020 15:00
 Operator : SY/MD
 Sample : L1834-18
 Misc : 5.0mL/MSVOA_V/WATER
 ALS Vial : 12 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 C0DL1

Manual Integrations
 APPROVED

MMDadoda
 3/11/2020 9:41:15 AM

Quant Time: Mar 10 14:48:30 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM030620WMA.M
 Quant Title : VOC Analysis
 QLast Update : Tue Mar 10 14:44:37 2020
 Response via : Initial Calibration



TIC: VV014776.D

(13) Acetone (T)

2.219min (+0.003) 3.26ug/L m

response 5975

Ion	Exp%	Act%
43.00	100	100
58.00	31.10	7.35
0.00	0.00	0.00
0.00	0.00	0.00

Handwritten: 7 mg / 3/11/20

Data Path : Z:\VOASRV\HPCHEM1\MSVOA_V\DATA\VV030920\
 Data File : VV014776.D
 Acq On : 09 Mar 2020 15:00
 Operator : SY/MD
 Sample : L1834-18
 Misc : 5.0mL/MSVOA_V/WATER
 ALS Vial : 12 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 C0DL1

Manual Integrations
 APPROVED

MMDadoda
 3/11/2020 9:41:15 AM

Quant Time: Mar 10 16:18:53 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM030620WMA.M
 Quant Title : VOC Analysis
 QLast Update : Tue Mar 10 14:44:37 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev (Min)
1) 1,4-Difluorobenzene	5.64	114	435526	50.00	ug/L	0.00
28) Chlorobenzene-d5	8.87	117	437458	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.27	152	241403	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.32	65	126724	43.00	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	86.00%
7) Chloroethane-d5	1.58	69	104257	44.74	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	89.48%
11) 1,1-Dichloroethene-d2	2.12	63	163755	33.44	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	66.88%
21) 2-Butanone-d5	3.94	46	210147	95.60	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	95.60%
24) Chloroform-d	4.38	84	257324	46.11	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	92.22%
26) 1,2-Dichloroethane-d4	5.06	65	178592	47.11	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	94.22%
32) Benzene-d6	5.08	84	552812	47.86	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	95.72%
36) 1,2-Dichloropropane-d6	6.10	67	171082	44.69	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	89.38%
41) Toluene-d8	7.34	98	532681	47.09	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	94.18%
43) trans-1,3-Dichloropropene-	7.64	79	83594	44.72	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	89.44%
47) 2-Hexanone-d5	8.12	63	170569	100.35	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	100.35%
57) 1,1,2,2-Tetrachloroethane-	10.24	84	239524	45.48	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	90.96%
64) 1,2-Dichlorobenzene-d4	11.65	152	232638	48.62	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	97.24%

Target Compounds

						Qvalue
13) Acetone	2.22	43	5975m	3.26	ug/L	
25) Chloroform	4.41	83	205609	34.77	ug/L	100
27) 1,2-Dichloroethane	5.13	62	53148	11.60	ug/L	# 75
31) Carbon tetrachloride	4.86	117	11913	2.77	ug/L	96
33) Benzene	5.13	78	6032887	476.03	ug/L	100
51) Chlorobenzene	8.90	112	7215577	802.09	ug/L	98
62) 1,3-Dichlorobenzene	11.20	146	1764963	226.09	ug/L	99
63) 1,4-Dichlorobenzene	11.30	146	7243486	921.00	ug/L	96
65) 1,2-Dichlorobenzene	11.67	146	10700607	1376.83	ug/L	95
68) 1,2,4-trichlorobenzene	13.28	180	1307119	235.55	ug/L	100
70) 1,2,3-Trichlorobenzene	13.77	180	619856	112.07	ug/L	100

2 MD
 3/11/20

(#) = qualifier out of range (m) = manual integration (+) = signals summed