

Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV030920\
 Data File : VV014768.D
 Acq On : 09 Mar 2020 11:42
 Operator : SY/MD
 Sample : VV0309WBL01
 Misc : 5.0mL/MSVOA V/WATER
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 VBLK78

Quant Time: Mar 10 15:01:55 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM030620WMA.M
 Quant Title : VOC Analysis
 QLast Update : Tue Mar 10 14:44:37 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.64	114	436458	50.00	ug/L	0.00
28) Chlorobenzene-d5	8.87	117	425529	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.27	152	208824	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.32	65	138444	46.87	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	93.74%
7) Chloroethane-d5	1.58	69	109635	46.95	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	93.90%
11) 1,1-Dichloroethene-d2	2.12	63	177265	36.12	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	72.24%
21) 2-Butanone-d5	3.94	46	218315	99.10	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	99.10%
24) Chloroform-d	4.38	84	268117	47.94	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	95.88%
26) 1,2-Dichloroethane-d4	5.06	65	186744	49.16	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	98.32%
32) Benzene-d6	5.08	84	576804	51.34	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	102.68%
36) 1,2-Dichloropropane-d6	6.10	67	180775	48.54	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	97.08%
41) Toluene-d8	7.34	98	547181	49.72	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	99.44%
43) trans-1,3-Dichloropropene-	7.64	79	90889	49.99	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	99.98%
47) 2-Hexanone-d5	8.12	63	166451	100.67	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	100.67%
57) 1,1,2,2-Tetrachloroethane-	10.24	84	247561	48.33	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	96.66%
64) 1,2-Dichlorobenzene-d4	11.65	152	217537	52.56	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	105.12%


Target Compounds					Ovalue
25) Chloroform	4.41	83	15069	2.543 ug/L	98


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA V\DATA\VV030920\
Data File : VV014768.D
Acq On : 09 Mar 2020 11:42
Operator : SY/MD
Sample : VV0309WBL01
Misc : 5.0mL/MSVOA V/WATER
ALS Vial : 4 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
VBLK78

Quant Time: Mar 10 15:01:55 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM030620WMA.M
Quant Title : VOC Analysis
QLast Update : Tue Mar 10 14:44:37 2020
Response via : Initial Calibration





#25
 Chloroform
 Concen: 2.543 ug/L
 RT: 4.41 min Scan# 1032
 Delta R.T. 0.01 min
 Lab File: VV014768.D
 Acq: 09 Mar 2020 11:42

Instrument :
 MSVOA_V
 ClientSampleId :
 VBLK78

Tot Ion: 83 Resp: 15069
 Ion Ratio Lower Upper
 83 100
 85 62.8 45.1 83.9

