

Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV030920\
 Data File : VV014778.D
 Acq On : 09 Mar 2020 15:48
 Operator : SY/MD
 Sample : L1835-07
 Misc : 5.0mL/MSVOA V/WATER
 ALS Vial : 14 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 C0DJ0

Integration Parameters: LSCINT.P

Integrator: RTE
 Smoothing : OFF
 Sampling : 1
 Start Thrs: 0.2
 Stop Thrs : 0

Filtering: 5
 Min Area: 0 % of largest Peak
 Max Peaks: 100
 Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >
 Peak separation: 5

Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM030620WMA.M
 Title : VOC Analysis

Signal : TIC

peak #	R.T. min	first scan	max scan	last scan	PK TY	peak height	corr. area	corr. % max.	% of total
1	1.315	64	70	83	rVB	195241	201509	12.63%	1.602%
2	1.579	145	152	166	rVB	150341	184155	11.54%	1.464%
3	2.119	311	320	334	rVB	310974	440399	27.61%	3.501%
4	3.013	596	598	602	rVB3	629	382	0.02%	0.003%
5	3.045	605	608	609	rBV4	650	392	0.02%	0.003%
6	3.164	643	645	649	rVB2	422	320	0.02%	0.003%
7	3.187	649	652	657	rVB2	835	682	0.04%	0.005%
8	3.225	660	664	665	rBV4	770	394	0.02%	0.003%
9	3.312	689	691	696	rBV4	508	326	0.02%	0.003%
10	3.335	696	698	701	rVB2	670	292	0.02%	0.002%
11	3.351	701	703	707	rVB3	693	449	0.03%	0.004%
12	3.373	707	710	712	rBV2	485	337	0.02%	0.003%
13	3.515	751	754	756	rVB2	563	295	0.02%	0.002%
14	3.527	756	758	760	rBV2	470	301	0.02%	0.002%
15	3.595	775	779	781	rBV3	672	468	0.03%	0.004%
16	3.611	781	784	785	rBV2	973	436	0.03%	0.003%
17	3.781	835	837	841	rVB3	691	452	0.03%	0.004%
18	3.843	853	856	859	rVB3	579	291	0.02%	0.002%
19	3.942	873	887	929	rBV2	76668	369107	23.14%	2.934%
20	4.380	1007	1023	1053	rVB	247317	616816	38.67%	4.903%
21	4.595	1087	1090	1093	rBV3	1005	738	0.05%	0.006%
22	4.637	1100	1103	1104	rBV	843	441	0.03%	0.004%
23	4.727	1129	1131	1134	rVV2	515	296	0.02%	0.002%
24	4.843	1163	1167	1173	rVB5	908	894	0.06%	0.007%
25	4.875	1173	1177	1181	rVB2	834	672	0.04%	0.005%
26	4.939	1196	1197	1202	rVB2	692	440	0.03%	0.003%
27	4.981	1207	1210	1212	rBV2	663	449	0.03%	0.004%
28	4.997	1212	1215	1220	rVB5	980	945	0.06%	0.008%
29	5.074	1220	1239	1264	rBV2	641214	1595144	100.00%	12.679%
30	5.351	1322	1325	1326	rBV2	570	288	0.02%	0.002%
31	5.643	1402	1416	1442	rVV	508190	1005796	63.05%	7.995%
32	5.823	1468	1472	1476	rBV3	835	795	0.05%	0.006%
33	5.865	1482	1485	1487	rBV4	738	513	0.03%	0.004%
34	5.916	1496	1501	1503	rBV3	1735	1564	0.10%	0.012%

Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV030920\
 Data File : VV014778.D
 Acq On : 09 Mar 2020 15:48
 Operator : SY/MD
 Sample : L1835-07
 Misc : 5.0mL/MSVOA V/WATER
 ALS Vial : 14 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 C0DJ0

Integration Parameters: LSCINT.P

Integrator: RTE
 Smoothing : OFF
 Sampling : 1
 Start Thrs: 0.2
 Stop Thrs : 0

Filtering: 5
 Min Area: 0 % of largest Peak
 Max Peaks: 100
 Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >
 Peak separation: 5

Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM030620WMA.M
 Title : VOC Analysis

35	6.097	1543	1557	1578	rBV	350125	710455	44.54%	5.647%
36	6.502	1681	1683	1686	rVB	623	303	0.02%	0.002%
37	6.534	1686	1693	1695	rBV3	759	720	0.05%	0.006%
38	6.576	1703	1706	1708	rBV3	687	395	0.02%	0.003%
39	6.643	1722	1727	1729	rBV4	921	755	0.05%	0.006%
40	6.720	1750	1751	1757	rBV3	511	400	0.03%	0.003%
41	6.772	1761	1767	1768	rBV3	662	367	0.02%	0.003%
42	6.791	1770	1773	1776	rBV2	545	335	0.02%	0.003%
43	6.900	1802	1807	1809	rBV4	782	748	0.05%	0.006%
44	6.968	1825	1828	1829	rBV	526	289	0.02%	0.002%
45	7.010	1829	1841	1858	rBV	208739	368864	23.12%	2.932%
46	7.154	1883	1886	1887	rBV2	701	384	0.02%	0.003%
47	7.254	1915	1917	1920	rBV3	744	429	0.03%	0.003%
48	7.273	1920	1923	1925	rBV3	637	375	0.02%	0.003%
49	7.338	1929	1943	1962	rBV	786957	1357185	85.08%	10.788%
50	7.576	2011	2017	2021	rBV5	840	741	0.05%	0.006%
51	7.643	2026	2038	2060	rBV	142232	246577	15.46%	1.960%
52	7.820	2091	2093	2097	rVB3	850	508	0.03%	0.004%
53	7.839	2097	2099	2102	rBV2	755	529	0.03%	0.004%
54	8.116	2174	2185	2210	rBV	407033	822190	51.54%	6.535%
55	8.399	2271	2273	2277	rVB2	905	423	0.03%	0.003%
56	8.521	2307	2311	2313	rBV3	704	440	0.03%	0.003%
57	8.598	2332	2335	2338	rBV5	760	535	0.03%	0.004%
58	8.653	2347	2352	2356	rBV4	719	697	0.04%	0.006%
59	8.797	2393	2397	2400	rVB2	839	543	0.03%	0.004%
60	8.820	2400	2404	2405	rBV2	550	448	0.03%	0.004%
61	8.875	2408	2421	2446	rBV	763787	1259475	78.96%	10.011%
62	9.080	2479	2485	2487	rBV4	1317	1077	0.07%	0.009%
63	9.154	2505	2508	2513	rVV3	1154	1030	0.06%	0.008%
64	9.177	2513	2515	2518	rVB3	655	351	0.02%	0.003%
65	9.260	2539	2541	2543	rBV	610	316	0.02%	0.003%
66	9.428	2591	2593	2599	rVB2	518	418	0.03%	0.003%
67	9.489	2609	2612	2614	rBV3	708	457	0.03%	0.004%
68	9.518	2617	2621	2626	rVB5	928	989	0.06%	0.008%
69	9.675	2667	2670	2674	rVB3	709	594	0.04%	0.005%
70	9.707	2677	2680	2682	rBV2	817	502	0.03%	0.004%
71	9.794	2705	2707	2709	rBV3	623	317	0.02%	0.003%

Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV030920\
 Data File : VV014778.D
 Acq On : 09 Mar 2020 15:48
 Operator : SY/MD
 Sample : L1835-07
 Misc : 5.0mL/MSVOA V/WATER
 ALS Vial : 14 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 C0DJ0

Integration Parameters: LSCINT.P

Integrator: RTE
 Smoothing : OFF
 Sampling : 1
 Start Thrs: 0.2
 Stop Thrs : 0

Filtering: 5
 Min Area: 0 % of largest Peak
 Max Peaks: 100
 Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >
 Peak separation: 5

Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM030620WMA.M
 Title : VOC Analysis

72	9.829	2715	2718	2722	rBV3	974	878	0.06%	0.007%
73	9.981	2763	2765	2768	rBV	434	308	0.02%	0.002%
74	10.026	2777	2779	2780	rBV	965	405	0.03%	0.003%
75	10.157	2818	2820	2823	rBV	531	289	0.02%	0.002%
76	10.238	2832	2845	2862	rBV	507848	777928	48.77%	6.184%
77	10.366	2882	2885	2887	rVB2	774	380	0.02%	0.003%
78	10.402	2889	2896	2905	rVV3	5101	8066	0.51%	0.064%
79	10.476	2917	2919	2924	rVB4	889	713	0.04%	0.006%
80	10.501	2924	2927	2930	rBV2	569	527	0.03%	0.004%
81	10.530	2934	2936	2939	rBV3	806	466	0.03%	0.004%
82	10.685	2980	2984	2986	rBV3	767	550	0.03%	0.004%
83	10.797	3018	3019	3023	rBV	400	320	0.02%	0.003%
84	10.971	3070	3073	3076	rBV2	1398	706	0.04%	0.006%
85	11.003	3082	3083	3090	rBV2	404	394	0.02%	0.003%
86	11.202	3129	3145	3153	rBV7	6054	12736	0.80%	0.101%
87	11.270	3153	3166	3186	rBV	800072	1258882	78.92%	10.007%
88	11.463	3225	3226	3231	rVB3	819	437	0.03%	0.003%
89	11.511	3235	3241	3244	rBV4	691	870	0.05%	0.007%
90	11.559	3246	3256	3264	rBV5	5639	10675	0.67%	0.085%
91	11.646	3270	3283	3307	rBV	793160	1266805	79.42%	10.070%
92	11.845	3341	3345	3347	rBV4	638	531	0.03%	0.004%
93	12.125	3430	3432	3436	rVB3	720	334	0.02%	0.003%
94	12.247	3468	3470	3473	rBV2	935	664	0.04%	0.005%
95	12.366	3501	3507	3517	rVB6	3851	5081	0.32%	0.040%
96	12.627	3585	3588	3590	rBV3	701	516	0.03%	0.004%
97	13.209	3767	3769	3772	rBV3	757	454	0.03%	0.004%
98	13.283	3782	3792	3803	rVB3	13922	21338	1.34%	0.170%
99	13.472	3849	3851	3854	rBV2	1190	668	0.04%	0.005%
100	13.958	4000	4002	4006	rVB	1264	738	0.05%	0.006%

Sum of corrected areas: 12580598

Data Path : Z:\VOASRV\HPCHEM1\MSVOA_V\DATA\VV030920\
Data File : VV014778.D
Acq On : 09 Mar 2020 15:48
Operator : SY/MD
Sample : L1835-07
Misc : 5.0mL/MSVOA_V/WATER
ALS Vial : 14 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
C0DJ0

Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM030620WMA.M
Quant Title : VOC Analysis

TIC Library : C:\DATABASE\NIST11.L
TIC Integration Parameters: LSCINT.P

No Library Search Compounds Detected

Data Path : Z:\VOASRV\HPCHEM1\MSVOA_V\DATA\VV030920\
Data File : VV014778.D
Acq On : 09 Mar 2020 15:48
Operator : SY/MD
Sample : L1835-07
Misc : 5.0mL/MSVOA_V/WATER
ALS Vial : 14 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
C0DJ0

Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM030620WMA.M
Quant Title : VOC Analysis

TIC Library : C:\DATABASE\NIST11.L
TIC Integration Parameters: LSCINT.P

TIC Top Hit name	RT	EstConc	Units	Response	--Internal Standard--			
					#	RT	Resp	Conc