

Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV031019\
 Data File : VV009570.D
 Acq On : 10 Mar 2019 16:40
 Operator : SY/MD
 Sample : K1818-21
 Misc : 5.83G/10ML/MSVOA V/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 BF0S1

Integration Parameters: LSCINT.P

Integrator: RTE
 Smoothing : OFF
 Sampling : 1
 Start Thrs: 0.2
 Stop Thrs : 0

Filtering: 5
 Min Area: 0 % of largest Peak
 Max Peaks: 100
 Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >
 Peak separation: 5

Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOM2VLM030519S.M
 Title : VOC Analysis

Signal : TIC

peak #	R.T. min	first scan	max scan	last scan	PK TY	peak height	corr. area	corr. % max.	% of total
1	1.319	65	71	82	rVB	43775	44089	11.55%	1.385%
2	1.566	142	148	158	rVB	41531	50261	13.16%	1.578%
3	2.126	314	322	334	rVB	108472	149502	39.16%	4.695%
4	2.315	373	381	391	rBV4	2667	4116	1.08%	0.129%
5	2.422	411	414	419	rVB2	320	241	0.06%	0.008%
6	2.534	442	449	455	rBV5	2066	3272	0.86%	0.103%
7	2.653	472	486	510	rBV	21318	47909	12.55%	1.505%
8	2.856	545	549	551	rBV2	284	238	0.06%	0.007%
9	2.897	560	562	566	rVB	225	105	0.03%	0.003%
10	2.984	586	589	592	rBV2	140	115	0.03%	0.004%
11	3.016	596	599	603	rBV2	190	172	0.05%	0.005%
12	3.071	614	616	620	rBV2	623	506	0.13%	0.016%
13	3.248	668	671	673	rBV2	229	141	0.04%	0.004%
14	3.431	725	728	730	rBV	150	100	0.03%	0.003%
15	3.483	741	744	745	rBV	123	73	0.02%	0.002%
16	3.605	779	782	784	rBV	266	167	0.04%	0.005%
17	3.666	798	801	802	rBV2	227	138	0.04%	0.004%
18	3.846	854	857	859	rBV	143	70	0.02%	0.002%
19	3.939	872	886	914	rBV2	17699	70555	18.48%	2.216%
20	4.402	1014	1030	1053	rBV3	54061	160044	41.92%	5.026%
21	4.643	1103	1105	1108	rVB	334	178	0.05%	0.006%
22	4.656	1108	1109	1111	rBV	115	30	0.01%	0.001%
23	4.679	1111	1116	1118	rBV2	353	313	0.08%	0.010%
24	4.859	1168	1172	1176	rBV	179	178	0.05%	0.006%
25	4.936	1193	1196	1197	rBV	272	179	0.05%	0.006%
26	5.000	1214	1216	1219	rBV	151	92	0.02%	0.003%
27	5.097	1227	1246	1262	rBV2	149773	381787	100.00%	11.990%
28	5.444	1351	1354	1356	rBV	121	75	0.02%	0.002%
29	5.518	1375	1377	1380	rVB	441	219	0.06%	0.007%
30	5.540	1380	1384	1386	rBV	140	106	0.03%	0.003%
31	5.560	1387	1390	1394	rVB	306	228	0.06%	0.007%
32	5.589	1394	1399	1404	rBV2	266	306	0.08%	0.010%
33	5.663	1409	1422	1446	rBV	139573	283455	74.24%	8.902%
34	6.010	1527	1530	1531	rBV	167	96	0.03%	0.003%

Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV031019\
 Data File : VV009570.D
 Acq On : 10 Mar 2019 16:40
 Operator : SY/MD
 Sample : K1818-21
 Misc : 5.83G/10ML/MSVOA V/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 BF0S1

Integration Parameters: LSCINT.P

Integrator: RTE
 Smoothing : OFF
 Sampling : 1
 Start Thrs: 0.2
 Stop Thrs : 0

Filtering: 5
 Min Area: 0 % of largest Peak
 Max Peaks: 100
 Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >
 Peak separation: 5

Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOM2VLM030519S.M
 Title : VOC Analysis

35	6.036	1536	1538	1539	rBV	255	89	0.02%	0.003%
36	6.119	1550	1564	1581	rBV2	86335	180081	47.17%	5.656%
37	6.370	1639	1642	1644	rBV	235	147	0.04%	0.005%
38	6.392	1646	1649	1654	rBV	223	258	0.07%	0.008%
39	6.466	1666	1672	1675	rBV2	302	296	0.08%	0.009%
40	6.486	1675	1678	1681	rBV	206	152	0.04%	0.005%
41	6.585	1702	1709	1712	rBV2	324	480	0.13%	0.015%
42	6.688	1734	1741	1750	rBV4	2144	4001	1.05%	0.126%
43	6.756	1758	1762	1768	rVB3	277	289	0.08%	0.009%
44	6.782	1768	1770	1771	rVB2	134	32	0.01%	0.001%
45	6.794	1771	1774	1776	rBV	181	109	0.03%	0.003%
46	6.814	1776	1780	1782	rBV	394	242	0.06%	0.008%
47	7.029	1831	1847	1864	rBV2	49325	89741	23.51%	2.818%
48	7.129	1876	1878	1881	rVB	198	107	0.03%	0.003%
49	7.151	1881	1885	1887	rBV	414	270	0.07%	0.008%
50	7.267	1919	1921	1922	rBV	383	206	0.05%	0.006%
51	7.360	1934	1950	1970	rBV	177619	323550	84.75%	10.161%
52	7.547	2006	2008	2011	rBV	324	268	0.07%	0.008%
53	7.662	2034	2044	2065	rBV	33502	57385	15.03%	1.802%
54	7.769	2075	2077	2078	rBV	142	29	0.01%	0.001%
55	7.984	2136	2144	2145	rBV2	3275	3832	1.00%	0.120%
56	8.132	2179	2190	2204	rBV2	56522	98659	25.84%	3.098%
57	8.437	2283	2285	2287	rBV	273	140	0.04%	0.004%
58	8.457	2287	2291	2293	rBV2	338	287	0.08%	0.009%
59	8.521	2306	2311	2314	rBV	247	220	0.06%	0.007%
60	8.563	2321	2324	2328	rVB	229	149	0.04%	0.005%
61	8.585	2328	2331	2335	rBV	231	201	0.05%	0.006%
62	8.640	2345	2348	2352	rBV2	164	157	0.04%	0.005%
63	8.659	2352	2354	2356	rVV	232	83	0.02%	0.003%
64	8.720	2370	2373	2378	rBV	239	195	0.05%	0.006%
65	8.846	2409	2412	2415	rVB	210	116	0.03%	0.004%
66	8.897	2415	2428	2455	rBV	219781	378162	99.05%	11.876%
67	9.235	2529	2533	2534	rBV	204	143	0.04%	0.004%
68	9.592	2641	2644	2648	rBV2	303	244	0.06%	0.008%
69	9.707	2677	2680	2687	rVB2	396	345	0.09%	0.011%
70	9.740	2687	2690	2693	rBV	275	238	0.06%	0.007%
71	9.990	2765	2768	2770	rBV2	126	80	0.02%	0.003%

Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV031019\
 Data File : VV009570.D
 Acq On : 10 Mar 2019 16:40
 Operator : SY/MD
 Sample : K1818-21
 Misc : 5.83G/10ML/MSVOA V/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 BF0S1

Integration Parameters: LSCINT.P

Integrator: RTE
 Smoothing : OFF
 Sampling : 1
 Start Thrs: 0.2
 Stop Thrs : 0

Filtering: 5
 Min Area: 0 % of largest Peak
 Max Peaks: 100
 Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >
 Peak separation: 5

Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOM2VLM030519S.M
 Title : VOC Analysis

72	10.068	2786	2792	2793	rBV2	265	253	0.07%	0.008%
73	10.103	2798	2803	2804	rBV2	272	197	0.05%	0.006%
74	10.260	2840	2852	2871	rBV	95876	156705	41.05%	4.921%
75	10.424	2893	2903	2914	rBV2	12253	20234	5.30%	0.635%
76	10.617	2961	2963	2966	rVB2	325	166	0.04%	0.005%
77	10.701	2985	2989	2993	rVB	355	284	0.07%	0.009%
78	10.717	2993	2994	2996	rBV	109	43	0.01%	0.001%
79	10.820	3024	3026	3027	rBV	140	62	0.02%	0.002%
80	10.977	3072	3075	3076	rBV2	227	159	0.04%	0.005%
81	11.193	3140	3142	3145	rBV	285	141	0.04%	0.004%
82	11.296	3163	3174	3195	rBV	203159	348885	91.38%	10.957%
83	11.434	3213	3217	3220	rBV3	687	502	0.13%	0.016%
84	11.521	3243	3244	3245	rBV	189	53	0.01%	0.002%
85	11.585	3262	3264	3267	rVB3	343	170	0.04%	0.005%
86	11.675	3280	3292	3308	rBV	181463	304396	79.73%	9.560%
87	12.058	3408	3411	3414	rBV2	300	183	0.05%	0.006%
88	12.299	3481	3486	3496	rVB2	3536	5314	1.39%	0.167%
89	12.360	3504	3505	3507	rBV	200	72	0.02%	0.002%
90	12.659	3596	3598	3602	rVB2	405	237	0.06%	0.007%
91	13.038	3713	3716	3718	rBV	249	162	0.04%	0.005%
92	13.386	3819	3824	3827	rBV3	530	466	0.12%	0.015%
93	13.556	3875	3877	3881	rBV	287	276	0.07%	0.009%
94	13.637	3899	3902	3910	rBV2	301	422	0.11%	0.013%
95	13.797	3943	3952	3959	rBV2	3197	4502	1.18%	0.141%
96	14.119	4049	4052	4055	rBV2	299	233	0.06%	0.007%


Sum of corrected areas: 3184156

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA V\DATA\VV031019\
Data File : VV009570.D
Acq On : 10 Mar 2019 16:40
Operator : SY/MD
Sample : K1818-21
Misc : 5.83G/10ML/MSVOA V/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
BF0S1

Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_V\METHOD\SOM2VLM030519S.M
Quant Title : VOC Analysis

TIC Library : C:\DATABASE\NIST11.L
TIC Integration Parameters: LSCINT.P



Data Path : Z:\V0ASRV\HPCHEM1\MSVOA_V\DATA\VV031019\
Data File : VV009570.D
Acq On : 10 Mar 2019 16:40
Operator : SY/MD
Sample : K1818-21
Misc : 5.83G/10ML/MSVOA_V/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
BF0S1

Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_V\METHOD\SOM2VLM030519S.M
Quant Title : VOC Analysis

TIC Library : C:\DATABASE\NIST11.L
TIC Integration Parameters: LSCINT.P

No Library Search Compounds Detected

Data Path : Z:\V0ASRV\HPCHEM1\MSV0A_V\DATA\VV031019\
Data File : VV009570.D
Acq On : 10 Mar 2019 16:40
Operator : SY/MD
Sample : K1818-21
Misc : 5.83G/10ML/MSV0A_V/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSV0A_V
ClientSampleId :
BF0S1

Quant Method : Z:\V0ASRV\HPCHEM1\MSV0A_V\METHOD\SOM2VLM030519S.M
Quant Title : VOC Analysis

TIC Library : C:\DATABASE\NIST11.L
TIC Integration Parameters: LSCINT.P

TIC Top Hit name	RT	EstConc	Units	Response	--Internal Standard--
					# RT Resp Conc