


Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV031020\
Data File : VV014805.D
Acq On : 10 Mar 2020 16:08
Operator : SY/MD
Sample : L1858-03
Misc : 5.0mL/MSVOA V/WATER
ALS Vial : 18 Sample Multiplier: 1

Quant Time: Mar 11 03:46:29 2020
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM030620WMA.M
Quant Title : VOC Analysis
QLast Update : Wed Mar 11 01:57:25 2020
Response via : Initial Calibration

Instrument :
MSVOA_V
ClientSampleId :
BFRF4

Manual Integrations
APPROVED

MMDadoda
3/11/2020 11:09:44 AM



Quantitation Report (Qedit)

Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV031020\

Data File : VV014805.D

Acq On : 10 Mar 2020 16:08

Operator : SY/MD

Sample : L1858-03

Misc : 5.0mL/MSVOA V/WATER

ALS Vial : 18 Sample Multiplier: 1

Quant Time: Mar 11 02:01:02 2020

Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM030620WMA.M

Quant Title : VOC Analysis

QLast Update : Wed Mar 11 01:57:25 2020

Response via : Initial Calibration

Instrument :

MSVOA_V

ClientSampleId :




BFRF4

Manual Integrations

APPROVED

MMDadoda

3/11/2020 11:09:44 AM



(13) Acetone (T)

2.212min (-0.003) 3.12ug/L

response 5268

Ion	Exp%	Act%
43.00	100	100
58.00	31.10	9.61
0.00	0.00	0.00
0.00	0.00	0.00

Quantitation Report (Qedit)




Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV031020\
 Data File : VV014805.D
 Acq On : 10 Mar 2020 16:08
 Operator : SY/MD
 Sample : L1858-03
 Misc : 5.0mL/MSVOA V/WATER
 ALS Vial : 18 Sample Multiplier: 1

Quant Time: Mar 11 02:01:02 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM030620WMA.M
 Quant Title : VOC Analysis
 QLast Update : Wed Mar 11 01:57:25 2020
 Response via : Initial Calibration

Instrument :
 MSVOA_V
 Client Sampled :
 BFRF4

Manual Integrations
 APPROVED

MMDadoda
 3/11/2020 11:09:44 AM



(13) Acetone (T)

2.212min (-0.003) 6.09ug/L m

response 10267

M.O
 03/20/20

Ion	Exp%	Act%
43.00	100	100
58.00	31.10	4.93
0.00	0.00	0.00
0.00	0.00	0.00

TIC: VV014805.D

Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV031020\
 Data File : VV014805.D
 Acq On : 10 Mar 2020 16:08
 Operator : SY/MD
 Sample : L1858-03
 Misc : 5.0mL/MSVOA V/WATER
 ALS Vial : 18 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 BFRF4

Quant Time: Mar 11 03:46:29 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM030620WMA.M
 Quant Title : VOC Analysis
 QLast Update : Wed Mar 11 01:57:25 2020
 Response via : Initial Calibration

Manual Integrations
 APPROVED

MMDadoda
 3/11/2020 11:09:44 AM

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev (Min)
1) 1,4-Difluorobenzene	5.64	114	400218	50.00	ug/L	0.00
28) Chlorobenzene-d5	8.87	117	384506	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.27	152	184759	50.00	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.32	65	98650	36.42	ug/L	0.00
Spiked Amount 50.000	Range 60 - 135		Recovery =	72.84%		
7) Chloroethane-d5	1.58	69	83204	38.86	ug/L	0.00
Spiked Amount 50.000	Range 70 - 130		Recovery =	77.72%		
11) 1,1-Dichloroethene-d2	2.12	63	130841	29.07	ug/L	0.00
Spiked Amount 50.000	Range 60 - 125		Recovery =	58.14%#		
21) 2-Butanone-d5	3.94	46	172130	85.21	ug/L	0.00
Spiked Amount 100.000	Range 40 - 130		Recovery =	85.21%		
24) Chloroform-d	4.38	84	228244	44.50	ug/L	0.00
Spiked Amount 50.000	Range 70 - 125		Recovery =	89.00%		
26) 1,2-Dichloroethane-d4	5.06	65	155473	44.63	ug/L	0.00
Spiked Amount 50.000	Range 70 - 125		Recovery =	89.26%		
32) Benzene-d6	5.08	84	464541	45.76	ug/L	0.00
Spiked Amount 50.000	Range 70 - 125		Recovery =	91.52%		
36) 1,2-Dichloropropane-d6	6.10	67	147905	43.95	ug/L	0.00
Spiked Amount 50.000	Range 70 - 120		Recovery =	87.90%		
41) Toluene-d8	7.34	98	433375	43.58	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery =	87.16%		
43) trans-1,3-Dichloropropene-	7.64	79	67878	41.31	ug/L	0.00
Spiked Amount 50.000	Range 60 - 125		Recovery =	82.62%		
47) 2-Hexanone-d5	8.12	63	134774	90.21	ug/L	0.00
Spiked Amount 100.000	Range 45 - 130		Recovery =	90.21%		
57) 1,1,2,2-Tetrachloroethane-	10.24	84	205510	44.40	ug/L	0.00
Spiked Amount 50.000	Range 65 - 120		Recovery =	88.80%		
64) 1,2-Dichlorobenzene-d4	11.65	152	176731	48.26	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery =	96.52%		
Target Compounds						
13) Acetone	2.21	43	10267m	6.088	ug/L	Ovalue
53) m,p-Xylene	9.16	106	4017	0.773	ug/L	98

(#) = qualifier out of range (m) = manual integration (+) = signals summed