

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV031023\
 Data File : VV030159.D
 Acq On : 10 Mar 2023 16:51
 Operator : SY/MD
 Sample : 01868-06
 Misc : 25.0mL/MSVOA_V/WATER
 ALS Vial : 14 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 C0BC4

Quant Time: Mar 11 00:07:54 2023
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVTR022323WMA.M
 Quant Title : TRACE VOA SFAM1.0
 QLast Update : Sat Mar 11 00:01:55 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	5.545	114	182557	5.000	ug/L	0.00
28) Chlorobenzene-d5	8.792	117	184866	5.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.194	152	90897	5.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.281	65	33437	2.831	ug/L	0.00
Spiked Amount	5.000	Range 40 - 130	Recovery	=	56.600%	
7) Chloroethane-d5	1.539	69	42305	3.815	ug/L	0.00
Spiked Amount	5.000	Range 65 - 130	Recovery	=	76.400%	
11) 1,1-Dichloroethene-d2	2.066	63	58421	2.406	ug/L	0.00
Spiked Amount	5.000	Range 60 - 125	Recovery	=	48.200%#	
20) 2-Butanone-d5	3.825	46	111895	51.379	ug/L	0.00
Spiked Amount	50.000	Range 40 - 130	Recovery	=	102.760%	
24) Chloroform-d	4.262	84	109038	4.519	ug/L	0.00
Spiked Amount	5.000	Range 70 - 125	Recovery	=	90.400%	
26) 1,2-Dichloroethane-d4	4.953	65	47590	4.831	ug/L	0.00
Spiked Amount	5.000	Range 70 - 130	Recovery	=	96.600%	
32) Benzene-d6	4.973	84	176821	3.555	ug/L	0.00
Spiked Amount	5.000	Range 70 - 125	Recovery	=	71.000%	
36) 1,2-Dichloropropane-d6	5.998	67	62483	4.175	ug/L	0.00
Spiked Amount	5.000	Range 60 - 140	Recovery	=	83.600%	
41) Toluene-d8	7.252	98	144403	3.063	ug/L	0.00
Spiked Amount	5.000	Range 70 - 130	Recovery	=	61.200%#	
43) trans-1,3-Dichloroprop...	7.564	79	18567	3.626	ug/L	0.00
Spiked Amount	5.000	Range 55 - 130	Recovery	=	72.600%	
46) 2-Hexanone-d5	8.037	63	104509	49.339	ug/L	0.00
Spiked Amount	50.000	Range 45 - 130	Recovery	=	98.680%	
56) 1,1,2,2-Tetrachloroeth...	10.162	84	55035	5.169	ug/L	0.00
Spiked Amount	5.000	Range 65 - 120	Recovery	=	103.400%	
66) 1,2-Dichlorobenzene-d4	11.570	152	69823	4.540	ug/L	0.00
Spiked Amount	5.000	Range 80 - 120	Recovery	=	90.800%	
Target Compounds						
					Qvalue	
47) Tetrachloroethene	7.915	164	15046	1.239	ug/L	98

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV031023\
Data File : VV030159.D
Acq On : 10 Mar 2023 16:51
Operator : SY/MD
Sample : 01868-06
Misc : 25.0mL/MSVOA_V/WATER
ALS Vial : 14 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
C0BC4

Quant Time: Mar 11 00:07:54 2023
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVTR022323WMA.M
Quant Title : TRACE VOA SFAM1.0
QLast Update : Sat Mar 11 00:01:55 2023
Response via : Initial Calibration

