

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV031023\
 Data File : VV030153.D
 Acq On : 10 Mar 2023 14:25
 Operator : SY/MD
 Sample : 01868-01
 Misc : 25.0mL/MSVOA_V/WATER
 ALS Vial : 8 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 C0BB9

Quant Time: Mar 11 00:05:36 2023
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVTR022323WMA.M
 Quant Title : TRACE VOA SFAM1.0
 QLast Update : Sat Mar 11 00:01:55 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Difluorobenzene	5.545	114	138065	5.000	ug/L	0.00
28) Chlorobenzene-d5	8.796	117	140364	5.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.194	152	70441	5.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.281	65	29836	3.340	ug/L	0.00
Spiked Amount	5.000	Range 40 - 130	Recovery	=	66.800%	
7) Chloroethane-d5	1.539	69	36018	4.295	ug/L	0.00
Spiked Amount	5.000	Range 65 - 130	Recovery	=	86.000%	
11) 1,1-Dichloroethene-d2	2.066	63	51724	2.816	ug/L	0.00
Spiked Amount	5.000	Range 60 - 125	Recovery	=	56.400%#	
20) 2-Butanone-d5	3.828	46	98000	59.500	ug/L	0.00
Spiked Amount	50.000	Range 40 - 130	Recovery	=	119.000%	
24) Chloroform-d	4.262	84	91247	5.000	ug/L	0.00
Spiked Amount	5.000	Range 70 - 125	Recovery	=	100.000%	
26) 1,2-Dichloroethane-d4	4.956	65	40658	5.458	ug/L	0.00
Spiked Amount	5.000	Range 70 - 130	Recovery	=	109.200%	
32) Benzene-d6	4.973	84	152212	4.030	ug/L	0.00
Spiked Amount	5.000	Range 70 - 125	Recovery	=	80.600%	
36) 1,2-Dichloropropane-d6	5.998	67	53293	4.690	ug/L	0.00
Spiked Amount	5.000	Range 60 - 140	Recovery	=	93.800%	
41) Toluene-d8	7.255	98	121875	3.404	ug/L	0.00
Spiked Amount	5.000	Range 70 - 130	Recovery	=	68.000%#	
43) trans-1,3-Dichloroprop...	7.564	79	16370	4.211	ug/L	0.00
Spiked Amount	5.000	Range 55 - 130	Recovery	=	84.200%	
46) 2-Hexanone-d5	8.037	63	82691	51.416	ug/L	0.00
Spiked Amount	50.000	Range 45 - 130	Recovery	=	102.840%	
56) 1,1,2,2-Tetrachloroeth...	10.162	84	45593	5.640	ug/L	0.00
Spiked Amount	5.000	Range 65 - 120	Recovery	=	112.800%	
66) 1,2-Dichlorobenzene-d4	11.570	152	58233	4.886	ug/L	0.00
Spiked Amount	5.000	Range 80 - 120	Recovery	=	97.800%	
Target Compounds						Qvalue
14) Carbon disulfide	2.249	76	6984	0.282	ug/L	97


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV031023\
Data File : VV030153.D
Acq On : 10 Mar 2023 14:25
Operator : SY/MD
Sample : 01868-01
Misc : 25.0mL/MSVOA_V/WATER
ALS Vial : 8 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
C0BB9

Quant Time: Mar 11 00:05:36 2023
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVTR022323WMA.M
Quant Title : TRACE VOA SFAM1.0
QLast Update : Sat Mar 11 00:01:55 2023
Response via : Initial Calibration





#14
Carbon disulfide
Concen: 0.282 ug/L
RT: 2.249 min Scan# 31
Delta R.T. 0.003 min
Lab File: VV030153.D
Acq: 10 Mar 2023 14:25

Instrument :
MSVOA_V
ClientSampleId :
C0BB9

Tgt Ion: 76 Resp: 6984
Ion Ratio Lower Upper
76 100
78 10.5 7.7 11.5

